



U. S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
COTTON PROGRAM, MARKET NEWS BRANCH
3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133
Telephone 901-384-3016



QUALITY OF COTTON CLASSED

Volume 11, No. 8

16-Oct-09

NUMBER SAMPLES CLASSED FOR PRODUCERS, BY STATE,
WEEK AND SEASON ENDED October 15, 2009

<i>State</i>	<i>Week</i>	<i>Season</i>
UPLAND		
Alabama	912	1,214
Arizona	8,832	30,069
Arkansas	10,601	12,202
California	4,339	4,352
Florida *	-	-
Georgia	16,045	21,014
Kansas *	-	-
Louisiana	23,444	52,976
Mississippi	1,813	3,439
Missouri	1,337	2,000
New Mexico *	-	-
North Carolina	20,496	29,805
Oklahoma *	-	-
South Carolina	7,575	13,666
Tennessee	980	980
Texas	42,315	258,678
Virginia	1,588	1,588
United States	140,277	431,983
Percent tenderable	66.7	55.0
AMERICAN PIMA		
Arizona *	-	-
California	3,490	3,490
New Mexico	-	-
Texas	-	-
United States	3,490	3,490
United States all cotton	143,767	435,473

* Data Withheld--less than 500 bales classed.

MP_CN106

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
		-	-	*	0.1	42.4	37.7	38.4	38.3	-	-	0.3	0.3	
	3	-	-	0.4	0.5	25.0	20.5	7.7	7.7	-	-	0.1	0.2	
	4	-	-	0.1	0.1	1.4	1.0	0.2	0.2	-	-	*	*	
	5	-	-	-	-	0.2	0.1	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.5	0.7	69.1	59.3	46.3	46.3	-	-	0.4	0.5
31	1-2	0.1	0.1	0.3	0.3	8.8	8.5	37.5	37.5	-	-	7.2	6.9	
	3	32.9	31.9	9.0	12.9	12.8	11.0	12.3	12.4	-	-	39.6	43.2	
	4	9.2	7.1	2.2	2.2	0.7	1.0	2.6	2.6	-	-	8.6	9.5	
	5	0.1	0.1	*	*	0.2	0.2	-	-	-	-	0.1	0.1	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	42.3	39.1	11.6	15.5	22.6	20.7	52.5	52.5	-	-	55.5	59.6
	41	1-2	0.1	0.1	0.1	0.1	*	0.1	0.1	0.1	-	-	0.9	0.8
3		23.9	30.4	18.8	17.5	0.1	0.2	*	*	-	-	24.8	21.9	
4		14.6	12.6	23.5	22.4	0.1	0.1	-	-	-	-	14.3	13.5	
5		0.2	0.2	3.8	4.0	*	*	-	-	-	-	1.2	0.9	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	38.8	43.2	46.2	44.0	0.2	0.3	0.1	0.1	-	-	41.2	37.0
51		1-2	-	-	0.1	0.1	-	-	-	-	-	-	*	*
	3	0.8	2.1	5.2	6.3	-	-	-	-	-	-	-	-	
	4	5.4	4.7	8.2	7.8	-	-	-	-	-	-	0.1	0.1	
	5	1.3	1.0	1.8	1.7	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	7.5	7.8	15.3	15.8	-	-	-	-	-	-	0.1	0.1
	61	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	-
71		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	-
	12 & 22	1-2	-	-	-	-	1.9	6.4	0.3	0.3	-	-	-	*
3		-	-	-	-	2.0	8.0	-	-	-	-	-	-	
4		-	-	*	*	0.5	1.5	-	-	-	-	-	-	
5		-	-	-	-	0.2	0.1	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	4.6	16.0	0.3	0.3	-	-	-	*
32		1-2	-	-	-	-	*	0.1	0.9	0.9	-	-	-	-
	3	0.3	0.2	0.2	0.2	1.4	0.8	-	-	-	-	0.3	0.4	
	4	-	-	0.1	0.1	1.4	1.1	-	-	-	-	0.1	0.1	
	5	-	-	*	0.1	0.2	0.3	-	-	-	-	*	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	0.3	0.2	0.3	0.3	3.0	2.2	0.9	0.9	-	-	0.5	0.5
	42	1-2	-	-	0.1	0.1	*	*	-	-	-	-	*	*
3		1.3	2.1	9.0	8.1	-	-	-	-	-	-	0.7	0.7	
4		3.4	2.6	5.9	5.2	0.1	0.1	-	-	-	-	1.1	1.2	
5		0.7	0.5	0.8	0.8	*	*	-	-	-	-	0.2	0.1	
6		-	-	-	*	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	5.4	5.3	15.8	14.2	0.2	0.2	-	-	-	-	2.0	2.0
52		1-2	-	-	*	*	-	-	-	-	-	-	-	-
	3	0.7	0.5	1.3	1.5	-	-	-	-	-	-	-	*	
	4	3.1	2.3	6.8	6.0	-	-	-	-	-	-	0.3	0.2	
	5	2.0	1.5	2.2	2.0	-	-	-	-	-	-	0.1	*	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	5.7	4.3	10.3	9.4	-	-	-	-	-	-	0.3	0.3

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	*	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	*
	13 & 23	1-2	-	-	-	-	*	0.1	-	-	-	-	-	-
3		-	-	-	-	*	0.5	-	-	-	-	-	-	
4		-	-	-	-	*	0.2	-	-	-	-	-	-	
5		-	-	-	-	0.1	0.1	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	0.2	0.9	-	-	-	-	-	-
33		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	0.1	*	-	-	-	-	-	-	
	4	-	-	-	-	0.1	0.1	-	-	-	-	-	-	
	5	-	-	-	-	0.1	0.2	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	0.2	0.3	-	-	-	-	-	-
	43	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	*	*	-	-	-	-	-	-	-	*	
4		-	-	*	*	*	*	-	-	-	-	-	*	
5		-	-	-	-	-	0.1	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	*	*	*	0.1	-	-	-	-	-	*
53		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	*	*	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	*	*	-	-	-	-	-	-	-	-
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
24 - 54		1-7	-	-	-	-	-	*	-	-	-	-	-	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	
EXTRANEIOUS MATTER														
Bark - Level 1		-	1.1	0.1	0.1	1.0	0.6	-	-	-	-	2.5	3.2	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	-	*	*	*	0.2	*	*	-	-	0.2	0.3	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		-	-	0.4	0.3	-	-	*	*	-	-	0.5	0.3	
Prep - Level 2		-	-	-	-	-	-	*	*	-	-	-	-	
Other - Level 1		-	-	-	-	2.4	0.7	-	-	-	-	*	*	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		-	-	-	-	-	-	-	-	-	-	*	*	
32		-	-	*	*	0.1	*	-	-	-	-	0.1	0.1	
33		10.0	7.9	1.6	1.5	0.8	1.7	-	-	-	-	5.4	6.1	
34		34.9	36.1	19.5	17.5	12.2	15.3	0.1	0.1	-	-	34.2	35.8	
35		33.4	38.7	44.6	44.1	40.7	41.1	0.5	0.5	-	-	39.5	37.8	
36		20.3	16.2	28.5	31.3	31.1	26.0	1.3	1.6	-	-	15.6	15.9	
37		1.3	1.0	5.7	5.6	13.9	14.1	24.0	23.9	-	-	3.9	3.5	
38 & longer		0.1	0.1	-	-	1.3	1.9	74.1	73.9	-	-	1.3	1.0	
Average staple		34.7	34.7	35.2	35.2	35.5	35.4	38.6	38.6	-	-	34.8	34.8	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	3	-	-	0.1	0.7	0.1	0.1	-	-	0.1	0.1	-	-	
	4	-	-	0.1	3.2	2.2	1.9	-	1.0	0.2	0.9	-	-	
	5	-	-	*	0.2	0.3	0.6	-	-	-	0.3	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.2	4.0	2.5	2.6	-	1.0	0.3	1.2	-	-
	31	1-2	-	-	0.2	0.6	1.0	0.8	-	-	3.1	3.3	-	-
3		-	-	2.8	8.9	52.8	53.9	0.7	2.5	28.6	28.5	-	-	
4		-	-	0.6	5.2	39.2	39.0	1.5	1.3	12.3	14.3	-	-	
5		-	-	0.1	1.2	1.3	1.2	-	*	0.4	0.4	-	-	
6		-	-	-	0.1	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	3.7	15.9	94.4	94.8	2.2	3.9	44.5	46.5	-	-
41		1-2	-	-	0.5	0.7	-	-	-	0.1	0.4	0.6	-	-
	3	-	-	36.2	33.0	0.8	0.8	10.4	9.2	14.0	14.7	-	-	
	4	-	-	27.2	21.3	2.0	1.7	32.7	31.0	29.2	28.0	-	-	
	5	-	-	1.7	2.7	0.1	0.1	3.0	5.4	3.9	3.1	-	-	
	6	-	-	*	0.2	-	-	-	-	-	-	-	-	
	7	-	-	-	*	-	-	-	-	-	-	-	-	
	Total	-----	-	-	65.5	57.9	3.0	2.5	46.1	45.6	47.5	46.4	-	-
	51	1-2	-	-	-	*	-	-	5.3	6.1	*	*	-	-
3		-	-	1.7	1.9	-	-	13.3	8.0	*	*	-	-	
4		-	-	7.6	6.1	-	-	8.5	7.3	0.7	0.5	-	-	
5		-	-	3.6	2.8	-	-	0.3	0.6	0.6	0.4	-	-	
6		-	-	0.3	0.2	-	-	-	-	-	-	-	-	
7		-	-	-	*	-	-	-	-	-	-	-	-	
Total		-----	-	-	13.2	11.0	-	-	27.5	22.0	1.3	0.9	-	-
61		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	-	-	-	-	-	-	-	-	-	
	71	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
12 & 22		1-2	-	-	*	*	-	-	-	-	*	*	-	-
	3	-	-	*	*	-	-	-	-	*	*	-	-	
	4	-	-	-	-	-	-	-	*	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	*	*	-	-	-	*	*	-	-	
	32	1-2	-	-	*	*	-	-	-	-	0.3	0.2	-	-
3		-	-	0.1	0.2	0.1	0.1	0.2	0.2	1.0	0.8	-	-	
4		-	-	0.1	0.2	-	-	-	0.2	0.2	0.2	-	-	
5		-	-	0.1	0.1	-	-	-	*	*	*	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	0.3	0.5	0.1	0.1	0.2	0.4	1.5	1.3	-	-
42		1-2	-	-	-	*	-	-	-	0.1	0.2	0.1	-	-
	3	-	-	3.1	2.3	-	-	4.7	7.4	1.7	1.2	-	-	
	4	-	-	4.5	2.8	-	0.1	4.0	4.5	2.3	1.7	-	-	
	5	-	-	1.3	0.8	-	-	2.0	3.5	0.7	0.5	-	-	
	6	-	-	0.1	0.1	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	9.0	5.9	-	0.1	10.7	15.6	4.8	3.5	-	-
	52	1-2	-	-	-	-	-	-	0.9	0.8	*	*	-	-
3		-	-	1.1	0.7	-	-	1.0	3.1	*	*	-	-	
4		-	-	2.7	1.8	-	0.1	6.3	4.8	0.1	0.1	-	-	
5		-	-	2.4	1.4	-	-	1.0	0.6	*	*	-	-	
6		-	-	0.6	0.3	-	-	-	-	-	-	-	-	
7		-	-	-	*	-	-	-	-	-	-	-	-	
Total		-----	-	-	6.8	4.1	-	0.1	9.3	9.4	0.1	0.1	-	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	
	3	-	-	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	*	-	-	0.2	0.1	-	-	-	-	
	5	-	-	*	*	-	-	0.2	0.1	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	*	*	-	-	0.3	0.2	-	-	-	-
	13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
33		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	-	-	-	-	-	-	-	-	
	4	-	-	*	*	-	-	-	-	-	-	-	-	
	5	-	-	*	*	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	*	*	-	-	-	-	-	-	-	
	43	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	*	*	-	-	0.1	*	*	*	-	-	
4		-	-	0.1	0.1	-	-	-	-	-	-	-	-	
5		-	-	0.2	0.1	-	-	-	-	-	-	-	-	
6		-	-	*	*	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	0.3	0.2	-	-	0.1	*	*	*	-	
53		1-2	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	0.9	0.5	-	-	-	-	
	4	-	-	0.2	0.1	-	-	2.0	1.1	-	-	-	-	
	5	-	-	0.4	0.2	-	-	0.8	0.4	-	-	-	-	
	6	-	-	0.2	0.1	-	-	-	-	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	-	-	
	Total	-----	-	-	0.8	0.3	-	-	3.7	2.0	-	-	-	
	63	1-2	-	-	-	-	-	-	-	-	-	-	-	-
3		-	-	-	-	-	-	-	-	-	-	-	-	
4		-	-	-	-	-	-	-	-	-	-	-	-	
5		-	-	-	-	-	-	-	-	-	-	-	-	
6		-	-	-	-	-	-	-	-	-	-	-	-	
7		-	-	-	-	-	-	-	-	-	-	-	-	
Total		-----	-	-	-	-	-	-	-	-	-	-	-	
24 - 54		1-7	-	-	*	*	-	-	-	-	-	-	-	
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	-		
81 - 85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-		
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-		
EXTRANEIOUS MATTER														
Bark - Level 1		-	-	0.6	0.5	-	-	0.1	1.5	0.1	0.1	-	-	
Bark - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Grass - Level 1		-	-	3.2	2.0	-	-	1.4	0.9	0.4	0.6	-	-	
Grass - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Prep - Level 1		-	-	*	*	-	-	3.0	3.9	*	*	-	-	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	-	-	*	-	-	-	-	-	-	-	-	
Other - Level 2		-	-	-	-	-	-	-	-	-	-	-	-	
STAPLE														
28 & shorter		-	-	-	-	-	-	-	-	-	-	-	-	
29		-	-	-	-	-	-	-	-	-	-	-	-	
30		-	-	-	-	-	-	-	-	-	-	-	-	
31		-	-	-	-	-	-	-	-	*	*	-	-	
32		-	-	*	0.1	-	-	0.6	0.3	0.4	0.4	-	-	
33		-	-	1.4	2.1	0.7	0.6	6.1	4.7	7.2	7.6	-	-	
34		-	-	17.4	18.7	18.5	15.4	20.3	18.7	31.4	32.9	-	-	
35		-	-	41.7	41.8	54.7	52.8	42.1	42.1	43.2	42.8	-	-	
36		-	-	28.7	28.7	24.7	28.9	22.0	22.2	15.2	14.3	-	-	
37		-	-	10.4	8.4	1.4	2.5	9.0	11.4	2.6	2.0	-	-	
38 & longer		-	-	0.4	0.2	-	-	-	0.6	*	*	-	-	
Average staple		-	-	35.3	35.2	35.1	35.2	35.1	35.2	34.7	34.7	-	-	

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1-2	-	-	0.5	1.3	-	-	22.8	20.7	-	-	
	3	-	-	1.2	1.6	-	-	31.1	19.0	0.1	0.1	
	4	-	-	0.1	0.1	-	-	4.5	2.5	-	-	
	5	-	-	-	-	-	-	0.2	0.1	-	-	
	6	-	-	-	-	-	-	*	*	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	Total	----	-	-	1.8	3.0	-	-	58.6	42.3	0.1	0.1
31	1-2	-	-	3.1	3.8	0.2	0.2	0.8	4.5	0.1	0.1	
	3	-	-	25.3	26.6	2.6	2.6	10.1	12.1	15.2	15.2	
	4	-	-	14.6	17.9	-	-	8.6	6.2	12.9	12.9	
	5	-	-	2.5	1.6	-	-	1.9	0.8	0.1	0.1	
	6	-	-	-	-	-	-	0.1	*	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	45.5	50.0	2.8	2.8	21.5	23.7	28.3	28.3
	41	1-2	-	-	0.2	0.2	2.0	2.0	*	0.8	0.1	0.1
3		-	-	14.3	12.2	26.3	26.3	0.5	4.7	14.7	14.7	
4		-	-	26.6	23.5	2.8	2.8	1.1	3.9	47.0	47.0	
5		-	-	6.2	5.9	-	-	0.9	1.0	8.2	8.2	
6		-	-	0.1	0.2	-	-	0.1	0.2	-	-	
7		-	-	-	-	-	-	*	*	-	-	
Total		----	-	-	47.4	42.0	31.1	31.1	2.7	10.5	70.0	70.0
51		1-2	-	-	-	-	-	-	0.2	0.1	-	-
	3	-	-	0.3	0.3	5.0	5.0	3.0	1.3	0.3	0.3	
	4	-	-	0.5	0.3	3.4	3.4	2.3	2.0	-	-	
	5	-	-	0.2	0.1	-	-	0.4	1.1	-	-	
	6	-	-	-	*	-	-	0.1	0.2	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	0.9	0.8	8.4	8.4	6.0	4.7	0.3	0.3
	61	1-2	-	-	-	-	-	-	*	*	-	-
3		-	-	-	-	-	-	0.2	0.1	-	-	
4		-	-	-	-	-	-	0.5	0.2	-	-	
5		-	-	-	-	-	-	0.3	0.2	-	-	
6		-	-	-	-	-	-	0.4	0.1	-	-	
7		-	-	-	-	-	-	0.1	*	-	-	
Total		----	-	-	-	-	-	1.5	0.6	-	-	
71		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	*	-	-	
	6	-	-	-	-	-	-	-	*	-	-	
	7	-	-	-	-	-	-	-	*	-	-	
	Total	----	-	-	-	-	-	-	*	-	-	
	12 & 22	1-2	-	-	0.1	0.1	-	-	0.1	1.4	-	-
3		-	-	-	-	-	-	0.3	2.2	-	-	
4		-	-	-	-	-	-	0.2	0.9	-	-	
5		-	-	-	-	-	-	*	0.3	-	-	
6		-	-	-	-	-	-	*	0.1	-	-	
7		-	-	-	-	-	-	-	*	-	-	
Total		----	-	-	0.1	0.1	-	-	0.7	5.0	-	-
32		1-2	-	-	0.1	0.1	2.8	2.8	*	0.3	-	-
	3	-	-	0.6	0.6	3.8	3.8	0.3	1.6	-	-	
	4	-	-	0.5	0.3	0.2	0.2	0.3	1.6	-	-	
	5	-	-	-	*	-	-	0.2	0.5	-	-	
	6	-	-	-	-	-	-	0.1	0.2	-	-	
	7	-	-	-	-	-	-	*	*	-	-	
	Total	----	-	-	1.3	1.2	6.7	6.7	1.0	4.3	-	-
	42	1-2	-	-	*	*	2.1	2.1	*	0.1	-	-
3		-	-	0.5	0.9	22.9	22.9	0.1	1.1	0.3	0.3	
4		-	-	1.7	1.5	7.3	7.3	0.3	1.8	0.6	0.6	
5		-	-	0.5	0.4	-	-	0.4	0.6	0.4	0.4	
6		-	-	*	*	-	-	0.2	0.2	-	-	
7		-	-	-	-	-	-	0.1	*	-	-	
Total		----	-	-	2.8	2.8	32.3	32.3	1.2	3.9	1.2	1.2
52		1-2	-	-	-	-	0.4	0.4	0.3	0.1	-	-
	3	-	-	-	-	9.5	9.5	2.4	1.2	0.1	0.1	
	4	-	-	*	*	3.6	3.6	1.6	1.5	-	-	
	5	-	-	*	*	0.3	0.3	0.4	0.8	-	-	
	6	-	-	-	*	-	-	0.2	0.2	-	-	
	7	-	-	-	-	-	-	0.1	0.1	-	-	
	Total	----	-	-	0.1	0.1	13.8	13.8	5.1	3.7	0.1	0.1

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	-	-
	3	-	-	-	-	-	-	0.3	0.1	-	-
	4	-	-	-	-	-	-	0.2	0.1	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	-	-	-	-	0.6	0.3	-
13 & 23	1-2	-	-	-	-	-	-	*	0.1	-	-
	3	-	-	-	-	-	-	*	0.1	-	-
	4	-	-	-	-	-	-	*	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	-	-	-	-	0.1	0.3	-
33	1-2	-	-	-	-	0.8	0.8	*	*	-	-
	3	-	-	-	-	1.0	1.0	*	*	-	-
	4	-	-	-	-	-	-	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	-	-	1.8	1.8	0.1	0.2	-
43	1-2	-	-	-	-	1.5	1.5	-	*	-	-
	3	-	-	*	*	0.8	0.8	*	*	-	-
	4	-	-	0.1	*	0.5	0.5	0.1	0.1	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	0.1	*	2.9	2.9	0.2	0.2	-
53	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.3	0.1	0.1	0.1
	4	-	-	-	-	0.2	0.2	0.2	0.1	-	-
	5	-	-	-	-	-	-	0.1	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	*	*	-	-
	Total	-----	-	-	-	-	0.2	0.2	0.6	0.2	0.1
63	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	-	0.1	*	-	-
	4	-	-	-	-	-	-	0.1	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	*	*	-	-
	7	-	-	-	-	-	-	-	*	-	-
	Total	-----	-	-	-	-	-	-	0.2	0.1	-
24 - 54	1-7	-	-	*	*	-	-	-	0.1	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	-	-	-	-	-	-	*	*	-	-
All Colors	8 2/	-	-	-	-	-	-	*	*	-	-
EXTRANEIOUS MATTER											
Bark - Level 1		-	-	-	0.1	0.3	0.3	17.4	4.9	-	-
Bark - Level 2		-	-	-	-	-	-	-	*	-	-
Grass - Level 1		-	-	0.2	0.3	-	-	0.3	1.8	0.8	0.8
Grass - Level 2		-	-	-	-	-	-	-	*	-	-
Prep - Level 1		-	-	-	-	-	-	0.1	*	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		-	-	-	-	-	-	*	0.3	-	-
Other - Level 2		-	-	-	-	-	-	-	*	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	0.1	-	-
29		-	-	-	-	-	-	*	0.5	-	-
30		-	-	-	-	-	-	0.1	2.8	-	-
31		-	-	-	-	-	-	1.3	7.6	-	-
32		-	-	0.8	0.8	-	-	1.8	12.4	-	-
33		-	-	8.5	7.7	0.7	0.7	4.6	14.4	0.6	0.6
34		-	-	19.9	22.3	15.3	15.3	8.8	14.1	15.7	15.7
35		-	-	35.1	37.1	38.8	38.8	16.7	15.0	48.0	48.0
36		-	-	24.0	22.7	40.4	40.4	23.7	15.3	34.6	34.6
37		-	-	11.1	9.1	4.8	4.8	31.4	14.5	1.2	1.2
38 & longer		-	-	0.6	0.4	-	-	11.7	3.3	-	-
Average staple		-	-	35.1	35.0	35.3	35.3	35.9	34.3	35.2	35.2

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	0.1	0.1	*	*	-	-	-	-	-	-
25	1.1	0.8	1.7	1.5	0.6	0.4	-	-	-	-	0.2	0.2
26	9.2	6.9	11.4	11.0	4.1	3.2	-	-	-	-	1.1	1.3
27	34.2	26.5	29.5	31.0	8.6	9.1	0.1	0.1	-	-	9.2	10.6
28	40.5	35.7	28.4	29.1	18.4	18.8	7.3	7.5	-	-	24.2	25.3
29	4.9	15.1	20.5	19.6	24.8	23.9	9.2	9.2	-	-	26.6	26.5
30	6.1	10.6	6.4	6.0	24.6	22.2	1.0	1.0	-	-	22.0	20.8
31	3.2	3.7	1.8	1.6	11.0	13.3	0.3	0.3	-	-	11.3	10.5
32	0.7	0.6	0.2	0.2	5.6	6.1	0.9	0.9	-	-	4.4	4.0
33	0.1	0.1	*	*	1.9	2.1	13.0	12.9	-	-	0.7	0.6
34	-	-	-	-	0.2	0.7	30.6	30.5	-	-	0.2	0.2
35	-	-	-	-	0.1	0.3	28.3	28.2	-	-	*	*
36 & above	-	-	-	-	-	0.1	9.3	9.3	-	-	-	-
Average	27.7	28.1	27.8	27.8	29.2	29.3	33.4	33.4	-	-	29.2	29.1
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	*	-	-	-	-	-	-
27	-	-	-	-	*	*	-	-	-	-	-	-
28	-	-	-	-	0.1	0.1	-	-	-	-	-	-
29	-	-	-	-	*	*	-	-	-	-	-	-
30	-	-	-	-	-	*	-	-	-	-	-	-
31	-	-	-	-	0.1	*	-	-	-	-	-	-
32	-	-	-	-	0.1	0.1	-	-	-	-	-	-
33	-	-	*	*	0.2	0.1	-	-	-	-	-	-
34	-	-	0.4	0.4	0.4	0.2	0.1	0.1	-	-	-	-
35	-	-	1.4	1.6	0.6	0.4	0.2	0.2	-	-	-	*
36	1.8	1.3	1.9	2.1	0.5	0.4	0.4	0.4	-	-	-	*
37	2.0	2.8	3.2	3.8	0.5	0.8	1.2	1.1	-	-	-	0.1
38	2.5	4.0	4.5	7.0	0.6	1.1	1.4	1.4	-	-	0.1	0.2
39	2.9	3.4	5.2	6.8	1.3	1.5	1.5	1.5	-	-	*	0.2
40	1.1	0.8	8.2	8.4	1.3	1.6	2.0	2.0	-	-	0.5	0.7
41	2.3	1.7	7.3	7.9	2.8	2.2	5.9	5.8	-	-	0.9	1.1
42	5.7	4.3	6.2	6.2	2.4	2.9	9.4	9.4	-	-	1.4	1.7
43	3.3	2.5	7.5	7.0	5.3	5.3	13.4	13.6	-	-	3.4	3.2
44	1.4	1.4	6.9	6.6	7.7	6.9	8.0	7.9	-	-	6.2	6.5
45	3.8	4.9	4.9	4.4	9.8	8.4	10.1	10.0	-	-	9.5	10.2
46	11.3	11.0	7.6	6.7	6.7	8.7	7.6	7.6	-	-	12.4	12.5
47	2.9	3.9	9.2	8.2	5.3	8.0	14.5	14.4	-	-	17.5	15.4
48	27.1	21.8	9.4	8.3	6.7	9.1	7.5	7.5	-	-	15.4	14.2
49	27.2	26.8	7.4	6.6	10.4	11.8	8.5	8.5	-	-	15.4	15.6
50	3.1	7.5	5.2	4.6	13.9	12.7	2.9	2.9	-	-	9.6	10.9
51	1.8	1.8	2.6	2.3	10.0	9.5	2.0	2.0	-	-	4.8	5.1
52	-	-	1.0	0.9	6.1	5.2	2.2	2.2	-	-	1.9	1.7
53	-	-	0.1	0.1	5.2	2.2	1.3	1.3	-	-	0.6	0.4
54	-	-	*	*	1.8	0.5	-	-	-	-	0.2	0.2
55	-	-	-	-	0.1	*	-	-	-	-	0.1	0.1
56	-	-	-	-	-	-	-	-	-	-	0.1	*
57	-	-	-	-	-	-	-	-	-	-	0.1	0.1
58	-	-	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	46	46	44	44	47	47	45	45	-	-	47	47

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
17 & below	-	-	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-	-	-
24	-	-	*	*	-	-	3.4	2.3	-	*	-	-
25	-	-	0.4	0.3	-	-	13.2	10.3	0.6	0.6	-	-
26	-	-	2.7	1.8	0.3	0.2	21.2	20.0	3.4	4.0	-	-
27	-	-	13.1	10.9	4.6	3.9	26.1	27.7	13.3	14.1	-	-
28	-	-	26.6	24.1	19.7	18.1	17.1	17.4	25.4	26.3	-	-
29	-	-	25.0	25.9	30.6	31.9	12.4	11.5	28.9	28.2	-	-
30	-	-	14.7	18.4	26.2	27.7	5.5	6.4	18.1	17.3	-	-
31	-	-	11.8	12.3	13.6	13.7	0.9	2.9	7.4	6.8	-	-
32	-	-	4.6	4.7	4.1	4.1	0.2	1.0	2.2	2.1	-	-
33	-	-	1.0	1.3	0.9	0.7	-	0.4	0.5	0.5	-	-
34	-	-	0.1	0.2	-	-	-	0.1	*	*	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-
36 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	28.9	29.1	29.4	29.4	27.1	27.3	28.8	28.7	-	-
MIKE												
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-	*	*	-	-
33	-	-	-	-	0.1	0.1	-	-	*	*	-	-
34	-	-	-	-	1.0	1.0	-	*	0.2	0.1	-	-
35	-	-	-	*	6.1	4.4	-	-	0.3	0.2	-	-
36	-	-	*	*	4.9	3.3	-	-	0.2	0.2	-	-
37	-	-	*	*	2.5	2.2	-	*	0.3	0.5	-	-
38	-	-	0.1	0.1	4.3	5.5	-	0.1	0.3	0.3	-	-
39	-	-	0.4	0.3	4.6	5.9	0.2	0.2	0.3	0.4	-	-
40	-	-	0.6	0.6	3.4	4.3	0.6	1.9	0.7	0.9	-	-
41	-	-	1.0	0.8	2.1	3.4	3.0	5.1	2.0	2.3	-	-
42	-	-	1.2	1.0	8.5	8.4	10.6	12.0	3.3	3.6	-	-
43	-	-	2.1	1.7	11.4	10.1	12.4	12.1	4.6	4.9	-	-
44	-	-	3.0	2.8	14.1	12.2	9.4	9.1	5.7	6.5	-	-
45	-	-	4.1	4.1	14.3	12.4	12.6	9.8	9.3	9.7	-	-
46	-	-	6.0	6.3	10.4	10.4	9.0	8.7	9.6	11.0	-	-
47	-	-	10.3	9.3	8.8	7.4	5.9	10.0	12.8	14.5	-	-
48	-	-	12.4	10.8	3.4	3.4	5.8	8.5	15.0	14.1	-	-
49	-	-	15.5	13.8	-	1.1	12.8	8.9	10.9	10.6	-	-
50	-	-	14.3	14.6	-	1.4	12.1	7.4	9.1	8.6	-	-
51	-	-	11.9	13.7	-	1.5	2.8	2.1	6.7	5.3	-	-
52	-	-	8.8	11.1	-	1.8	1.1	1.9	5.2	3.8	-	-
53	-	-	4.2	5.9	-	0.2	1.0	1.8	1.8	1.3	-	-
54	-	-	2.1	2.3	-	-	0.6	0.6	0.7	0.5	-	-
55	-	-	1.3	0.7	-	-	0.1	*	0.6	0.4	-	-
56	-	-	0.6	0.3	-	-	-	-	0.2	0.1	-	-
57	-	-	*	*	-	-	-	-	*	*	-	-
58	-	-	*	*	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	49	49	43	43	46	46	47	47	-	-

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA		
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
18	-	-	-	-	-	-	-	*	-	-	
19	-	-	-	-	-	-	-	*	-	-	
20	-	-	-	-	-	-	-	*	-	-	
21	-	-	-	-	-	-	*	0.1	-	-	
22	-	-	-	-	-	-	0.1	0.4	-	-	
23	-	-	-	-	-	-	0.2	1.0	-	-	
24	-	-	-	0.1	-	-	0.6	2.9	-	-	
25	-	-	0.2	0.2	1.5	1.5	1.8	5.4	-	-	
26	-	-	1.3	1.5	10.1	10.1	3.4	9.0	0.3	0.3	
27	-	-	9.1	7.8	16.8	16.8	6.6	11.9	5.2	5.2	
28	-	-	17.3	17.3	31.1	31.1	13.0	15.1	19.5	19.5	
29	-	-	26.3	26.7	29.9	29.9	18.1	16.9	33.1	33.1	
30	-	-	24.7	24.6	8.7	8.7	19.8	14.9	25.9	25.9	
31	-	-	13.3	15.0	1.5	1.5	18.0	12.1	9.6	9.6	
32	-	-	6.5	5.8	0.2	0.2	11.2	6.8	4.6	4.6	
33	-	-	1.4	1.0	0.1	0.1	5.4	2.6	1.8	1.8	
34	-	-	0.1	0.1	-	-	1.5	0.8	0.1	0.1	
35	-	-	-	-	-	-	0.3	0.2	-	-	
36 & above	-	-	-	-	-	-	*	*	-	-	
Average	-	-	29.4	29.4	28.1	28.1	29.7	28.6	29.4	29.4	
MIKE											
24 & below	-	-	-	-	-	-	0.1	*	-	-	
25	-	-	-	-	-	-	0.1	*	-	-	
26	-	-	-	-	-	-	0.1	*	-	-	
27	-	-	-	-	-	-	0.3	0.1	-	-	
28	-	-	-	-	-	-	0.3	0.1	-	-	
29	-	-	-	-	-	-	0.3	0.1	-	-	
30	-	-	*	*	-	-	0.3	0.2	-	-	
31	-	-	-	-	-	-	0.3	0.3	-	-	
32	-	-	*	*	-	-	0.8	0.5	-	-	
33	-	-	*	*	-	-	1.3	0.7	-	-	
34	-	-	*	*	-	-	1.4	0.8	-	-	
35	-	-	0.1	0.1	-	-	1.9	1.0	-	-	
36	-	-	*	0.1	-	-	3.3	1.5	-	-	
37	-	-	0.1	0.2	-	-	4.7	2.0	-	-	
38	-	-	*	0.2	0.2	0.2	5.4	2.7	-	-	
39	-	-	0.1	0.3	0.5	0.5	6.7	3.4	-	-	
40	-	-	0.3	0.8	1.1	1.1	7.8	3.8	0.9	0.9	
41	-	-	1.2	1.2	7.1	7.1	8.7	4.5	3.6	3.6	
42	-	-	1.1	1.1	16.1	16.1	9.5	5.4	1.0	1.0	
43	-	-	2.2	2.8	17.7	17.7	9.3	5.8	2.3	2.3	
44	-	-	4.4	5.8	18.2	18.2	8.6	6.1	9.4	9.4	
45	-	-	8.1	11.3	6.8	6.8	6.7	6.4	14.8	14.8	
46	-	-	11.9	12.9	8.2	8.2	5.3	6.8	6.8	6.8	
47	-	-	12.3	11.1	11.6	11.6	4.6	7.4	7.6	7.6	
48	-	-	12.1	12.0	6.2	6.2	3.7	8.2	13.5	13.5	
49	-	-	11.5	10.3	5.9	5.9	3.3	8.0	15.9	15.9	
50	-	-	13.7	11.9	0.3	0.3	2.6	7.2	15.1	15.1	
51	-	-	10.8	8.3	-	-	1.2	6.3	6.2	6.2	
52	-	-	5.0	4.6	-	-	0.9	4.7	2.6	2.6	
53	-	-	3.9	3.6	-	-	0.3	3.2	0.2	0.2	
54	-	-	0.8	1.1	-	-	0.2	2.0	-	-	
55	-	-	-	0.3	-	-	*	0.6	0.1	0.1	
56	-	-	-	-	-	-	-	0.2	-	-	
57	-	-	-	-	-	-	-	0.1	-	-	
58	-	-	-	-	-	-	-	*	-	-	
59	-	-	-	-	-	-	-	-	-	-	
60 & above	-	-	-	-	-	-	-	-	-	-	
Average	-	-	48	48	44	44	42	46	47	47	

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	ALABAMA		ARKANSAS		ARIZONA		CALIFORNIA		FLORIDA		GEORGIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	*	-	-	-	-	-	-
27 - 29	-	-	-	-	0.2	0.1	-	-	-	-	-	-
30 - 32	-	-	-	-	0.2	0.1	-	-	-	-	-	-
33 - 34	-	-	0.4	0.4	0.6	0.3	0.1	0.1	-	-	-	-
35 - 36	1.8	1.3	3.3	3.7	1.1	0.8	0.6	0.6	-	-	-	*
37 - 42	16.4	17.1	34.6	40.1	8.9	10.1	21.4	21.3	-	-	2.9	3.9
43 - 49	77.0	72.3	52.9	47.8	52.0	58.4	69.5	69.6	-	-	79.9	77.6
50 - 52	4.8	9.3	8.7	7.9	30.0	27.3	7.2	7.1	-	-	16.2	17.7
53 & above	-	-	0.1	0.1	7.0	2.8	1.3	1.3	-	-	1.0	0.8
Average	46	46	44	44	47	47	45	45	-	-	47	47
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	1.0	0.7	0.2	0.2	40.1	32.7	36.5	36.5	-	-	0.9	1.2
02	20.1	17.1	8.4	9.8	42.8	45.5	48.2	48.3	-	-	16.0	19.4
03	29.6	34.8	23.1	24.8	10.5	14.0	11.1	11.1	-	-	32.1	33.2
04	20.8	23.1	26.4	25.6	3.1	4.2	3.1	3.1	-	-	27.0	25.4
05	14.8	13.0	18.5	17.0	1.7	1.6	0.9	0.9	-	-	13.7	12.3
06	8.1	6.6	11.0	10.3	0.8	0.9	0.1	0.1	-	-	5.6	4.8
07	3.3	2.7	5.9	5.8	0.5	0.6	-	-	-	-	2.4	2.0
08	1.5	1.4	3.9	3.9	0.2	0.3	-	-	-	-	1.2	0.9
09	0.5	0.4	1.6	1.6	0.1	0.1	-	-	-	-	0.5	0.4
10	0.1	0.1	0.7	0.7	*	0.1	-	-	-	-	0.3	0.2
11	0.1	0.1	0.2	0.2	0.1	*	-	-	-	-	0.1	0.1
12	-	-	*	0.1	-	*	-	-	-	-	*	*
13	-	-	*	*	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-
16	-	-	-	-	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	0.38	0.37	0.45	0.44	0.19	0.20	0.18	0.18	-	-	0.38	0.36
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	-	-	-	-	-	-	-
75.5-76.4	-	-	-	-	-	-	-	-	-	-	-	-
76.5-77.4	-	-	-	-	*	*	-	-	-	-	-	*
77.5-78.4	0.4	0.7	0.1	0.1	1.1	0.8	0.3	0.3	-	-	0.5	0.5
78.5-79.4	30.9	27.6	5.1	4.9	6.9	5.5	0.3	0.3	-	-	9.5	9.4
79.5-80.4	35.7	36.5	22.7	25.3	32.6	24.2	2.0	2.3	-	-	35.7	35.1
80.5-81.4	20.1	23.6	42.3	41.2	39.8	39.6	19.6	19.5	-	-	30.2	30.3
81.5-82.4	12.3	11.2	26.7	25.6	15.2	22.9	12.4	12.4	-	-	17.9	18.2
82.5-83.4	0.4	0.3	2.9	2.7	3.9	6.3	37.4	37.3	-	-	5.7	5.9
83.5-84.4	0.1	0.1	0.1	0.1	0.5	0.6	27.5	27.4	-	-	0.5	0.5
84.5-85.4	-	-	-	-	-	*	0.3	0.3	-	-	*	*
85.5-86.4	-	-	-	-	-	-	0.1	0.1	-	-	-	*
86.5-87.4	-	-	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	80.1	80.2	81.0	81.0	80.7	81.0	82.7	82.7	-	-	80.7	80.8
Tenderable 3/	84.1	80.4	70.4	73.1	59.3	65.1	91.4	91.4	-	-	79.0	77.2
SAMPLES CLASSED												
WEEK	912		10,601		8,832		4,339		-		16,045	
SEASON		1,214		12,202		30,069		4,352	-			21,014

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	KANSAS		LOUISIANA		MISSOURI		MISSISSIPPI		NORTH CAROLINA		NEW MEXICO	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-	-	-	-	-
27 - 29	-	-	-	-	-	-	-	-	-	-	-	-
30 - 32	-	-	-	-	-	-	-	-	*	*	-	-
33 - 34	-	-	-	-	1.2	1.1	-	*	0.2	0.1	-	-
35 - 36	-	-	*	*	10.9	7.7	-	-	0.5	0.4	-	-
37 - 42	-	-	3.4	2.7	25.4	29.6	14.4	19.2	6.9	8.0	-	-
43 - 49	-	-	53.4	48.8	62.5	56.9	68.0	67.1	68.0	71.3	-	-
50 - 52	-	-	34.9	39.4	-	4.7	16.0	11.3	21.0	17.7	-	-
53 & above	-	-	8.2	9.2	-	0.2	1.6	2.4	3.3	2.3	-	-
Average	-	-	49	49	43	43	46	46	47	47	-	-
HVI TRASH 1/												
00	-	-	-	-	-	-	-	-	-	-	-	-
01	-	-	0.1	0.8	0.9	1.2	1.7	2.5	0.7	0.7	-	-
02	-	-	3.8	8.9	21.2	23.0	12.4	11.9	10.3	11.1	-	-
03	-	-	16.1	21.2	33.7	32.4	12.0	12.9	20.7	22.7	-	-
04	-	-	25.5	24.6	26.2	25.2	20.0	18.4	23.8	25.6	-	-
05	-	-	22.8	19.3	12.9	12.8	23.8	20.7	20.0	19.6	-	-
06	-	-	13.9	11.4	4.1	4.2	15.7	15.1	12.5	11.0	-	-
07	-	-	7.3	6.2	0.7	1.2	8.6	10.1	6.3	5.1	-	-
08	-	-	4.3	3.4	0.2	0.2	3.3	5.3	3.3	2.4	-	-
09	-	-	2.0	1.7	0.1	0.1	1.4	2.1	1.5	1.0	-	-
10	-	-	1.5	1.1	-	-	0.9	0.8	0.6	0.4	-	-
11	-	-	1.1	0.7	-	-	0.2	0.2	0.3	0.2	-	-
12	-	-	0.8	0.4	-	-	-	-	0.1	0.1	-	-
13	-	-	0.3	0.1	-	-	0.1	*	*	*	-	-
14	-	-	0.3	0.1	-	-	-	-	-	-	-	-
15	-	-	0.1	0.1	-	-	-	-	-	-	-	-
16	-	-	*	*	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-	-	-
18 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	0.51	0.46	0.35	0.34	0.47	0.48	0.45	0.43	-	-
UNIFORMITY 2/												
72.4 & below	-	-	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	-	-	-	-	-	-	-	-	-	-	-
75.5-76.4	-	-	-	-	-	-	-	-	-	-	-	-
76.5-77.4	-	-	0.1	0.1	-	-	-	-	-	-	-	-
77.5-78.4	-	-	1.6	1.5	0.5	0.4	1.9	1.7	0.2	0.2	-	-
78.5-79.4	-	-	9.9	10.3	4.9	3.4	9.5	9.3	1.6	1.9	-	-
79.5-80.4	-	-	24.6	23.8	17.8	14.2	24.8	24.0	10.9	12.1	-	-
80.5-81.4	-	-	27.3	28.1	41.1	38.5	33.8	36.3	35.8	37.3	-	-
81.5-82.4	-	-	23.6	23.4	31.3	35.7	24.2	23.9	37.4	35.7	-	-
82.5-83.4	-	-	10.3	10.3	4.2	7.6	5.8	4.7	12.3	11.2	-	-
83.5-84.4	-	-	2.3	2.3	0.1	0.5	0.1	0.1	1.9	1.6	-	-
84.5-85.4	-	-	0.3	0.2	-	-	-	-	-	*	-	-
85.5-86.4	-	-	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-	-	-
Average	-	-	81.0	81.0	81.1	81.3	80.9	80.9	81.5	81.5	-	-
Tenderable 3/	-	-	48.7	46.1	98.8	94.0	56.4	57.1	71.3	76.2	-	-
SAMPLES CLASSIFIED												
WEEK	-	-	23,444		1,337		1,813		20,496		-	
SEASON	-	-		52,976		2,000		3,439		29,805	-	

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSIFIED FOR PRODUCERS BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	OKLAHOMA		SOUTH CAROLINA		TENNESSEE		TEXAS		VIRGINIA	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	0.1	*	-	-
25 - 26	-	-	-	-	-	-	0.2	*	-	-
27 - 29	-	-	-	-	-	-	0.9	0.3	-	-
30 - 32	-	-	*	*	-	-	1.4	1.1	-	-
33 - 34	-	-	*	*	-	-	2.7	1.4	-	-
35 - 36	-	-	0.1	0.1	-	-	5.2	2.4	-	-
37 - 42	-	-	2.9	3.8	25.1	25.1	42.8	21.7	5.5	5.5
43 - 49	-	-	62.6	66.2	74.6	74.6	41.6	48.8	70.3	70.3
50 - 52	-	-	29.6	24.8	0.3	0.3	4.7	18.2	23.9	23.9
53 & above	-	-	4.7	5.0	-	-	0.5	6.0	0.3	0.3
Average	-	-	48	48	44	44	42	46	47	47
HVI TRASH 1/										
00	-	-	-	-	-	-	-	*	-	-
01	-	-	1.2	1.2	2.8	2.8	8.4	14.4	-	-
02	-	-	10.9	11.4	19.3	19.3	22.1	29.3	1.5	1.5
03	-	-	18.3	19.4	35.9	35.9	20.6	21.0	12.7	12.7
04	-	-	20.1	21.9	25.6	25.6	17.3	13.8	27.4	27.4
05	-	-	18.3	18.5	11.2	11.2	11.8	8.6	24.6	24.6
06	-	-	14.2	12.7	4.1	4.1	7.8	5.3	19.6	19.6
07	-	-	9.1	7.7	0.8	0.8	4.5	3.0	9.1	9.1
08	-	-	4.7	4.1	0.3	0.3	2.8	1.8	3.5	3.5
09	-	-	2.1	1.9	-	-	1.7	1.0	1.4	1.4
10	-	-	0.7	0.8	-	-	1.2	0.7	0.3	0.3
11	-	-	0.3	0.3	-	-	0.7	0.4	0.1	0.1
12	-	-	0.1	0.2	-	-	0.5	0.3	-	-
13	-	-	*	*	-	-	0.2	0.1	-	-
14	-	-	-	-	-	-	0.1	0.1	-	-
15	-	-	-	-	-	-	0.1	0.1	-	-
16	-	-	-	-	-	-	*	*	-	-
17	-	-	-	-	-	-	*	*	-	-
18 & above	-	-	-	-	-	-	*	*	-	-
Average	-	-	0.47	0.45	0.34	0.34	0.39	0.33	0.50	0.50
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	*	-	-
73.5-74.4	-	-	-	-	-	-	*	*	-	-
74.5-75.4	-	-	-	-	-	-	*	*	-	-
75.5-76.4	-	-	-	-	-	-	0.2	0.3	-	-
76.5-77.4	-	-	-	*	-	-	1.0	1.2	-	-
77.5-78.4	-	-	0.2	0.2	0.4	0.4	4.0	5.6	0.1	0.1
78.5-79.4	-	-	2.8	2.9	6.7	6.7	11.1	13.0	0.4	0.4
79.5-80.4	-	-	13.4	15.3	20.3	20.3	22.0	22.2	3.3	3.3
80.5-81.4	-	-	26.3	29.1	31.9	31.9	30.1	28.7	14.6	14.6
81.5-82.4	-	-	32.6	32.7	32.9	32.9	22.2	21.3	48.7	48.7
82.5-83.4	-	-	21.4	17.4	7.4	7.4	7.6	6.7	28.1	28.1
83.5-84.4	-	-	3.2	2.3	0.3	0.3	1.6	0.8	4.8	4.8
84.5-85.4	-	-	0.1	0.1	-	-	0.1	*	-	-
85.5-86.4	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
Average	-	-	81.7	81.5	81.1	81.1	80.8	80.7	82.2	82.2
Tenderable 3/	-	-	62.5	66.8	48.3	48.3	67.5	48.7	74.6	74.6
SAMPLES CLASSED										
WEEK	-	-	7,575		980		42,315		1,588	
SEASON	-	-		13,666		980		258,678		1,588

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fiber; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contract. * Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	Leaf	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
		Week	Season	Week	Season	Week	Season	Week	Season
01	1	-	-	3.1	3.1	-	-	-	-
	2	-	-	30.5	30.5	-	-	-	-
	3	-	-	0.3	0.3	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	34.0	34.0	-	-	-	-
02	1	-	-	1.7	1.7	-	-	-	-
	2	-	-	61.6	61.6	-	-	-	-
	3	-	-	2.4	2.4	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	65.7	65.7	-	-	-	-
03	1	-	-	-	-	-	-	-	-
	2	-	-	0.1	0.1	-	-	-	-
	3	-	-	0.1	0.1	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	0.3	0.3	-	-	-	-
04	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
05	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
06	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
07	1	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-
Total -----		-	-	-	-	-	-	-	-
STAPLE									
40 & shorter	-	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-
44	-	-	0.7	0.7	-	-	-	-	-
46	-	-	32.3	32.3	-	-	-	-	-
48 & longer	-	-	66.9	66.9	-	-	-	-	-
Average		-	-	47.4	47.4	-	-	-	-
UNIFORMITY									
72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	-	-	-	-	-
75	-	-	-	-	-	-	-	-	-
76	-	-	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-
78	-	-	-	-	-	-	-	-	-
79	-	-	-	-	-	-	-	-	-
80	-	-	-	-	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-
82	-	-	-	-	-	-	-	-	-
83	-	-	0.1	0.1	-	-	-	-	-
84	-	-	1.6	1.6	-	-	-	-	-
85	-	-	13.6	13.6	-	-	-	-	-
86	-	-	42.1	42.1	-	-	-	-	-
87	-	-	35.4	35.4	-	-	-	-	-
88	-	-	7.1	7.1	-	-	-	-	-
89	-	-	0.1	0.1	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average		-	-	86.3	86.3	-	-	-	-
SAMPLES CLASSED									
WEEK		-	-	3,490	3,490	-	-	-	-
SEASON		-	-	-	-	-	-	-	-

* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED UNDER SMITH-DOXEY ACT BY STATE,
WEEK AND SEASON ENDED October 15, 2009**

Quality Designation	ARIZONA		CALIFORNIA		NEW MEXICO		TEXAS	
	Week	Season	Week	Season	Week	Season	Week	Season
MIKE								
24 & below	-	-	-	-	-	-	-	-
25 - 26	-	-	-	-	-	-	-	-
27 - 29	-	-	-	-	-	-	-	-
30 - 32	-	-	-	-	-	-	-	-
33 - 34	-	-	-	-	-	-	-	-
35 - 36	-	-	0.1	0.1	-	-	-	-
37 - 42	-	-	80.7	80.7	-	-	-	-
43 - 49	-	-	19.1	19.1	-	-	-	-
50 - 52	-	-	-	-	-	-	-	-
53 & above	-	-	-	-	-	-	-	-
Average	-	-	41	41	-	-	-	-
ALL RANGE MIKE								
24 & below	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-
36	-	-	0.1	0.1	-	-	-	-
37	-	-	1.2	1.2	-	-	-	-
38	-	-	5.5	5.5	-	-	-	-
39	-	-	14.0	14.0	-	-	-	-
40	-	-	17.7	17.7	-	-	-	-
41	-	-	21.7	21.7	-	-	-	-
42	-	-	20.7	20.7	-	-	-	-
43	-	-	13.2	13.2	-	-	-	-
44	-	-	4.9	4.9	-	-	-	-
45	-	-	1.0	1.0	-	-	-	-
46	-	-	*	*	-	-	-	-
47	-	-	-	-	-	-	-	-
48	-	-	-	-	-	-	-	-
49	-	-	-	-	-	-	-	-
50	-	-	-	-	-	-	-	-
51	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-
53	-	-	-	-	-	-	-	-
54	-	-	-	-	-	-	-	-
55	-	-	-	-	-	-	-	-
56	-	-	-	-	-	-	-	-
57	-	-	-	-	-	-	-	-
58	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-
Average	-	-	41	41	-	-	-	-
Strength								
17 & below	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-
24	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-
26	-	-	-	-	-	-	-	-
27	-	-	-	-	-	-	-	-
28	-	-	-	-	-	-	-	-
29	-	-	-	-	-	-	-	-
30	-	-	-	-	-	-	-	-
31	-	-	-	-	-	-	-	-
32	-	-	-	-	-	-	-	-
33	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-
35	-	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-
38	-	-	0.1	0.1	-	-	-	-
39	-	-	0.3	0.3	-	-	-	-
40	-	-	1.1	1.1	-	-	-	-
41	-	-	4.6	4.6	-	-	-	-
42	-	-	9.9	9.9	-	-	-	-
43	-	-	19.1	19.1	-	-	-	-
44	-	-	22.7	22.7	-	-	-	-
45 & above	-	-	42.3	42.3	-	-	-	-
Average	-	-	43.8	43.8	-	-	-	-
EXTRANEUS MATTER								
Bark	-	-	-	-	-	-	-	-
Grass	-	-	-	-	-	-	-	-
Spindle Twist	-	-	-	-	-	-	-	-
Preparation	-	-	-	-	-	-	-	-

* Less than 0.05 percent.