



United States
Department of
Agriculture

National
Agricultural
Statistics
Service



Ct Gn 1 (09)

Cotton Ginnings 2008 Summary

May 2009

USDA



**Cotton Ginnings: Running Bales Ginned (Excluding Linters)
by Type, State, and United States, Crop Years 2005-08**

Type and State	2005	2006	2007	2008
All Cotton				
AL	831,750	668,600	397,300	451,400
AZ	579,050	529,950	484,650	377,350
AR	2,099,700	2,419,500	1,807,150	1,237,300
CA	1,590,250	1,438,200	1,415,050	757,650
FL	112,100	148,150	102,250	104,900
GA	2,101,650	2,285,750	1,620,550	1,568,800
KS	92,350	117,800	51,300	32,950
LA	1,105,650	1,257,000	695,800	279,600
MS	2,089,300	2,029,450	1,271,250	656,850
MO	864,400	994,100	785,550	698,600
NM	72,300	61,050	60,700	47,350
NC	1,398,300	1,257,600	763,650	735,450
OK	341,000	183,750	281,900	255,500
SC	391,500	402,650	148,650	232,150
TN	1,083,250	1,310,900	586,600	520,950
TX	8,333,750	5,751,650	8,144,900	4,400,900
VA	166,750	141,500	95,900	104,500
US	23,253,050	20,997,600	18,713,150	12,462,200
Amer-Pima				
AZ	6,750	13,350	4,450	750
CA	537,300	660,600	766,300	386,300
NM	20,650	21,650	10,350	3,800
TX	42,300	41,550	42,150	22,350
US	607,000	737,150	832,250	413,200

**Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound
Bales Ginned, by Type, State, and United States, Crop Years 2007-08**

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2007	2008	2007	2008
All Cotton				
AL	402,650	453,750	409,900	465,800
AZ	505,700	394,450	496,450	387,550
AR	1,851,100	1,260,300	1,849,700	1,272,100
CA	1,393,200	740,550	1,465,300	786,700
FL	110,500	120,100	105,900	108,250
GA	1,608,900	1,547,800	1,672,200	1,620,450
KS	54,850	33,100	53,500	33,850
LA	682,200	273,150	712,200	287,100
MS	1,287,800	665,100	1,300,650	673,700
MO	746,000	680,750	804,550	715,900
NM	95,550	73,400	61,600	47,750
NC	755,700	724,000	791,500	766,400
OK	278,800	257,900	283,550	259,000
SC	153,900	236,950	152,800	239,750
TN	583,500	517,150	602,100	533,000
TX	8,103,200	4,371,650	8,338,750	4,508,150
VA	99,600	112,100	98,050	105,400
US	18,713,150	12,462,200	19,198,700	12,810,850
Amer-Pima				
AZ	4,400	750	4,550	750
CA	766,300	386,300	792,650	403,200
NM	8,100	3,050	10,500	3,800
TX	44,450	23,100	43,550	22,850
US	823,250	413,200	851,250	430,600

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2008**

Type and State	October 1	October 15	November 1
All Cotton			
AL	10,450	76,300	203,150
AZ	13,850	26,900	69,750
AR	37,550	354,900	852,800
CA	0	7,400	141,900
FL	1,050	12,650	39,250
GA	37,900	163,450	428,800
KS ¹			
LA	71,050	194,450	265,450
MS	17,600	149,450	393,050
MO	12,400	152,700	407,700
NM	0	0	3,000
NC	1,700	56,450	231,850
OK	0	9,600	44,050
SC	1,950	21,800	72,200
TN	18,350	152,650	359,600
TX	573,550	641,500	807,050
VA	0	6,900	38,850
US	797,400	2,027,100	4,358,450
Amer-Pima			
AZ ²	0		
CA ²	0		74,300
NM ²	0		
TX ²	0		
US	0	1,650	74,700

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2008 (continued)**

Type and State	November 15	December 1	December 15
All Cotton			
AL	300,000	364,950	413,800
AZ	125,700	185,700	251,550
AR	1,130,450	1,212,150	1,226,550
CA	312,700	481,050	610,300
FL	67,150	91,750	102,950
GA	761,450	1,079,050	1,330,700
KS ¹		8,350	15,950
LA	265,200	279,000	279,500
MS	565,500	639,600	654,350
MO	576,200	677,250	698,600
NM	12,700	22,100	32,000
NC	440,600	606,650	702,950
OK	85,050	129,300	175,150
SC	127,700	177,700	211,200
TN	477,300	518,100	520,950
TX	1,485,950	2,368,200	3,132,850
VA	66,650	86,700	103,950
US	6,800,300	8,927,600	10,463,300
Amer-Pima			
AZ ²			
CA	154,950	246,950	314,100
NM ²			
TX ²		11,600	17,000
US	161,450	259,800	332,900

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,
Survey Period, State, and United States, Crop Year 2008 (continued)**

Type and State	January 1	January 15	February 1
All Cotton			
AL	439,800	446,550	450,500
AZ	308,600	349,950	371,350
AR	1,235,950	1,237,100	1,237,300
CA	696,500	738,900	757,850
FL	104,650	104,750	104,750
GA	1,502,000	1,550,600	1,567,950
KS	24,200	29,700	31,550
LA	279,600	279,600	279,600
MS	656,100	656,350	656,850
MO	698,600	698,600	698,600
NM	40,600	46,450	47,350
NC	731,250	735,200	735,400
OK	222,450	243,900	254,400
SC	227,950	230,500	231,350
TN	520,950	520,950	520,950
TX	3,779,100	4,121,250	4,319,850
VA	103,950	103,950	103,950
US	11,572,250	12,094,300	12,369,550
Amer-Pima			
AZ			
CA	360,600	380,950	386,300
NM			
TX	20,350	22,350	22,350
US	383,700	407,300	413,200

¹ Kansas' first estimate is December 1.

² Not published to avoid disclosing individual gins, but included in U.S. totals.

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
All Cotton			
Autauga ¹			7,800
Baldwin	0	0	18,200
Barbour	0	0	4,300
Blount ¹			
Bullock ¹	0	0	
Butler ¹	0	0	
Calhoun ¹	0	0	
Chambers ¹	0	0	
Cherokee ¹			16,100
Chilton ¹			
Choctaw ¹	0	0	
Clarke ¹	0	0	
Coffee ¹			12,800
Colbert ¹			11,350
Conecuh	0	0	7,050
Covington ¹			19,150
Crenshaw ¹	0	0	
Cullman ¹	0	0	
Dale	0	0	10,700
Dallas	0	0	6,800
Dekalb ¹	0	0	
Elmore ¹			16,050
Escambia ¹			22,700
Etowah ¹	0	0	
Franklin ¹	0	0	
Geneva ¹			
Greene ¹	0	0	
Henry ¹			20,050
Houston ¹			27,750
Jackson ¹	0	0	
Lamar ¹	0	0	
Lauderdale ¹			21,300
Lawrence ¹			19,700
Lee ¹	0	0	
Limestone	29,550	30,900	23,200

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Lowndes ¹	0	0	
Macon ¹			
Madison	32,700	33,100	50,300
Marengo ¹			
Marshall ¹	0	0	
Mobile ¹			14,250
Monroe ¹			29,000
Montgomery ¹	0	0	
Morgan ¹	0	0	
Perry ¹	0	0	
Pickens ¹	0	0	
Pike ¹	0	0	
Russell ¹			
Shelby ¹	0	0	
Talladega ¹	0	0	
Tallapoosa ¹			
Tuscaloosa ¹	0	0	
Washington ¹	0	0	
Wilcox ¹	0	0	
Other ²			12,100
Alabama	451,400	465,800	453,750
Cochise ¹			
Gila ¹	0	0	
Graham ¹			50,250
Greenlee ¹	0	0	
La Paz	0	0	31,200
Maricopa	104,500	108,400	54,600
Mohave ¹			
Pima	0	0	18,400
Pinal	178,100	182,350	196,700
Yuma ¹			29,200
Arizona	377,350	387,550	394,450
Arkansas ¹	0	0	
Ashley	71,850	73,000	69,050
Chicot ¹			34,450
Clay ¹			58,950
Craighead	146,650	150,450	150,200

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Crittenden ¹			71,950
Cross	0	0	10,500
Desha	100,150	101,750	76,100
Drew ¹			23,850
Greene ¹			16,650
Jefferson ¹			21,250
Lafayette ¹			
Lee ¹			113,250
Lincoln ¹			37,050
Lonoke	20,750	21,200	17,800
Miller ¹	0	0	
Mississippi	336,900	348,850	362,350
Monroe ¹			9,350
Phillips	54,600	56,150	37,950
Poinsett	116,750	118,600	85,300
Prairie ¹	0	0	
Pulaski ¹	0	0	
St. Francis	98,600	102,100	48,550
Woodruff ¹			13,200
Arkansas	1,237,300	1,272,100	1,260,300
Colusa ¹	0	0	
Fresno	200,000	208,400	176,600
Glenn ¹	0	0	
Imperial	0	0	1,650
Kern	155,350	161,550	155,600
Kings	233,250	243,250	219,000
Madera ¹			8,300
Merced ¹			87,350
Riverside ¹			35,800
Sutter ¹			
Tulare	37,800	39,700	47,050
California	757,650	786,700	740,550
Calhoun	0	0	10,050
Escambia ¹			11,300
Gadsen ¹	0	0	
Hamilton ¹	0	0	
Holmes	0	0	2,050

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Jackson ¹			41,400
Jefferson ¹	0	0	
Madison ¹	0	0	
Nassau ¹	0	0	
Okaloosa	0	0	5,500
Santa Rosa ¹			37,000
Walton	0	0	4,100
Washington ¹	0	0	
Florida	104,900	108,250	120,100
Appling ¹			34,950
Atkinson	0	0	14,300
Bacon ¹	0	0	
Baker	0	0	29,600
Bartow ¹			
Ben Hill	0	0	14,750
Berrien	70,800	72,700	30,750
Bleckley ¹			10,400
Brantley ¹	0	0	
Brooks ¹			50,900
Bulloch ¹			38,050
Burke	35,500	36,800	19,750
Calhoun ¹			22,100
Candler ¹			8,800
Chattooga ¹	0	0	
Clay	0	0	8,500
Clinch ¹	0	0	
Coffee ¹			50,700
Colquitt	209,800	217,400	87,850
Cook	0	0	23,400
Crawford ¹	0	0	
Crisp ¹			37,450
Decatur ¹			50,150
Dodge ¹			19,350
Dooly	128,700	132,000	101,550
Dougherty ¹	0	0	
Early ¹			50,650
Echols ¹	0	0	
Effingham ¹	0	0	
Elbert ¹	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Emanuel	0	0	11,050
Evans ¹	0	0	
Floyd ¹	0	0	
Glascock ¹	0	0	
Grady	0	0	33,800
Hart ¹	0	0	
Henry ¹	0	0	
Houston ¹	0	0	
Irwin	0	0	46,950
Jeff Davis ¹			27,150
Jefferson ¹			11,500
Jenkins	0	0	11,300
Johnson ¹	0	0	
Lamar ¹	0	0	
Lanier	0	0	8,200
Laurens ¹			
Lee ¹			
Long ¹	0	0	
Lowndes ¹	0	0	
Macon	0	0	13,400
Marion ¹	0	0	
Miller ¹			54,450
Mitchell ¹			84,350
Montgomery	0	0	1,850
Morgan ¹			
Oconee ¹	0	0	
Peach ¹	0	0	
Pierce	0	0	13,550
Polk ¹	0	0	
Pulaski ¹			9,150
Quitman ¹	0	0	
Randolph ¹			
Schley ¹	0	0	
Screven ¹			18,350
Seminole ¹			50,550
Stewart ¹	0	0	
Sumter ¹			26,700
Tattnall	0	0	12,900
Taylor ¹			
Telfair	0	0	6,550
Terrell ¹			28,850

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Thomas ¹			43,700
Tift ¹			30,900
Toombs ¹	0	0	
Treutlen ¹	0	0	
Turner ¹			32,250
Twiggs ¹	0	0	
Walton ¹	0	0	
Ware ¹	0	0	
Warren ¹	0	0	
Washington ¹	0	0	
Wayne ¹	0	0	
Webster ¹	0	0	
Wheeler ¹	0	0	
Wilcox ¹			35,500
Wilkinson ¹	0	0	
Worth ¹			77,550
Georgia	1,568,800	1,620,450	1,547,800
Barber ¹	0	0	
Cowley ¹			
Edwards ¹	0	0	
Grant ¹	0	0	
Gray	0	0	1,500
Harper ¹	0	0	
Harvey ¹	0	0	
Haskell	0	0	3,300
Kingman ¹	0	0	
Kiowa ¹	0	0	
Marion ¹	0	0	
McPherson ¹	0	0	
Morton ¹	0	0	
Pratt ¹			6,150
Sedgwick ¹	0	0	
Seward ¹	0	0	
Stevens ¹			
Sumner	0	0	3,150
Kansas	32,950	33,850	33,100
Avoyelles	0	0	3,700

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Bossier ¹	0	0	
Caddo ¹			
Caldwell	0	0	2,900
Catahoula ¹			11,050
Concordia ¹			14,050
Desoto ¹	0	0	
East Carroll	36,050	36,400	30,000
Evangeline ¹	0	0	
Franklin	60,600	63,000	36,250
Madison ¹			29,600
Morehouse ¹			
Natchitoches	0	0	4,700
Ouachita	0	0	7,050
Pointe Coupe ¹			4,500
Rapides	16,000	16,250	11,850
Red River ¹			
Richland ¹			9,450
Saint Landry	0	0	2,000
Tensas	57,900	59,700	63,700
W Feliciana ¹	0	0	
West Carroll ¹			
Louisiana	279,600	287,100	273,150
Adams ¹	0	0	
Alcorn ¹	0	0	
Attala	0	0	4,200
Benton ¹			
Bolivar	29,650	30,150	30,100
Calhoun	22,750	23,500	16,050
Carroll ¹			9,800
Chickasaw	0	0	4,000
Choctaw ¹	0	0	
Claiborne ¹	0	0	
Clay ¹	0	0	
Coahoma	146,000	148,900	114,500
Copiah ¹	0	0	
Covington ¹	0	0	
Desoto ¹			
George ¹	0	0	
Grenada ¹	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Hinds ¹			5,450
Holmes	23,100	23,900	19,850
Humphreys ¹			29,300
Issaquena	0	0	13,550
Itawamba ¹	0	0	
Jackson ¹	0	0	
Jefferson ¹			
Jones ¹	0	0	
Lafayette ¹			
Lawrence ¹	0	0	
Leake ¹	0	0	
Lee ¹			
Leflore	81,250	84,400	69,250
Lowndes	0	0	7,650
Madison	0	0	4,500
Marshall	0	0	
Monroe ¹			2,000
Montgomery ¹			8,850
Noxubee	0	0	5,750
Oktibbeha ¹	0	0	
Panola	23,000	24,100	14,350
Pontotoc ¹			
Quitman ¹			29,100
Rankin ¹	0	0	
Scott ¹	0	0	
Sharkey ¹			22,600
Sunflower	20,900	21,150	20,550
Tallahatchie	23,600	24,250	33,050
Tate	0	0	9,900
Tippah ¹	0	0	
Tishomingo	0	0	1,550
Tunica	42,550	43,450	68,400
Union ¹	0	0	
Warren ¹			
Washington	30,800	31,400	25,200
Webster ¹			12,500
Yalobusha ¹			
Yazoo	44,250	45,450	28,600
Mississippi	656,850	673,700	665,100

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Dunklin	310,050	317,350	239,050
Mississippi ¹	0	0	
New Madrid	182,600	188,250	191,000
Pemiscot	98,650	101,650	115,450
Scott ¹			
Stoddard ¹			122,250
Missouri	698,600	715,900	680,750
Chaves ¹			3,950
Curry ¹	0	0	
Dona Ana ¹			24,050
Eddy ¹			10,050
Lea	0	0	19,250
Luna	0	0	7,200
Roosevelt ¹	0	0	
New Mexico	47,350	47,750	73,400
Anson ¹			
Beaufort ¹			28,200
Bertie ¹			38,400
Bladen	0	0	6,650
Cabarrus ¹	0	0	
Camden ¹	0	0	
Carteret ¹	0	0	
Chowan ¹			15,150
Cleveland ¹			2,800
Columbus ¹			7,650
Craven	0	0	4,650
Cumberland	0	0	8,350
Davidson ¹	0	0	
Duplin ¹			5,600
Edgecombe ¹			41,500
Forsyth ¹	0	0	
Franklin ¹	0	0	
Gates ¹			15,300
Granville ¹	0	0	
Greene ¹			13,500
Halifax	64,700	67,000	78,200
Harnett ¹			19,450

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Hertford ¹			18,000
Hoke	0	0	16,000
Hyde ¹			29,300
Johnston	0	0	7,850
Jones ¹			13,500
Lee ¹	0	0	
Lenoir ¹			25,700
Martin ¹			49,600
Nash ¹			10,550
Northampton	62,750	65,200	65,800
Onslow ¹	0	0	
Pamlico ¹	0	0	
Pasquotank	0	0	2,600
Pender ¹	0	0	
Perquimans ¹			23,300
Pitt ¹			20,700
Richmond ¹	0	0	
Robeson ¹			21,800
Rowan ¹	0	0	
Rutherford ¹	0	0	
Sampson ¹			28,350
Scotland ¹			
Stanly ¹			15,250
Stokes ¹	0	0	
Tyrrell ¹	0	0	
Union	0	0	3,950
Wake ¹	0	0	
Warren ¹	0	0	
Washington	0	0	17,200
Wayne ¹			12,100
Wilson ¹			19,100
North Carolina	735,450	766,400	724,000
Alfalfa ¹	0	0	
Atoka ¹	0	0	
Beckham	0	0	5,700
Blaine ¹	0	0	
Caddo ¹			
Canadian ¹	0	0	
Cimarron ¹	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Comanche ¹	0	0	
Cotton ¹	0	0	
Custer ¹			
Garfield ¹	0	0	
Grady ¹			
Grant ¹	0	0	
Greer	0	0	6,100
Harmon ¹			
Jackson	166,100	168,200	118,650
Kay ¹			
Kingfisher ¹	0	0	
Kiowa ¹			
Logan ¹	0	0	
Mccurtain ¹	0	0	
Payne ¹	0	0	
Roger Mills ¹	0	0	
Tillman ¹			
Washita ¹			11,450
Oklahoma	255,500	259,000	257,900
Abbeville ¹	0	0	
Aiken ¹	0	0	
Allendale ¹	0	0	
Anderson ¹	0	0	
Bamberg	0	0	9,500
Barnwell	0	0	6,950
Berkeley ¹	0	0	
Calhoun	55,500	56,950	41,300
Cherokee ¹	0	0	
Chester ¹	0	0	
Chesterfield ¹	0	0	
Clarendon ¹			
Colleton ¹	0	0	
Darlington ¹			27,550
Dillon ¹			18,850
Dorchester	0	0	7,250
Edgefield ¹	0	0	
Florence	0	0	6,100
Georgetown ¹	0	0	
Hampton ¹			9,250

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Horry ¹	0	0	
Lee ¹			13,350
Lexington	0	0	3,850
Marion ¹	0	0	
Marlboro	24,950	25,900	30,800
Newberry ¹	0	0	
Orangeburg	50,050	51,600	25,700
Richland ¹	0	0	
Saluda ¹	0	0	
Sumter	15,350	16,150	2,800
Williamsburg ¹			11,750
York ¹	0	0	
South Carolina	232,150	239,750	236,950
Carroll ¹			33,800
Chester ¹	0	0	
Coffee ¹	0	0	
Crockett	99,100	101,450	65,150
Dyer	0	0	27,550
Fayette ¹			42,350
Franklin ¹	0	0	
Gibson	37,950	38,450	41,950
Giles ¹	0	0	
Grundy ¹	0	0	
Hardeman ¹			13,050
Hardin ¹	0	0	
Haywood	97,750	99,950	87,650
Henderson	0	0	4,200
Henry ¹	0	0	
Lake ¹			6,900
Lauderdale ¹			42,450
Lawrence ¹	0	0	
Lincoln ¹			16,100
Madison ¹			45,100
McNairy ¹	0	0	
Obion ¹	0	0	
Rutherford ¹	0	0	
Shelby ¹	0	0	
Tipton ¹			43,900
Weakley ¹	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Tennessee	520,950	533,000	517,150
Andrews	0	0	6,200
Armstrong ¹	0	0	
Atascosa	0	0	6,550
Austin	0	0	1,800
Bailey	25,150	26,150	23,600
Bastrop ¹	0	0	
Baylor	0	0	3,450
Bee	0	0	8,100
Bell	0	0	1,750
Bexar	0	0	3,200
Borden ¹			8,200
Brazoria ¹			5,550
Brazos ¹			
Briscoe ¹			38,500
Brown ¹	0	0	
Burleson ¹			19,950
Caldwell ¹			4,750
Calhoun ¹			17,000
Callahan ¹	0	0	
Cameron	6,200	6,300	6,900
Carson ¹			42,550
Castro	26,850	27,300	27,950
Childress ¹			11,450
Clay ¹	0	0	
Cochran ¹			46,100
Coke ¹	0	0	
Coleman	0	0	1,150
Collingsworth ¹			38,100
Colorado ¹	0	0	
Concho ¹			16,850
Coryell ¹	0	0	
Cottle ¹			12,150
Crosby	230,150	236,350	207,500
Culberson ¹			
Dallam ¹	0	0	
Dallas ¹	0	0	
Dawson	122,600	125,650	136,000
De Witt ¹	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Deaf Smith ¹			9,950
Delta ¹	0	0	
Dickens ¹			17,950
Dimmit ¹	0	0	
Donley ¹			8,500
El Paso ¹			27,600
Ellis	23,950	24,950	22,300
Falls ¹			
Fisher ¹			63,000
Floyd	241,650	249,250	254,000
Foard ¹	0	0	
Fort Bend	39,850	41,250	38,350
Frio	0	0	4,900
Gaines	220,350	223,950	163,700
Garza ¹			27,000
Glasscock ¹			49,350
Goliad ¹	0	0	
Gray	0	0	15,800
Grayson ¹	0	0	
Guadalupe ¹	0	0	
Hale	354,500	363,300	366,400
Hall ¹			63,900
Hansford ¹			7,950
Hardeman ¹			6,750
Hartley ¹	0	0	
Haskell	59,850	61,800	66,150
Hays ¹	0	0	
Hidalgo ¹			8,350
Hill	23,550	24,000	14,300
Hockley	338,750	347,350	272,300
Houston ¹			
Howard	9,550	9,650	11,200
Hudspeth	0	0	15,850
Hunt ¹			1,300
Hutchinson ¹	0	0	
Jackson ¹			12,100
Jim Wells	0	0	5,700
Johnson ¹	0	0	
Jones	81,150	82,700	64,600
Karnes ¹	0	0	
Kent ¹			

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
King ¹	0	0	
Kinney ¹	0	0	
Kleberg ¹			
Knox ¹			44,750
Lamar ¹			
Lamb	170,250	174,850	165,200
Limestone ¹	0	0	
Live Oak ¹	0	0	
Lubbock	412,850	425,500	361,100
Lynn	155,450	157,500	196,700
Martin	44,550	44,750	35,450
Matagorda ¹			23,000
Mcculloch	0	0	9,050
Mclennan ¹	0	0	
Medina	0	0	20,500
Midland			9,200
Milam ¹			5,450
Mitchell	35,100	35,700	29,650
Moore ¹			13,950
Motley ¹			10,900
Navarro ¹			15,600
Nolan ¹			44,900
Nueces	63,900	65,250	99,400
Ochiltree	0	0	12,000
Parmer	37,000	38,300	29,450
Pecos ¹			10,250
Randall	0	0	1,450
Reagan	0	0	8,900
Red River ¹	0	0	
Reeves ¹	0	0	
Refugio ¹			27,050
Roberts ¹	0	0	
Robertson ¹			16,200
Runnels	69,800	71,550	46,200
San Patricio	169,450	171,600	129,200
Schleicher ¹	0	0	
Scurry ¹			41,200
Shackelford ¹	0	0	
Sherman	0	0	20,850
Stonewall	0	0	3,700
Swisher	73,500	75,650	88,800

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),
Equivalent 480-Pound Bales Ginned, and Running Bales Produced
by County, State, and United States, Crop Year 2008 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Taylor ¹			11,350
Terry	133,000	136,250	157,350
Tom Green	98,300	101,200	95,450
Travis	0	0	1,350
Upton ¹			8,000
Uvalde	0	0	13,350
Victoria	0	0	4,750
Walker ¹			
Ward ¹	0	0	
Washington ¹	0	0	
Wharton	86,950	88,650	69,250
Wheeler	0	0	12,150
Wichita ¹	0	0	
Wilbarger	22,300	22,450	13,700
Willacy ¹			2,600
Williamson	22,650	23,200	13,050
Wilson ¹	0	0	
Winkler ¹	0	0	
Yoakum	53,150	54,200	54,500
Young ¹	0	0	
Zavala ¹			2,050
Other ²			11,600
Texas	4,400,900	4,508,150	4,371,650
Accomack ¹	0	0	
Brunswick ¹	0	0	
Charles City ¹	0	0	
Dinwiddie ¹	0	0	
Greensville ¹			5,300
Isle of Wight ¹			21,900
King William ¹	0	0	
King and Queen ¹	0	0	
New Kent ¹	0	0	
Northampton ¹	0	0	
Prince George ¹	0	0	
Southampton	0	0	43,600
Suffolk City ¹			29,650
Surry ¹	0	0	
Sussex ¹	0	0	
Virginia	104,500	105,400	112,100
US TOTAL	12,462,200	12,810,850	12,462,200

¹ Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

² County of origin was not determined.

Note: Counties may not add to State total due to rounding.

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Autauga	1	501.2	254
Baldwin	0	0.0	164
Barbour	0	0.0	290
Blount	1	495.8	
Bullock	0	0.0	
Butler	0	0.0	
Calhoun	0	0.0	
Chambers	0	0.0	
Cherokee	2	492.1	173
Chilton	1	497.0	
Choctaw	0	0.0	
Clarke	0	0.0	
Coffee	1	503.4	203
Colbert	2	500.6	215
Conecuh	0	0.0	260
Covington	1	499.3	159
Crenshaw	0	0.0	
Cullman	0	0.0	
Dale	0	0.0	223
Dallas	0	0.0	265
Dekalb	0	0.0	
Elmore	1	499.8	175
Escambia	1	499.6	139
Etowah	0	0.0	
Franklin	0	0.0	
Geneva	1	500.0	
Greene	0	0.0	
Henry	2	483.4	151
Houston	1	474.5	121
Jackson	0	0.0	
Lamar	0	0.0	
Lauderdale	2	501.5	145
Lawrence	3	500.4	155
Lee	0	0.0	
Limestone	4	501.9	137
Lowndes	0	0.0	
Macon	1	495.7	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Madison	3	485.9	57
Marengo	1	498.3	
Marshall	0	0.0	
Mobile	1	504.6	188
Monroe	1	497.8	115
Montgomery	0	0.0	
Morgan	0	0.0	
Perry	0	0.0	
Pickens	0	0.0	
Pike	0	0.0	
Russell	1	494.2	
Shelby	0	0.0	
Talladega	0	0.0	
Tallapoosa	1	489.1	
Tuscaloosa	0	0.0	
Washington	0	0.0	
Wilcox	0	0.0	
Alabama	33	495.3	
Cochise	1	486.6	
Gila	0	0.0	
Graham	3	495.6	58
Greenlee	0	0.0	
La Paz	0	0.0	100
Maricopa	4	497.8	50
Mohave	1	487.7	
Pima	0	0.0	162
Pinal	7	491.5	9
Yuma	4	483.4	113
Arizona	20	493.0	
Arkansas	0	0.0	
Ashley	4	487.7	40
Chicot	2	493.9	95
Clay	1	492.0	49
Craighead	6	492.4	17
Crittenden	2	496.5	37
Cross	0	0.0	225
Desha	4	487.7	36

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Drew	1	471.0	133
Greene	2	481.7	171
Jefferson	3	487.6	146
Lafayette	2	491.0	
Lee	2	506.0	24
Lincoln	1	499.0	88
Lonoke	4	490.6	167
Miller	0	0.0	
Mississippi	11	497.0	2
Monroe	1	485.0	235
Phillips	4	493.8	86
Poinsett	4	487.6	32
Prairie	0	0.0	
Pulaski	0	0.0	
St. Francis	3	497.1	62
Woodruff	1	487.0	199
Arkansas	58	493.5	
Colusa	0	0.0	
Fresno	18	500.1	12
Glenn	0	0.0	
Imperial	0	0.0	316
Kern	12	499.1	16
Kings	15	500.6	7
Madera	1	496.4	247
Merced	1	498.6	31
Riverside	2	476.3	91
Sutter	1	505.2	
Tulare	4	504.4	63
California	54	498.4	
Calhoun	0	0.0	228
Escambia	1	490.1	217
Gadsen	0	0.0	
Hamilton	0	0.0	
Holmes	0	0.0	309
Jackson	1	490.2	78
Jefferson	0	0.0	
Madison	0	0.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Nassau	0	0.0	
Okaloosa	0	0.0	279
Santa Rosa	2	499.7	89
Walton	0	0.0	293
Washington	0	0.0	
Florida	4	495.4	
Appling	2	497.9	94
Atkinson	0	0.0	186
Bacon	0	0.0	
Baker	0	0.0	108
Bartow	1	479.9	
Ben Hill	0	0.0	184
Berrien	4	493.0	103
Bleckley	1	494.6	226
Brantley	0	0.0	
Brooks	1	499.9	53
Bulloch	2	495.2	85
Burke	4	497.7	154
Calhoun	1	493.3	142
Candler	2	493.7	242
Chattooga	0	0.0	
Clay	0	0.0	243
Clinch	0	0.0	
Coffee	2	493.7	54
Colquitt	6	497.4	29
Cook	0	0.0	135
Crawford	0	0.0	
Crisp	2	497.1	87
Decatur	2	495.1	59
Dodge	1	498.0	157
Dooly	6	492.3	25
Dougherty	0	0.0	
Early	2	506.0	55
Echols	0	0.0	
Effingham	0	0.0	
Elbert	0	0.0	
Emanuel	0	0.0	220
Evans	0	0.0	
Floyd	0	0.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Glascock	0	0.0	
Grady	0	0.0	96
Hart	0	0.0	
Henry	0	0.0	
Houston	0	0.0	
Irwin	0	0.0	64
Jeff Davis	1	500.0	125
Jefferson	2	499.6	212
Jenkins	0	0.0	218
Johnson	0	0.0	
Lamar	0	0.0	
Lanier	0	0.0	248
Laurens	2	501.8	
Lee	1	489.3	
Long	0	0.0	
Lowndes	0	0.0	
Macon	0	0.0	196
Marion	0	0.0	
Miller	1	494.7	52
Mitchell	2	493.0	33
Montgomery	0	0.0	313
Morgan	1	495.0	
Oconee	0	0.0	
Peach	0	0.0	
Pierce	0	0.0	192
Polk	0	0.0	
Pulaski	2	492.0	238
Quitman	0	0.0	
Randolph	1	492.0	
Schley	0	0.0	
Screven	1	509.0	163
Seminole	1	493.0	56
Stewart	0	0.0	
Sumter	2	499.9	128
Tattall	0	0.0	202
Taylor	1	486.0	
Telfair	0	0.0	268
Terrell	1	497.1	116
Thomas	2	495.7	71
Tift	2	489.1	101
Toombs	0	0.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Treutlen	0	0.0	
Turner	1	499.4	99
Twiggs	0	0.0	
Walton	0	0.0	
Ware	0	0.0	
Warren	0	0.0	
Washington	0	0.0	
Wayne	0	0.0	
Webster	0	0.0	
Wheeler	0	0.0	
Wilcox	1	505.0	92
Wilkinson	0	0.0	
Worth	1	492.3	35
Georgia	65	495.8	
Barber	0	0.0	
Cowley	2	489.5	
Edwards	0	0.0	
Grant	0	0.0	
Gray	0	0.0	318
Harper	0	0.0	
Harvey	0	0.0	
Haskell	0	0.0	301
Kingman	0	0.0	
Kiowa	0	0.0	
Marion	0	0.0	
McPherson	0	0.0	
Morton	0	0.0	
Pratt	1	485.4	271
Sedgwick	0	0.0	
Seward	0	0.0	
Stevens	1	501.0	
Sumner	0	0.0	303
Kansas	4	493.2	
Avoyelles	0	0.0	298
Bossier	0	0.0	
Caddo	4	495.9	
Caldwell	0	0.0	304

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Catahoula	2	486.8	221
Concordia	3	488.4	189
Desoto	0	0.0	
East Carroll	4	484.5	105
Evangeline	0	0.0	
Franklin	5	499.2	90
Madison	1	483.6	109
Morehouse	3	494.8	
Natchitoches	0	0.0	286
Ouachita	0	0.0	261
Pointe Coupe	1	481.9	288
Rapides	3	487.6	210
Red River	1	495.6	
Richland	3	501.7	234
Saint Landry	0	0.0	311
Tensas	5	495.0	47
W Feliciana	0	0.0	
West Carroll	1	483.7	
Louisiana	36	492.9	
Adams	0	0.0	
Alcorn	0	0.0	
Attala	0	0.0	291
Benton	1	500.5	
Bolivar	5	488.1	104
Calhoun	3	495.7	176
Carroll	1	502.2	232
Chickasaw	0	0.0	294
Choctaw	0	0.0	
Claiborne	0	0.0	
Clay	0	0.0	
Coahoma	6	489.5	23
Copiah	0	0.0	
Covington	0	0.0	
Desoto	1	484.1	
George	0	0.0	
Grenada	0	0.0	
Hinds	1	490.0	280
Holmes	3	496.2	153
Humphreys	3	493.0	111

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Issaquena	0	0.0	193
Itawamba	0	0.0	
Jackson	0	0.0	
Jefferson	1	500.0	
Jones	0	0.0	
Lafayette	1	485.3	
Lawrence	0	0.0	
Leake	0	0.0	
Lee	1	497.0	
Leflore	8	498.7	38
Lowndes	0	0.0	256
Madison	0	0.0	289
Marshall	0	0.0	
Monroe	1	499.0	312
Montgomery	1	480.0	241
Noxubee	0	0.0	274
Oktibbeha	0	0.0	
Panola	3	503.0	185
Pontotoc	1	480.0	
Quitman	2	494.4	114
Rankin	0	0.0	
Scott	0	0.0	
Sharkey	4	492.0	140
Sunflower	4	486.0	149
Tallahatchie	3	493.5	98
Tate	0	0.0	231
Tippah	0	0.0	
Tishomingo	0	0.0	317
Tunica	3	490.3	41
Union	0	0.0	
Warren	1	496.2	
Washington	6	489.5	131
Webster	1	485.3	204
Yalobusha	1	484.4	
Yazoo	6	492.8	117
Mississippi	72	492.3	
Dunklin	12	491.3	6
Mississippi	0	0.0	
New Madrid	7	494.8	11

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Pemiscot	6	494.7	22
Scott	3	493.9	
Stoddard	2	482.1	20
Missouri	30	491.9	
Chaves	1	497.2	295
Curry	0	0.0	
Dona Ana	4	481.6	132
Eddy	2	488.1	229
Lea	0	0.0	158
Luna	0	0.0	259
Roosevelt	0	0.0	
New Mexico	7	484.3	
Anson	1	501.0	
Beaufort	1	501.0	119
Bertie	2	499.1	82
Bladen	0	0.0	267
Cabarrus	0	0.0	
Camden	0	0.0	
Carteret	0	0.0	
Chowan	1	504.3	183
Cleveland	2	499.4	305
Columbus	1	498.9	257
Craven	0	0.0	287
Cumberland	0	0.0	245
Davidson	0	0.0	
Duplin	1	498.8	277
Edgecombe	2	493.6	77
Forsyth	0	0.0	
Franklin	0	0.0	
Gates	1	486.7	181
Granville	0	0.0	
Greene	1	496.7	194
Halifax	4	497.1	34
Harnett	1	503.0	156
Hertford	1	525.0	165
Hoke	0	0.0	177
Hyde	1	501.9	112

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Johnston	0	0.0	253
Jones	1	490.3	195
Lee	0	0.0	
Lenoir	1	519.3	129
Martin	1	485.8	60
Nash	1	481.1	224
Northampton	5	498.6	43
Onslow	0	0.0	
Pamlico	0	0.0	
Pasquotank	0	0.0	307
Pender	0	0.0	
Perquimans	1	498.0	136
Pitt	2	511.6	148
Richmond	0	0.0	
Robeson	2	507.6	144
Rowan	0	0.0	
Rutherford	0	0.0	
Sampson	2	496.6	118
Scotland	1	500.2	
Stanly	1	498.0	182
Stokes	0	0.0	
Tyrrell	0	0.0	
Union	0	0.0	296
Wake	0	0.0	
Warren	0	0.0	
Washington	0	0.0	168
Wayne	1	512.3	207
Wilson	1	493.5	160
North Carolina	40	500.2	
Alfalfa	0	0.0	
Atoka	0	0.0	
Beckham	0	0.0	275
Blaine	0	0.0	
Caddo	2	485.1	
Canadian	0	0.0	
Cimarron	0	0.0	
Comanche	0	0.0	
Cotton	0	0.0	
Custer	5	508.7	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Garfield	0	0.0	
Grady	3	507.8	
Grant	0	0.0	
Greer	0	0.0	272
Harmon	2	489.4	
Jackson	4	486.0	21
Kay	1	478.2	
Kingfisher	0	0.0	
Kiowa	1	506.8	
Logan	0	0.0	
Mccurtain	0	0.0	
Payne	0	0.0	
Roger Mills	0	0.0	
Tillman	3	484.2	
Washita	2	488.2	213
Oklahoma	23	486.6	
Abbeville	0	0.0	
Aiken	0	0.0	
Allendale	0	0.0	
Anderson	0	0.0	
Bamberg	0	0.0	233
Barnwell	0	0.0	262
Berkeley	0	0.0	
Calhoun	3	492.4	79
Cherokee	0	0.0	
Chester	0	0.0	
Chesterfield	0	0.0	
Clarendon	2	492.4	
Colleton	0	0.0	
Darlington	2	491.2	123
Dillon	1	488.4	161
Dorchester	0	0.0	258
Edgefield	0	0.0	
Florence	0	0.0	273
Georgetown	0	0.0	
Hampton	1	519.4	236
Horry	0	0.0	
Lee	2	505.0	197
Lexington	0	0.0	297

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Marion	0	0.0	
Marlboro	3	498.9	102
Newberry	0	0.0	
Orangeburg	3	495.1	130
Richland	0	0.0	
Saluda	0	0.0	
Sumter	3	505.1	306
Williamsburg	1	506.9	211
York	0	0.0	
South Carolina	21	495.7	
Carroll	1	491.3	97
Chester	0	0.0	
Coffee	0	0.0	
Crockett	5	491.3	44
Dyer	0	0.0	124
Fayette	2	498.0	75
Franklin	0	0.0	
Gibson	3	486.4	76
Giles	0	0.0	
Grundy	0	0.0	
Hardeman	1	488.0	200
Hardin	0	0.0	
Haywood	7	490.9	30
Henderson	0	0.0	292
Henry	0	0.0	
Lake	1	491.8	263
Lauderdale	2	484.7	74
Lawrence	0	0.0	
Lincoln	1	486.1	174
Madison	2	487.2	67
Mcnaury	0	0.0	
Obion	0	0.0	
Rutherford	0	0.0	
Shelby	0	0.0	
Tipton	4	496.2	70
Weakley	0	0.0	
Tennessee	29	491.1	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Andrews	0	0.0	270
Armstrong	0	0.0	
Atascosa	0	0.0	269
Austin	0	0.0	314
Bailey	5	498.7	134
Bastrop	0	0.0	
Baylor	0	0.0	300
Bee	0	0.0	250
Bell	0	0.0	315
Bexar	0	0.0	302
Borden	1	479.0	249
Brazoria	2	506.1	278
Brazos	2	487.0	
Briscoe	2	498.9	81
Brown	0	0.0	
Burleson	1	480.0	152
Caldwell	1	502.0	284
Calhoun	1	478.9	169
Callahan	0	0.0	
Cameron	5	488.1	264
Carson	1	488.3	73
Castro	3	487.9	120
Childress	1	490.0	214
Clay	0	0.0	
Cochran	2	487.7	66
Coke	0	0.0	
Coleman	0	0.0	322
Collingsworth	2	509.1	84
Colorado	0	0.0	
Concho	1	503.4	170
Coryell	0	0.0	
Cottle	1	478.2	205
Crosby	5	492.9	8
Culberson	1	482.4	
Dallam	0	0.0	
Dallas	0	0.0	
Dawson	8	491.9	18
De Witt	0	0.0	
Deaf Smith	2	499.7	230
Delta	0	0.0	
Dickens	1	480.5	166

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Dimmit	0	0.0	
Donley	1	497.5	244
El Paso	2	492.7	122
Ellis	3	499.9	141
Falls	1	496.0	
Fisher	2	482.2	48
Floyd	9	495.1	5
Foard	0	0.0	
Fort Bend	4	496.9	83
Frio	0	0.0	283
Gaines	8	487.8	14
Garza	1	495.0	127
Glasscock	1	498.0	61
Goliad	0	0.0	
Gray	0	0.0	179
Grayson	0	0.0	
Guadalupe	0	0.0	
Hale	10	491.9	1
Hall	3	490.0	46
Hansford	1	497.8	252
Hardeman	1	489.2	266
Hartley	0	0.0	
Haskell	6	495.5	42
Hays	0	0.0	
Hidalgo	3	474.7	246
Hill	4	489.4	187
Hockley	8	492.2	4
Houston	1	470.0	
Howard	3	484.2	219
Hudspeth	0	0.0	178
Hunt	1	483.0	321
Hutchinson	0	0.0	
Jackson	1	486.0	208
Jim Wells	0	0.0	276
Johnson	0	0.0	
Jones	5	489.1	45
Karnes	0	0.0	
Kent	1	489.0	
King	0	0.0	
Kinney	0	0.0	
Kleberg	1	480.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Knox	1	500.0	69
Lamar	1	495.1	
Lamb	6	492.9	13
Limestone	0	0.0	
Live Oak	0	0.0	
Lubbock	10	494.7	3
Lynn	6	486.4	10
Martin	5	482.0	93
Matagorda	1	467.8	138
Mcculloch	0	0.0	239
Mclennan	0	0.0	
Medina	0	0.0	150
Midland	1	480.0	237
Milam	1	485.0	281
Mitchell	3	488.1	106
Moore	1	483.6	190
Motley	1	492.7	222
Navarro	2	458.4	180
Nolan	1	496.7	68
Nueces	5	490.0	26
Ochiltree	0	0.0	209
Parmer	6	496.7	110
Pecos	1	480.7	227
Randall	0	0.0	319
Reagan	0	0.0	240
Red River	0	0.0	
Reeves	0	0.0	
Refugio	1	495.4	126
Roberts	0	0.0	
Robertson	1	492.0	172
Runnels	4	492.1	65
San Patricio	8	486.1	19
Schleicher	0	0.0	
Scurry	2	508.0	80
Shackelford	0	0.0	
Sherman	0	0.0	147
Stonewall	0	0.0	299
Swisher	4	493.9	28
Taylor	1	450.0	216
Terry	6	491.7	15
Tom Green	3	494.1	27

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,
and Rank by County, State, and United States, Crop Year 2008 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced ¹
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Travis	0	0.0	320
Upton	1	495.9	251
Uvalde	0	0.0	198
Victoria	0	0.0	285
Walker	1	450.0	
Ward	0	0.0	
Washington	0	0.0	
Wharton	5	489.4	39
Wheeler	0	0.0	206
Wichita	0	0.0	
Wilbarger	3	482.9	191
Willacy	4	488.1	308
Williamson	5	491.7	201
Wilson	0	0.0	
Winkler	0	0.0	
Yoakum	3	489.7	51
Young	0	0.0	
Zavala	2	491.1	310
Texas	235	491.7	
Accomack	0	0.0	
Brunswick	0	0.0	
Charles City	0	0.0	
Dinwiddie	0	0.0	
Greensville	1	487.9	282
Isle of Wight	1	480.8	143
King William	0	0.0	
King and Queen	0	0.0	
New Kent	0	0.0	
Northampton	0	0.0	
Prince George	0	0.0	
Southampton	0	0.0	72
Suffolk City	1	486.7	107
Surry	0	0.0	
Sussex	0	0.0	
Virginia	3	484.1	
US TOTAL	734	493.4	

¹ Counties with blank cells are not ranked to avoid disclosing individual data.

Note: County of origin was not determined for approximately 23,600 bales in the U.S., and ranking may be affected.

**Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2008**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
All cotton			
US	734	CA	54
1 - 2,999	89	1 - 2,999	8
3,000 - 4,999	72	3,000 - 4,999	4
5,000 - 6,999	54	5,000 - 6,999	1
7,000 - 9,999	83	7,000 - 9,999	3
10,000 - 14,999	111	10,000 - 14,999	10
15,000 - 19,999	89	15,000 - 19,999	9
20,000 - 39,999	158	20,000 - 39,999	13
40,000 - and over	78	40,000 - and over	6
AL	33	FL	4
1 - 2,999	2	1 - 2,999	0
3,000 - 4,999	2	3,000 - 4,999	0
5,000 - 6,999	5	5,000 - 6,999	0
7,000 - 9,999	7	7,000 - 9,999	1
10,000 - 14,999	5	10,000 - 14,999	1
15,000 - 19,999	3	15,000 - 19,999	0
20,000 - 39,999	9	20,000 - 39,999	1
40,000 - and over	0	40,000 - and over	1
AZ	20	GA	65
1 - 2,999	0	1 - 2,999	4
3,000 - 4,999	3	3,000 - 4,999	4
5,000 - 6,999	1	5,000 - 6,999	3
7,000 - 9,999	2	7,000 - 9,999	7
10,000 - 14,999	2	10,000 - 14,999	7
15,000 - 19,999	1	15,000 - 19,999	7
20,000 - 39,999	8	20,000 - 39,999	16
40,000 - and over	3	40,000 - and over	17
AR	58	KS	4
1 - 2,999	4	1 - 2,999	0
3,000 - 4,999	4	3,000 - 4,999	0
5,000 - 6,999	0	5,000 - 6,999	0
7,000 - 9,999	7	7,000 - 9,999	3
10,000 - 14,999	5	10,000 - 14,999	1
15,000 - 19,999	7	15,000 - 19,999	0
20,000 - 39,999	21	20,000 - 39,999	0
40,000 - and over	10	40,000 - and over	0

--continued

**Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2008**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
LA	36	NC	40
1 - 2,999	9	1 - 2,999	3
3,000 - 4,999	6	3,000 - 4,999	1
5,000 - 6,999	5	5,000 - 6,999	2
7,000 - 9,999	4	7,000 - 9,999	1
10,000 - 14,999	7	10,000 - 14,999	6
15,000 - 19,999	4	15,000 - 19,999	11
20,000 - 39,999	1	20,000 - 39,999	15
40,000 - and over	0	40,000 - and over	1
MS	72	OK	23
1 - 2,999	12	1 - 2,999	11
3,000 - 4,999	12	3,000 - 4,999	3
5,000 - 6,999	14	5,000 - 6,999	0
7,000 - 9,999	9	7,000 - 9,999	2
10,000 - 14,999	15	10,000 - 14,999	2
15,000 - 19,999	5	15,000 - 19,999	1
20,000 - 39,999	4	20,000 - 39,999	3
40,000 - and over	1	40,000 - and over	1
MO	30	SC	21
1 - 2,999	0	1 - 2,999	2
3,000 - 4,999	1	3,000 - 4,999	0
5,000 - 6,999	0	5,000 - 6,999	5
7,000 - 9,999	1	7,000 - 9,999	4
10,000 - 14,999	10	10,000 - 14,999	5
15,000 - 19,999	5	15,000 - 19,999	3
20,000 - 39,999	8	20,000 - 39,999	2
40,000 - and over	5	40,000 - and over	0
NM	7	TN	29
1 - 2,999	3	1 - 2,999	2
3,000 - 4,999	1	3,000 - 4,999	2
5,000 - 6,999	0	5,000 - 6,999	2
7,000 - 9,999	1	7,000 - 9,999	4
10,000 - 14,999	0	10,000 - 14,999	3
15,000 - 19,999	0	15,000 - 19,999	4
20,000 - 39,999	2	20,000 - 39,999	11
40,000 - and over	0	40,000 - and over	1


--continued

**Cotton Ginnings: Number of Active Gins and Bales Ginned
by Size Group, State, and United States, Crop Year 2008**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
TX	235	VA	3
1 - 2,999	29	1 - 2,999	0
3,000 - 4,999	29	3,000 - 4,999	0
5,000 - 6,999	16	5,000 - 6,999	0
7,000 - 9,999	27	7,000 - 9,999	0
10,000 - 14,999	32	10,000 - 14,999	0
15,000 - 19,999	28	15,000 - 19,999	1
20,000 - 39,999	43	20,000 - 39,999	1
40,000 - and over	31	40,000 - and over	1

2008 All Cotton Ginnings

Percent of U.S. Crop Ginned, by State



USDA-NASS

5-12-2009

US Production 12,462,200 Bales

2008 Cotton Ginnings: A total of 12.5 million running bales were ginned during the 2008 season, 33 percent below the 2007 ginnings of 18.7 million running bales. There were 734 active cotton gins during the 2008 season, down from the 806 gins that operated in 2007. Thirty-two percent of the gins processed more than 20,000 running bales compared with 45 percent the previous season.

2008 Cotton Final: All cotton production is estimated at 12.8 million 480-pounds bales, down 33 percent from last year's production. The U.S. all cotton yield averaged 813 pounds per acre, down 66 pounds from last year's record high. Upland cotton production is estimated at 12.4 million 480-pounds bales, down 33 percent from last year. The U.S. yield for upland cotton is estimated at 803 pounds per acre, down 61 pounds from last year's record high yield. Harvested area, at 7.40 million acres, is down 28 percent from last year. American-Pima, at 430,800 bales (480-pound), is down 49 percent from last year. The U.S. American-Pima yield is estimated at 1,226 pounds per acre, down 193 pounds from last year.

Upland growers in the Southeastern States (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia) finished planting by late June. By late summer, producers battled hot, dry conditions which allowed the crop to develop ahead of normal. During late August and early September, the region was hit by two storms, Tropical Storm Faye and Hurricane Hannah. Both of these weather patterns brought beneficial rains to the region. By the end of September, dry conditions and cooler temperatures allowed producers to begin defoliation and harvest throughout the region. Harvest was complete by early December. Objective yield measurements in Georgia showed boll counts to be slightly higher than the 5-year average. Producers in South Carolina reported record high yields, surpassing the record set in 2004.

In the Delta States (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) producers finished planting by the middle of June, behind normal due to the unseasonable cool, wet spring. Due to the later planted crop and the cool summer, the crop developed slightly behind normal except in Louisiana where the crop matured rapidly during the summer months. By the end of August, defoliation and harvest was underway in Louisiana, ahead of normal. On September 1, Hurricane Gustav made landfall in Louisiana bringing excessive amounts of rain to the South Delta region. By the second week of September, the region was hit by Hurricane Ike. Warmer temperatures and drier weather moved into the region by late September allowing producers to resume defoliation. Harvest was underway throughout the region by the first week of October, behind normal, and complete by the end November. The objective yield data showed Mississippi bolls per acre to be the second lowest in the last 5 years. In Arkansas, objective measurements showed the largest bolls per acre in the last 10 years. Data from the objective yield survey showed Louisiana bolls per acre and boll weight to be the lowest in the last 6 years. Due to the effects of Hurricane Gustav, Louisiana producers abandoned 66,000 acres and harvested their lowest area on record. Producers in Missouri reported record high yield surpassing the record set in 2004.

Texas producers finished planting the upland crop by mid-June, slightly ahead of normal. Continual hot, dry weather allowed the crop to develop ahead of normal. Due to the early developing crop, harvest was underway in South Texas by late-July. Harvest in South Texas was delayed during the first part of August when the region was hit with Hurricane Dolly. Producers in the High Plains of Texas battled hot, dry conditions throughout the summer and early fall months. During the second week of September, Hurricane Ike made landfall bringing high winds and rain throughout Texas. During the fall, cool, wet weather moved through the High Plains delaying crop development and harvest activities. In late October, the Panhandle of Texas was hit with a hard freeze which allowed for defoliation to expand rapidly. During November, producers received ideal weather and were able to harvest the crop without interruptions. Harvest was virtually complete by late-December. Objective yield measurements showed Texas boll weights to be the second heaviest in the last ten years. Due to the drought conditions during the summer and abnormally cool weather in the fall, Texas producers abandoned 1.75 million acres of the 5.00 million acres planted.

In Kansas and Oklahoma, planting was complete by the end of June. Throughout the summer and fall, the crop developed normally with harvest underway by the end of October. Harvest was complete by the last week of December. Producers in Kansas expect a record high yield surpassing last year's record.

Upland producers in California and Arizona completed planting by mid-May. During the late summer, California producers battled intensely hot, dry weather. By late August, harvest was underway in the Desert Southwest, slightly ahead of normal. By the middle of September, cooler temperatures in California allowed for defoliation and harvest to begin throughout the State. Harvest was complete in California and Arizona by mid-December. California producers planted and harvested the lowest acreage since records began for upland cotton.

ACCESS TO REPORTS!!

For your convenience, there are several ways to obtain NASS reports, data products, and services:

INTERNET ACCESS

All NASS reports are available free of charge. For free access, connect to the Internet and go to the NASS Home Page at: **www.nass.usda.gov**.

E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at **www.nass.usda.gov**, under the right navigation, *Receive reports by Email*, click on **National** or **State**. Follow the instructions on the screen.

PRINTED REPORTS OR DATA PRODUCTS

CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)
Other areas, please call 703-605-6220 FAX: 703-605-6900
(Visa, MasterCard, check, or money order acceptable for payment.)

ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: **nass@nass.usda.gov**.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.