

# **COTTON PRICE STATISTICS**

## **2008-2009**



**ANNUAL REPORT**

**UNITED STATES DEPARTMENT OF AGRICULTURE  
Agricultural Marketing Service – Cotton Program  
Memphis, Tennessee**


**Vol. 90, No. 13**

**mp\_cn830**

**August 2009**

## ANNUAL COTTON PRICE STATISTICS

Spot cotton quotations for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 47.87 cents per pound for the 2008-2009 season, down sharply from 61.49 cents for the 2007-2008 season. The season's highest daily average quotation for the base quality occurred on August 1, 2008 at 62.69 cents per pound and the season's lowest daily quotations was 36.28 cents on November 11, 2008. The highest monthly average for the marketing year was 60.93 cents per pound in August 2008 and the lowest was 38.53 cents per pound in March 2009.



Quotations for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength readings of 26.5-28.4 grams per tex, uniformity of 81 units in the designated spot markets averaged 49.83 cents per pound for the 2008-2009 season, down from 63.46 cents for the 2007-2008 season.

The average price received by farmers for Upland cotton was 55.20 cents per pound (preliminary average) for the 2008-2009 marketing year, according to the National Agricultural Statistics Service, USDA. This compares with 59.30 cents for the 2007-2008 marketing year and 46.50 cents for the 2006-2007 marketing year. The marketing year average price is monthly prices weighted by monthly marketings during the period August through the following July, with no allowances for unredeemed loans.

Spot cotton transactions for Upland and Pima in the designated markets totaled 1,383,986 running bales in the 2008-2009 marketing year, down from 1,787,426 bales in the 2007-2008 marketing year and 1,849,860 bales 2006-2007.

Table 1. Season average prices, upland cotton, for the base quality, by designated markets, cents per pound, 2003-2008 1/ 2/

Market Areas	2003	2004	2005	2006	2007	2008
Southeast	60.80	45.91	49.65	49.90	63.95	48.97
North Delta	60.78	46.02	49.67	49.46	62.67	47.99
South Delta	60.85	46.02	49.63	49.46	62.67	47.99
East Texas-Oklahoma	59.95	44.22	47.69	48.17	60.89	47.08
West Texas	59.71	44.08	47.78	48.06	60.64	46.93
Desert Southwest	59.23	45.66	48.26	47.08	59.07	47.03
San Joaquin Valley	59.71	47.38	50.06	48.58	60.57	49.10
<b>Average</b>	<b>60.15</b>	<b>45.61</b>	<b>48.96</b>	<b>48.67</b>	<b>61.50</b>	<b>47.87</b>

1/ Year beginning August 1. 2/ In mixed lots, net weight, compressed, FOB car/truck.

Table 2. High and low average prices for upland cotton base quality in the designated markets, by seasons. 1/

Year	HIGH		LOW	
	Date	Price	Date	Price
2003 2/	29-Oct-03	77.66	29-Jul-04	42.45
2004 2/	26-Apr-05	52.30	8-Feb-05	40.39
2005 2/	14-Feb-06	53.25	15-Aug-05	43.46
2006 2/	13-Jul-07	60.67	14-May-07	42.84
2007 2/	5-Mar-08	79.16	16-Aug-07	50.34
2008 2/	1-Aug-08	62.69	11-Nov-08	36.28

Table 3. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, daily and monthly averages, 2008-2009 season. 1/

Date	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul
1	62.69		53.46		43.77				41.39	52.00	53.67	52.88
2		61.76	53.60		43.06	45.36	45.33	37.35	41.46		54.43	53.14
3		61.24	52.86	41.70	43.11		45.09	37.51	42.57		52.14	
4	60.78	60.52		43.34	40.11		45.30	37.69		52.09	52.95	
5	60.87	57.79		41.33	38.23	44.79	45.26	37.27		52.82	51.47	
6	61.22		49.94	40.02		46.63	45.44	37.31	42.31	53.19		52.64
7	62.56		49.11	39.16		45.69			42.41	53.91		52.21
8	61.14	57.82	49.20		41.21	46.05			44.01	54.61	51.87	51.71
9		56.29	48.03		39.82	44.91	45.52	37.13	43.79		51.29	53.51
10		56.95	46.24	38.35	40.66		42.52	37.57			51.13	54.53
11	60.76	56.96		36.28	41.44		41.41	37.59		55.17	52.32	
12	61.16	57.41		36.93	40.49	42.30	40.63	38.34		55.16	52.18	
13	62.26		46.80	38.75		41.99	40.34	38.52	43.61	54.24		54.94
14	61.03		46.76	38.97		41.82			42.84	54.26		55.81
15	58.94	55.19	44.10		41.01	44.34			43.70	52.00	49.18	55.67
16		53.66	46.12		41.06	44.68		38.71	45.08		48.70	55.81
17		55.55	49.19	38.12	42.86		40.09	38.57	45.85		49.72	56.18
18	59.01	54.97		38.71	42.16		40.39	37.66		52.89	51.06	
19	58.86	56.73		38.88	42.13		40.33	38.48		51.94	49.18	
20	59.32		45.69	37.04		42.83	39.75	39.34	44.68	52.61		57.11
21	60.99		47.21	38.89		43.27			46.64	52.27		54.97
22	61.19	58.56	47.01		42.74	44.81			46.35	52.61	48.58	54.28
23		56.79	45.70		42.84	46.31	39.58	40.02	47.44		48.78	54.64
24		56.00	42.88	41.61	43.08		39.49	39.51	48.07		49.46	52.85
25	60.83	56.69		40.57			39.26	39.74			50.06	
26	61.09	55.41		43.36	42.95	47.76	39.74	39.29		51.22	49.64	
27	62.07		43.93		47.04	47.04	38.90	38.85	48.48	51.59		52.86
28	61.19		43.62	44.69		46.44			48.29	50.63		52.62
29	61.49	52.41	43.74		43.00	45.44			48.85	53.09	49.71	52.61
30		52.36	42.10		44.41	44.97		39.60	49.57		50.16	53.34
31			41.35		45.44			41.55				53.24
Average	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98
High	62.69	61.76	53.60	44.69	45.44	47.76	45.52	41.55	49.57	55.17	54.43	57.11
Low	58.86	52.36	41.35	36.28	38.23	41.82	38.90	37.13	41.39	50.63	48.58	51.71

1/ Prices are for mixed lots, net weight, FOB car/truck.

Table 4. Spot cotton prices for color 41, leaf 4, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2008-2009 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	63.67	58.79	47.95	40.25	42.07	45.13	41.98	39.24	46.80	54.40	52.02	55.29	48.97
North Delta	62.36	57.15	46.30	39.06	41.99	45.17	41.35	38.03	45.55	53.61	51.10	54.26	47.99
South Delta	62.36	57.15	46.30	39.06	41.99	45.17	41.35	38.03	45.55	53.61	51.10	54.26	47.99
East Texas-Oklahoma	62.15	58.93	47.58	40.24	41.82	43.16	40.72	37.30	42.04	49.65	49.06	52.38	47.08
West Texas	62.12	57.85	47.25	40.24	41.82	43.14	40.49	36.93	42.15	49.75	49.06	52.38	46.93
Desert Southwest	56.16	52.83	45.66	38.84	41.28	45.04	42.26	38.96	45.72	53.56	50.52	53.53	47.03
San Joaquin Valley	57.66	54.33	47.25	41.09	43.53	47.29	44.51	41.21	47.97	55.81	52.77	55.78	49.10
Average	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 5. Spot cotton prices for color 31, leaf 3, staple 34, mike 35-36 and 43-49, strength 26.5-28.4, in the designated markets, monthly and annual averages, 2008-2009 1/

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Average
	Cents per pound												
Southeast	63.92	59.04	48.20	40.50	42.49	45.63	42.27	39.61	47.30	54.90	52.52	55.79	49.35
North Delta	62.61	57.40	46.55	39.31	42.24	45.42	41.60	38.28	45.80	53.86	51.56	54.76	48.28
South Delta	62.61	57.40	46.55	39.31	42.24	45.42	41.60	38.28	45.80	53.86	51.56	54.76	48.28
East Texas-Oklahoma	63.90	60.68	49.33	41.99	43.57	44.91	42.47	39.05	43.79	51.40	50.81	54.13	48.83
West Texas	64.87	60.60	50.00	42.99	44.57	45.89	43.24	39.68	44.90	52.50	51.81	55.13	49.68
Desert Southwest	57.66	54.33	47.16	40.34	42.78	46.54	43.76	40.46	47.22	55.06	52.02	55.03	48.53
San Joaquin Valley	64.41	61.08	54.00	47.84	50.28	54.04	51.26	47.96	54.72	62.56	59.52	62.53	55.85
Average	62.85	58.65	48.83	41.75	44.02	46.84	43.74	40.47	47.08	54.88	52.83	56.02	49.83

1/ Prices are for mixed lots, net weight, compressed, FOB car/truck.

Table 6. United States spot cotton differences, season averages

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-160	-17	266	464	568	587
	3	-250	-150	-88	-175	-21	228	402	476	500
	4	-313	-238	-150	-200	-113	109	243	310	333
	5	-400	-325	-225	-315	-229	-54	113	167	188
	6	-600	-500	-400	-445	-392	-321	-236	-212	-197
	7	-675	-575	-475	-575	-538	-454	-393	-366	-354
31	1 & 2	-250	-175	-125	-175	-33	220	408	485	505
	3	-300	-213	-150	-185	-42	196	377	425	446
	4	-363	-300	-188	-230	-154	70	212	265	281
	5	-450	-375	-250	-335	-246	-104	75	117	135
	6	-638	-538	-438	-460	-400	-347	-273	-249	-234
	7	-713	-625	-513	-590	-546	-468	-418	-392	-377
41	1 & 2	-375	-325	-238	-265	-154	75	214	261	264
	3	-400	-350	-263	-275	-163	54	179	218	221
	4	-475	-400	-288	-305	-225	47.87	117	164	167
	5	-513	-450	-338	-420	-312	-225	-126	-85	-82
	6	-700	-613	-525	-525	-479	-423	-366	-351	-351
	7	-775	-725	-650	-670	-633	-579	-543	-535	-534
51	1 & 2	-513	-463	-425	-440	-288	-232	-118	-95	-94
	3	-513	-463	-425	-475	-304	-264	-146	-120	-119
	4	-563	-513	-475	-500	-333	-314	-200	-179	-177
	5	-588	-563	-488	-560	-471	-414	-321	-300	-300
	6	-788	-713	-688	-669	-617	-580	-538	-527	-527
	7	-863	-813	-788	-775	-771	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-654	-634	-624	-624
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-82	99	250	341	359
	3	-363	-300	-200	-225	-94	74	217	304	322
	4	-400	-338	-238	-263	-177	-1	146	217	235
	5	-488	-438	-388	-420	-346	-204	-114	-70	-56
	6	-688	-613	-538	-525	-483	-410	-360	-349	-335
	7	-775	-700	-625	-650	-625	-570	-535	-520	-506
32	1 & 2	-350	-300	-275	-300	-179	-7	89	144	146
	3	-400	-338	-300	-315	-192	-32	57	126	128
	4	-463	-388	-363	-360	-250	-136	-14	34	35
	5	-538	-500	-450	-500	-401	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-267	-186	-71	-25	-25
	3	-450	-388	-375	-375	-292	-211	-100	-50	-50
	4	-513	-438	-438	-420	-313	-250	-150	-107	-107
	5	-588	-563	-513	-551	-442	-404	-311	-293	-293
	6	-838	-788	-663	-684	-620	-549	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-375	-368	-336	-329	-329
	3	-588	-513	-488	-515	-392	-389	-354	-346	-346
	4	-638	-588	-538	-535	-446	-446	-411	-404	-404
	5	-713	-663	-638	-615	-554	-539	-504	-504	-504
	6	-938	-888	-838	-790	-742	-693	-671	-671	-671
	7	-1013	-963	-938	-880	-867	-829	-814	-811	-811
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-504	-484	-480	-480
	5	-788	-713	-688	-760	-705	-610	-595	-595	-595
	6	-963	-913	-863	-960	-895	-790	-775	-775	-775

Table 6. United States (Continued)

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
33	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
43	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
	1 & 2	-625	-550	-500	-595	-492	-457	-425	-404	-404
	3	-625	-550	-500	-595	-492	-457	-425	-404	-404
	4	-675	-625	-550	-640	-542	-500	-454	-436	-436
53	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
	1 & 2	-763	-663	-638	-685	-646	-554	-521	-517	-517
	3	-763	-663	-638	-695	-650	-563	-529	-525	-525
63	4	-813	-713	-688	-750	-696	-608	-575	-571	-571
	5	-888	-813	-763	-805	-788	-692	-658	-654	-654
	6	-988	-925	-888	-960	-904	-813	-788	-783	-783
	7	-1063	-1000	-975	-1020	-1029	-925	-913	-908	-908
	1 & 2	-875	-775	-750	-855	-765	-665	-635	-630	-630
34	3	-875	-775	-750	-855	-765	-665	-640	-635	-635
	4	-925	-825	-800	-895	-805	-715	-685	-680	-680
	5	-1025	-925	-900	-965	-895	-805	-775	-770	-770
	6	-1075	-1000	-1000	-1080	-990	-885	-870	-865	-865
	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350	-350
44	3	-688	-588	-538	-475	-425	-350	-350	-350	-350
	4	-813	-713	-663	-600	-525	-450	-450	-450	-450
	5	-913	-813	-763	-700	-650	-575	-575	-575	-575
	6	-1038	-963	-913	-850	-800	-725	-725	-725	-725
	1 & 2	-775	-675	-625	-538	-488	-413	-413	-413	-413
54	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488	-488
	3	-850	-750	-700	-638	-563	-488	-488	-488	-488
	4	-900	-800	-775	-713	-663	-588	-588	-588	-588
	5	-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-994
25-26	-935
27-29	-733
30-32	-362
33-34	-194
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-346

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-40
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	46
32.5 & Above	46

Uniformity	
Length	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-732
Bark - (ET-OK and WT only)	
1	-236
2	-454

Table 7. Southeast spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-225	-100	63	129	179	43	1 & 2	-550	-450	-400	-375	-350
	3	-225	-100	63	129	179		3	-550	-450	-400	-375	-350
	4	-225	-125	38	79	158		4	-575	-500	-450	-400	-375
	5	-375	-225	-150	38	113		5	-600	-550	-500	-500	-500
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700
	7	-800	-650	-650	-600	-575	7	-925	-850	-800	-800	-800	
31	1 & 2	-225	-100	38	129	154	53	1 & 2	-600	-500	-400	-400	-400
	3	-225	-100	38	129	129		3	-600	-500	-400	-400	-400
	4	-225	-150	9	63	113		4	-650	-550	-450	-450	-450
	5	-375	-225	-150	25	63		5	-675	-625	-525	-525	-525
	6	-500	-350	-325	-300	-275		6	-875	-825	-725	-725	-725
	7	-800	-650	-650	-650	-625	7	-975	-925	-825	-825	-825	
41	1 & 2	-275	-125	22	97	97	63	1 & 2	-925	-825	-725	-725	-725
	3	-275	-125	22	72	72		3	-925	-825	-725	-725	-725
	4	-275	-150	48.97	47	72		4	-975	-875	-775	-775	-775
	5	-450	-271	-225	-81	-56		5	-1025	-975	-875	-875	-875
	6	-575	-475	-471	-446	-421		6	-1250	-1200	-1100	-1100	-1100
	7	-850	-750	-750	-750	-725							
51	1 & 2	-400	-175	-75	-75	-75							
	3	-475	-200	-150	-125	-100							
	4	-500	-200	-175	-175	-175							
	5	-600	-425	-350	-300	-275							
	6	-675	-500	-496	-496	-471							
	7	-925	-800	-800	-800	-775							
61	1 & 2	-575	-400	-350	-325	-325							
	3	-625	-475	-450	-425	-400							
	4	-675	-525	-500	-475	-450							
	5	-725	-625	-550	-550	-550							
	6	-900	-825	-775	-775	-775							
	7	-1025	-900	-850	-850	-850							
71	1 & 2	-875	-750	-700	-700	-700							
	3	-875	-750	-700	-700	-700							
	4	-875	-750	-700	-700	-700							
	5	-925	-875	-850	-850	-850							
	6	-1050	-975	-925	-925	-925							
	7	-1050	-975	-925	-925	-925							
12 & 22	1 & 2	-275	-141	47	97	122							
	3	-275	-141	47	88	113							
	4	-338	-141	-31	19	59							
	5	-425	-325	-231	-213	-156							
	6	-550	-425	-425	-425	-425							
	7	-825	-725	-725	-725	-700							
32	1 & 2	-325	-175	-25	-25	25							
	3	-350	-200	-50	-25	0							
	4	-450	-200	-150	-125	-75							
	5	-525	-350	-300	-300	-275							
	6	-600	-450	-450	-450	-425							
	7	-875	-750	-750	-750	-725							
42	1 & 2	-350	-175	-75	-75	-50							
	3	-425	-200	-100	-75	-50							
	4	-500	-200	-150	-150	-125							
	5	-600	-375	-350	-325	-300							
	6	-675	-525	-500	-500	-475							
	7	-925	-800	-800	-800	-775							
52	1 & 2	-450	-250	-175	-175	-175							
	3	-475	-250	-200	-175	-175							
	4	-500	-300	-275	-250	-250							
	5	-600	-500	-425	-425	-425							
	6	-775	-750	-700	-700	-700							
	7	-925	-850	-800	-800	-800							
62	1 & 2	-575	-400	-350	-350	-350							
	3	-625	-475	-450	-425	-400							
	4	-675	-525	-493	-472	-450							
	5	-775	-700	-650	-650	-650							
	6	-1125	-1050	-1000	-1000	-1000							

Mike	
Range	Diff.
25-26	-825
27-29	-425
30-32	-275
33-34	-150
Base 35-36	0
37-42	0
Base 43-49	0
50-52	-200
53 & Above	-300

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-425
21.5-22.4	-350
22.5-23.4	-300
23.5-24.4	-250
24.5-25.4	-200
25.5-26.4	-31
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-100
2	-800
Other	
1	-375
2	-800

Uniformity	
Unit	Points
77 & below	-125
78	-110
79	-100
80	-25
Base 81	0
82	0
83	20
84	30
85	40
86 & above	50



Table 8. North Delta spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple					Color	Leaf	Staple				
		32	33	34	35	36 & 37			32	33	34	35	36 & 37
11 & 21	1 & 2	-250	-175	75	200	275	43	1 & 2	-775	-575	-400	-375	-375
	3	-250	-175	50	150	175		3	-775	-575	-400	-375	-375
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750
31	1 & 2	-600	-575	-450	-425	-425	53	1 & 2	-1100	-1000	-925	-900	-900
	3	-250	-175	50	150	217		3	-875	-775	-700	-675	-675
	4	-250	-175	29	128	171		4	-875	-775	-700	-675	-675
	5	-275	-250	4	75	142		5	-900	-800	-725	-700	-700
	6	-450	-325	-50	75	100		6	-950	-900	-825	-800	-800
41	1 & 2	-500	-475	-350	-325	-325	63	1 & 2	-1150	-1000	-925	-900	-900
	3	-600	-575	-450	-425	-425		3	-1175	-1125	-1025	-1000	-1000
	4	-350	-250	29	75	79		4	-1050	-950	-875	-850	-850
	5	-350	-250	4	50	54		5	-1050	-950	-875	-850	-850
	6	-375	-275	47.99	25	25		6	-1075	-975	-900	-875	-875
51	1 & 2	-525	-400	-225	-200	-175	63	1 & 2	-1125	-1075	-1000	-975	-975
	3	-575	-500	-396	-371	-371		3	-1175	-1125	-1000	-975	-975
	4	-700	-675	-550	-525	-525		4					
	5	-700	-675	-550	-525	-525		5					
	6	-800	-725	-596	-571	-571		6					
61	1 & 2	-850	-850	-675	-625	-625	63	1 & 2					
	3	-675	-450	-350	-325	-325		3					
	4	-675	-450	-375	-350	-350		4					
	5	-700	-475	-400	-375	-375		5					
	6	-750	-675	-650	-575	-575		6					
71	1 & 2	-875	-775	-775	-750	-750	63	1 & 2					
	3	-1025	-925	-875	-850	-850		3					
	4	-1100	-1000	-850	-800	-800		4					
	5	-1100	-1000	-850	-800	-800		5					
	6	-1150	-1050	-900	-850	-850		6					
12 & 22	1 & 2	-1175	-1125	-975	-925	-925	63	1 & 2					
	3	-1225	-1175	-1025	-975	-975		3					
	4	-1225	-1175	-1025	-975	-975		4					
	5	-1275	-1225	-1075	-1025	-1025		5					
	6	-1275	-1225	-1075	-1025	-1025		6					
32	1 & 2	-275	-125	50	100	150	63	1 & 2					
	3	-275	-125	25	100	125		3					
	4	-300	-203	-32	25	75		4					
	5	-500	-375	-132	-150	-125		5					
	6	-575	-500	-375	-375	-375		6					
42	1 & 2	-675	-650	-525	-500	-500	63	1 & 2					
	3	-375	-250	-100	-25	0		3					
	4	-375	-250	-100	-50	0		4					
	5	-400	-275	-200	-100	-75		5					
	6	-525	-375	-250	-225	-200		6					
52	1 & 2	-625	-600	-475	-450	-425	63	1 & 2					
	3	-625	-600	-475	-450	-425		3					
	4	-725	-700	-575	-550	-550		4					
	5	-725	-700	-575	-550	-550		5					
	6	-771	-671	-521	-475	-450		6					
62	1 & 2	-875	-775	-625	-600	-600	63	1 & 2					
	3	-875	-775	-625	-600	-600		3					
	4	-400	-325	-275	-150	-125		4					
	5	-425	-350	-300	-200	-175		5					
	6	-550	-422	-350	-300	-275		6					

Mike	
Range	Diff.
25-26	-1000
27-29	-650
30-32	-325
33-34	-125
Base 35-36	0
37-42	25
Base 43-49	0
50-52	-150
53 & Above	-275

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-300
21.5-22.4	-250
22.5-23.4	-200
23.5-24.4	-175
24.5-25.4	-150
25.5-26.4	-25
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-375
2	-785

Uniformity	
Unit	Points
77 & below	-90
78	-80
79	-70
80	0
Base 81	0
82	0
83	30
84	40
85	50
86 & above	60

Table 9. South Delta spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple					Color	Leaf	Staple																									
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																					
11 & 21	1 & 2	-250	-150	75	200	275	43	1 & 2	-800	-500	-375	-350	-350																					
	3	-250	-150	50	150	175		3	-800	-500	-375	-350	-350																					
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375																					
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600																					
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700																					
31	1 & 2	-250	-150	50	150	210	53	1 & 2	-875	-700	-650	-625	-625																					
	3	-250	-150	29	128	163		3	-875	-700	-650	-625	-625																					
	4	-300	-250	4	75	135		4	-900	-725	-675	-650	-650																					
	5	-375	-325	-25	75	100		5	-975	-875	-775	-750	-750																					
	6	-475	-475	-350	-325	-325		6	-1150	-975	-900	-875	-875																					
41	1 & 2	-325	-250	25	54	85	63	1 & 2	-1000	-875	-825	-800	-800																					
	3	-325	-250	4	29	60		3	-1000	-875	-825	-800	-800																					
	4	-350	-275	47.99	0	35		4	-1025	-900	-850	-825	-825																					
	5	-525	-400	-200	-150	-150		5	-1075	-1000	-950	-925	-925																					
	6	-550	-500	-396	-371	-371		6	-1175	-1050	-950	-925	-925																					
51	1 & 2	-575	-325	-250	-150	-150	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>25-26</td> <td>-1100</td> </tr> <tr> <td>27-29</td> <td>-750</td> </tr> <tr> <td>30-32</td> <td>-325</td> </tr> <tr> <td>33-34</td> <td>-125</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-150</td> </tr> <tr> <td>53 &amp; Above</td> <td>-275</td> </tr> </tbody> </table>					Mike		Range	Diff.	25-26	-1100	27-29	-750	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	
	Mike																																	
	Range	Diff.																																
	25-26	-1100																																
	27-29	-750																																
30-32	-325																																	
33-34	-125																																	
Base 35-36	0																																	
37-42	25																																	
Base 43-49	0																																	
50-52	-150																																	
53 & Above	-275																																	
3	-625	-375	-300	-200	-200																													
4	-650	-400	-325	-250	-250																													
5	-725	-628	-450	-400	-400																													
6	-846	-749	-596	-571	-571																													
7	-900	-878	-725	-675	-675																													
61	1 & 2	-675	-450	-350	-325	-325																												
	3	-725	-500	-400	-375	-375																												
	4	-750	-525	-425	-400	-400																												
	5	-800	-675	-650	-575	-575																												
	6	-925	-825	-771	-746	-746																												
71	1 & 2	-1100	-1000	-900	-850	-850																												
	3	-1100	-1000	-900	-850	-850																												
	4	-1150	-1050	-950	-900	-900																												
	5	-1175	-1125	-1025	-975	-975																												
	6	-1225	-1175	-1075	-1025	-1025																												
12 & 22	1 & 2	-275	-125	50	128	153																												
	3	-275	-125	25	107	128																												
	4	-300	-240	-65	50	100																												
	5	-500	-350	-165	-112	-112																												
	6	-575	-500	-368	-343	-343																												
32	1 & 2	-400	-250	-75	0	25																												
	3	-400	-250	-75	-25	25																												
	4	-425	-275	-175	-75	-50																												
	5	-600	-432	-200	-175	-125																												
	6	-700	-650	-475	-450	-425																												
42	1 & 2	-425	-300	-225	-125	-125																												
	3	-475	-350	-275	-175	-175																												
	4	-500	-375	-300	-225	-225																												
	5	-657	-507	-375	-350	-325																												
	6	-850	-750	-525	-450	-425																												
52	1 & 2	-625	-400	-325	-300	-300																												
	3	-625	-450	-375	-350	-350																												
	4	-650	-475	-400	-375	-375																												
	5	-725	-625	-550	-500	-500																												
	6	-875	-775	-650	-625	-625																												
62	1 & 2	-900	-875	-750	-725	-725																												
	3	-800	-675	-575	-550	-550																												
	4	-825	-700	-600	-575	-575																												
	5	-925	-825	-700	-675	-675																												
	6	-1075	-925	-800	-775	-775																												
					<table border="1"> <thead> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>20.5-21.4</td> <td>-275</td> </tr> <tr> <td>21.5-22.4</td> <td>-225</td> </tr> <tr> <td>22.5-23.4</td> <td>-175</td> </tr> <tr> <td>23.5-24.4</td> <td>-125</td> </tr> <tr> <td>24.5-25.4</td> <td>-100</td> </tr> <tr> <td>25.5-26.4</td> <td>-25</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> </tbody> </table>		Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-275	21.5-22.4	-225	22.5-23.4	-175	23.5-24.4	-125	24.5-25.4	-100	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50
Strength																																		
(Grams per Tex)																																		
Range	Diff.																																	
20.5-21.4	-275																																	
21.5-22.4	-225																																	
22.5-23.4	-175																																	
23.5-24.4	-125																																	
24.5-25.4	-100																																	
25.5-26.4	-25																																	
Base 26.5-28.4	0																																	
28.5-29.4	0																																	
29.5-30.4	25																																	
30.5-32.4	50																																	
32.5 & Above	50																																	
					<table border="1"> <thead> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-375</td> </tr> <tr> <td>2</td> <td>-785</td> </tr> </tbody> </table>		Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785												
Extraneous Matter																																		
Level	Diff.																																	
Prep																																		
1	-50																																	
2	-800																																	
Other																																		
1	-375																																	
2	-785																																	
					<table border="1"> <thead> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>77 &amp; below</td> <td>-90</td> </tr> <tr> <td>78</td> <td>-80</td> </tr> <tr> <td>79</td> <td>-70</td> </tr> <tr> <td>80</td> <td>0</td> </tr> <tr> <td>Base 81</td> <td>0</td> </tr> <tr> <td>82</td> <td>0</td> </tr> <tr> <td>83</td> <td>30</td> </tr> <tr> <td>84</td> <td>40</td> </tr> <tr> <td>85</td> <td>50</td> </tr> <tr> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>		Uniformity		Unit	Points	77 & below	-90	78	-80	79	-70	80	0	Base 81	0	82	0	83	30	84	40	85	50	86 & above	60				
Uniformity																																		
Unit	Points																																	
77 & below	-90																																	
78	-80																																	
79	-70																																	
80	0																																	
Base 81	0																																	
82	0																																	
83	30																																	
84	40																																	
85	50																																	
86 & above	60																																	

Table 10. East Texas-Oklahoma spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	175	325	352	477	477
	3	-275	-175	-100	-75	150	225	227	327	327
	4	-350	-275	-175	-100	100	200	200	300	300
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	150	225	277	396	396
	3	-325	-225	-175	-100	125	175	202	271	271
	4	-375	-325	-200	-175	50	150	175	200	200
	5	-450	-375	-250	-225	-125	-75	50	100	100
	6	-600	-500	-400	-350	-300	-300	-300	-250	-250
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	47.08	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-325	-325	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-475	-375	-250	-200	-200	-200	-200
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Table 10. East Texas-Oklahoma (Continued)

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
43	1 & 2	-1000	-900	-825	-725	-625	-550	-550	-500	-500
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
53	1 & 2	-1025	-950	-850	-775	-675	-575	-575	-525	-525
	3	-750	-650	-625	-550	-500	-400	-375	-350	-350
	4	-800	-700	-675	-625	-525	-450	-425	-400	-400
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600
63	1 & 2	-1050	-975	-950	-875	-825	-700	-700	-675	-675
	3	-850	-750	-725	-625	-550	-425	-375	-350	-350
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375	-375
	3	-700	-600	-550	-500	-450	-375	-375	-375	-375
	4	-825	-725	-675	-625	-550	-475	-475	-475	-475
	5	-925	-825	-775	-725	-675	-600	-600	-600	-600
	6	-1050	-975	-925	-875	-825	-750	-750	-750	-750
44	1 & 2	-775	-675	-625	-550	-500	-425	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500	-500
	3	-850	-750	-700	-650	-575	-500	-500	-500	-500
	4	-900	-800	-775	-725	-675	-600	-600	-600	-600
	5	-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	47
32.5 & Above	47

Uniformity	
Length	Points
77 & below	-90
78	-75
79	-60
80	0
Base 81	0
82	0
83	9
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Table 11. West Texas spot cotton differences, season average

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-175	-100	-50	-50	200	350	444	494	519
	3	-225	-125	-75	-75	200	325	377	427	452
	4	-275	-200	-125	-100	25	225	375	425	425
	5	-400	-325	-225	-175	-75	50	325	375	375
	6	-625	-525	-425	-425	-325	-200	-175	-175	-175
31	7	-700	-600	-500	-475	-400	-275	-250	-250	-250
	1 & 2	-225	-150	-100	-75	200	300	302	427	427
	3	-275	-200	-125	-100	175	275	302	402	402
	4	-350	-275	-175	-175	0	175	274	375	375
	5	-450	-375	-250	-250	-101	-51	274	349	349
41	6	-675	-575	-475	-475	-326	-226	-226	-201	-201
	7	-750	-675	-550	-525	-401	-276	-276	-251	-251
	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	46.93	100	149	149
51	5	-525	-450	-325	-325	-201	-76	24	149	149
	6	-725	-625	-550	-525	-426	-276	-251	-226	-226
	7	-800	-750	-675	-625	-526	-376	-326	-301	-301
	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
61	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
71	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
12 & 22	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
32	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
	1 & 2	-300	-250	-150	-125	74	99	225	350	350
	3	-350	-300	-175	-175	49	74	175	300	300
	4	-400	-325	-225	-225	-126	-26	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
42	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
	1 & 2	-350	-300	-275	-175	24	49	50	125	125
	3	-400	-350	-300	-225	-1	-1	0	125	125
	4	-500	-400	-400	-275	-176	-76	0	100	100
52	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
62	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
62	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
6	-1000	-950	-900	-825	-800	-700	-675	-675	-675	

Table 11. West Texas (Continued)

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
33	1 & 2	-825	-750	-650	-625	-575	-475	-475	-475	-475
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
43	1 & 2	-950	-850	-775	-700	-650	-575	-550	-550	-550
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-600	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
53	1 & 2	-975	-900	-800	-775	-700	-600	-600	-600	-600
	3	-775	-675	-650	-550	-525	-425	-400	-400	-400
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
63	1 & 2	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325	-325
	3	-675	-575	-525	-450	-400	-325	-325	-325	-325
	4	-800	-700	-650	-575	-500	-425	-425	-425	-425
	5	-900	-800	-750	-675	-625	-550	-550	-550	-550
	6	-1025	-950	-900	-825	-775	-700	-700	-700	-700
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475	-475
	3	-850	-750	-700	-625	-550	-475	-475	-475	-475
	4	-900	-800	-775	-700	-650	-575	-575	-575	-575
	5	-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-908
25-26	-858
27-29	-583
30-32	-333
33-34	-183
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	25
32.5 & Above	25

Uniformity	
Length	Points
77 & below	-90
78	-75
79	-60
80	0
Base 81	0
82	0
83	0
84	10
85	20
86 & above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-247
2	-458
Other	
1	-375
2	-501

Table 12. Desert Southwest spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	812	872	907	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	737	847	882		3	-725	-650	-550	-475	-475																																															
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-650	-375	-175	-140	-100		7	-1100	-1050	-1000	-1000	-1000																																															
	31	1 & 2	-125	175	762	847		882	53	1 & 2	-875	-775	-675	-675	-675																																													
3		-125	150	712	797	832	3	-875		-775	-675	-675	-675																																															
4		-325	50	375	410	445	4	-975		-875	-775	-775	-775																																															
5		-375	-175	25	50	120	5	-1025		-925	-825	-825	-825																																															
6		-475	-375	-110	-95	-40	6	-1125		-1025	-925	-925	-925																																															
7		-675	-400	-200	-170	-115	7	-1375		-1275	-1250	-1250	-1250																																															
41		1 & 2	-350	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>78</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>79</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>80</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>81</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>82</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>83</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>84</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>85</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>86 &amp; above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77 & below	-100	25-26	-1000	78	-90	27-29	-900	79	-80	30-32	-425	80	0	33-34	-275	81	0	Base 35-36	0	82	0	37-42	25	83	30	Base 43-49	0	84	40	50-52	-275	85	50	53 & Above	-475	86 & above
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77 & below	-100																																																								
	25-26	-1000	78	-90																																																								
	27-29	-900	79	-80																																																								
	30-32	-425	80	0																																																								
33-34	-275	81	0																																																									
Base 35-36	0	82	0																																																									
37-42	25	83	30																																																									
Base 43-49	0	84	40																																																									
50-52	-275	85	50																																																									
53 & Above	-475	86 & above	60																																																									
3	-350	25	225	310	320																																																							
4	-400	47.03	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-600	-475	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-450	-275	-175	-140	-130																																																						
	3	-450	-275	-175	-140	-130																																																						
	4	-475	-350	-250	-200	-190																																																						
	5	-575	-525	-450	-425	-425																																																						
	6	-750	-650	-550	-550	-550																																																						
	7	-950	-850	-825	-825	-825																																																						
	12 & 22	1 & 2	-275	50	300	360	420																																																					
3		-275	50	275	335	395																																																						
4		-375	25	250	310	370																																																						
5		-400	-225	-100	-100	-50																																																						
6		-550	-425	-300	-300	-250																																																						
7		-725	-600	-550	-550	-500																																																						
32		1 & 2	-375	-100	125	210	220																																																					
	3	-375	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-475	-475	-375	-375	-375																																																						
	6	-675	-600	-500	-500	-500																																																						
	7	-825	-775	-750	-750	-750																																																						
	42	1 & 2	-425	-250	-150	-100	-100																																																					
3		-425	-250	-150	-100	-100																																																						
4		-450	-325	-225	-175	-175																																																						
5		-525	-500	-400	-400	-400																																																						
6		-700	-625	-525	-525	-525																																																						
7		-900	-800	-775	-775	-775																																																						
52		1 & 2	-475	-400	-325	-275	-275																																																					
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Table 13. San Joaquin Valley spot cotton differences, season average.

August 2008 - July 2009

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	750	1112	1402	1477	33	1 & 2	-500	-500	-500	-500
	3	685	1047	1202	1312		3	-500	-500	-500	-500
	4	125	475	505	625		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
	7	-625	-525	-475	-425		7	-1225	-1225	-1225	-1225
	31	1 & 2	700	1087	1142		1252	43	1 & 2	-875	-875
3		675	1037	1042	1152	3	-875		-875	-875	-875
4		100	450	480	560	4	-925		-925	-925	-925
5		-200	0	55	115	5	-1075		-1075	-1075	-1075
6		-500	-325	-275	-225	6	-1225		-1225	-1225	-1225
7		-675	-575	-525	-475	7	-1425		-1425	-1425	-1425
41		1 & 2	200	650	730	740	<b>Mike</b>				
	3	150	550	630	640	Range		Diff.			
	4	49.10	350	430	440	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
	6	-625	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
	51	1 & 2	-575	-125	-75	-75	37-42		25		
3		-600	-150	-100	-100	Base 43-49		0			
4		-650	-200	-175	-175	50-52		-450			
5		-750	-375	-325	-325	<b>Strength</b>					
6		-900	-800	-800	-800	(Grams per Tex)					
7		-1050	-1000	-1000	-1000	Range		Diff.			
12 & 22		1 & 2	225	675	930	990	23.5-24.4		-100		
	3	150	600	880	940	24.5-25.4		-100			
	4	25	425	475	540	25.5-26.4		-50			
	5	-250	-50	0	50	Base 26.5-28.4		0			
	6	-525	-400	-350	-300	28.5-29.4		0			
	7	-775	-700	-650	-600	29.5-30.4		25			
	32	1 & 2	100	350	375	375	30.5-32.4		50		
3		50	300	325	325	32.5 & Above		50			
4		-100	200	200	200	<b>Uniformity</b>					
5		-525	-275	-275	-275	Unit		Points			
6		-675	-475	-475	-475	77 & below		-60			
7		-850	-750	-750	-750	78		-50			
42		1 & 2	-400	-50	-25	-25	79		-40		
	3	-450	-100	-75	-75	80		0			
	4	-500	-175	-150	-150	81		0			
	5	-675	-350	-300	-300	82		0			
	6	-800	-775	-775	-775	83		30			
	7	-1000	-950	-950	-950	84		40			
	52	1 & 2	-725	-675	-675	-675	85		50		
3		-725	-675	-675	-675	86 & above		60			
4		-825	-775	-775	-775	<b>Extraneous Matter</b>					
5		-875	-825	-825	-825	Level		Diff.			
6		-1025	-1025	-1025	-1025	Prep		1			
7		-1225	-1225	-1225	-1225	2		-800			
52		1 & 2	-725	-675	-675	-675	Other		1		
	3	-725	-675	-675	-675	1		-350			
	4	-825	-775	-775	-775	2		-925			
	5	-875	-825	-825	-825						
	6	-1025	-1025	-1025	-1025						
	7	-1225	-1225	-1225	-1225						



Table 14. Total Upland spot transactions reported in the designated markets, running bales, by month and season, 2008-2009

Market Area	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Total
Southeast	6,034	5,714	9,574	1,871	13,943	20,936	8,842	27,604	19,459	20,132	5,402	13,887	<b>153,398</b>
North Delta	843	3,924	4,527	14,035	13,493	15,207	6,219	2,552	23,314	5,009	11,651	11,853	<b>112,627</b>
South Delta	1,636	1,616	613	67	11,302	2,451	4,588	7,692	5,792	1,102	2,697	1,675	<b>41,231</b>
East Texas-Oklahoma	23,848	14,049	8,058	10,658	23,863	16,446	16,409	13,030	27,282	11,561	8,820	9,996	<b>184,020</b>
West Texas	46,294	45,352	62,001	66,329	49,345	93,962	68,973	123,598	189,471	53,666	37,594	40,329	<b>876,914</b>
Desert Southwest	0	267	184	0	0	0	0	0	0	0	0	0	<b>451</b>
San Joaquin Valley	0	1,025	4,289	0	1,171	110	211	0	0	0	0	0	<b>6,806</b>
<b>Total</b>	<b>78,655</b>	<b>71,947</b>	<b>89,246</b>	<b>92,960</b>	<b>113,117</b>	<b>149,112</b>	<b>105,242</b>	<b>174,476</b>	<b>265,318</b>	<b>91,470</b>	<b>66,164</b>	<b>77,740</b>	<b>1,375,447</b>

Table 15. Total Upland and Pima spot transactions in the designated markets, running bales, season totals, 2003-2008. 1/

Market Area	2003	2004	2005	2006	2007	2008
Southeast	304,736	252,766	166,806	187,504	171,563	153,398
North Delta	184,460	373,399	193,524	200,023	153,267	112,627
South Delta	224,368	293,427	120,932	185,085	32,946	41,231
East Texas-Oklahoma	356,496	265,655	251,288	169,051	187,650	184,020
West Texas	962,700	1,222,016	1,155,920	1,043,015	1,178,348	876,914
Desert Southwest	170,605	86,985	43,015	41,479	54,171	8,990
San Joaquin Valley	271,674	134,341	39,781	23,703	9,481	6,806
<b>Total</b>	<b>2,475,039</b>	<b>2,628,589</b>	<b>1,971,266</b>	<b>1,849,860</b>	<b>1,787,426</b>	<b>1,383,986</b>

1/ Year beginning August 1.

Table 16. American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse. 1/  
**AMERICAN PIMA SPOT QUOTATIONS, Season Average**

Color	Leaf	Staple		
		44	46	48
1	1	113.54	118.54	118.79
	2	113.29	118.29	118.79
	3	104.29	109.29	109.54
	4			
	5			
	6			
2	1	113.04	118.04	118.79
	2	112.54	117.54	118.29
	3	103.04	108.04	108.29
	4	87.80	92.80	93.55
	5			
	6			
3	1	108.09	113.09	113.84
	2	106.09	111.09	112.34
	3	94.86	99.86	101.86
	4	78.80	83.80	84.80
	5	74.06	75.06	76.31
	6			
4	1	78.55	83.55	84.55
	2	78.30	83.30	83.80
	3	78.05	83.05	83.05
	4	70.55	76.05	76.05
	5	67.31	71.56	71.56
	6			
5	1			
	2	61.31	68.56	68.56
	3	61.31	68.06	68.56
	4	61.31	62.56	62.56
	5	61.06	62.31	62.31
	6			
6	1			
	2	51.26	51.51	51.51
	3	51.26	51.51	51.51
	4	51.26	51.51	51.51
	5	51.01	51.26	51.26
	6	50.51	50.76	50.76

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength (Grams per Tex)	
Range	Diff.
35.4 and Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 and Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

Table 17. Farm prices, average quotations in designated spot markets and landed Group 201 Mill Points (Group B), in cents per pound, net weight, United States, marketing years 2002-2008

Year beginning August 1	AUG	SEP	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUN	JUL	AVERAGE
Average prices received by farmers for Upland cotton 1/													
2002	34.50	35.80	39.40	43.00	44.30	45.50	46.50	48.60	45.40	45.90	45.50	46.30	44.50
2003	46.30	55.70	67.80	63.00	63.30	62.20	61.90	61.60	60.30	59.70	59.90	53.80	61.80
2004	48.60	50.60	50.60	43.20	39.30	38.50	38.30	40.30	41.40	39.60	41.90	41.10	41.60
2005	42.10	44.10	48.50	48.50	48.00	48.60	48.90	50.00	48.50	46.40	47.40	46.80	47.70
2006	44.20	47.30	45.90	47.40	49.00	49.40	47.40	46.40	46.30	44.00	45.40	45.20	46.50
2007	51.00	52.00	55.50	57.40	59.60	61.50	63.00	63.00	65.50	64.60	64.00	66.20	59.30
2008	58.50	61.10	55.50	53.10	51.90	46.10	41.60	41.00	45.30	46.40	46.40	45.80 2/	55.20
Color 41, leaf 4, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2002	39.20	37.91	39.62	44.98	46.38	48.60	51.35	53.82	53.38	48.94	50.92	54.45	47.46
2003	51.94	58.02	69.38	68.88	65.09	68.21	63.35	61.78	57.50	60.22	52.35	45.05	60.15
2004	44.92	47.48	44.55	42.62	41.68	43.21	42.90	48.19	49.58	48.57	45.92	47.78	45.61
2005	45.38	47.43	51.02	48.80	49.53	51.91	52.39	50.04	49.00	47.00	47.90	47.15	48.96
2006	48.65	46.80	45.15	46.32	49.85	49.90	48.77	49.21	46.97	44.62	50.35	57.50	48.67
2007	53.46	57.08	59.06	59.59	59.44	63.34	65.92	69.27	63.91	60.67	63.34	62.85	61.49
2008	60.93	56.72	46.90	39.83	42.07	44.87	41.81	38.53	45.11	52.92	50.80	53.98	47.87
Color 31, leaf 3, staple 34, mike 35-36 & 43-49, strength 26.5-28.4, uniformity 81 cotton in the designated markets													
2002	40.99	39.78	41.65	47.17	48.74	51.01	53.86	56.33	55.88	51.37	53.22	56.66	49.72
2003	54.15	60.11	71.16	70.59	66.84	69.86	65.11	63.64	59.86	62.60	54.87	48.03	62.24
2004	47.63	49.96	47.09	45.26	44.33	45.92	45.76	51.05	52.41	53.76	49.02	48.88	48.40
2005	48.38	50.43	53.52	51.10	51.74	53.98	54.47	52.29	51.32	49.27	50.11	49.40	51.33
2006	50.90	49.05	47.34	48.45	52.03	52.08	50.95	51.39	49.15	46.75	52.44	59.48	50.83
2007	55.42	59.04	61.02	61.56	61.44	65.34	67.95	71.29	65.86	62.60	65.27	64.78	63.46
2008	62.86	58.65	48.83	41.76	44.02	46.83	43.74	40.47	47.07	54.88	52.82	56.02	49.83
Color 41, leaf 4, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2002	46.55	44.96	45.83	51.67	52.88	54.39	56.13	60.16	59.84	56.09	57.12	60.97	53.88
2003	58.44	64.75	75.14	77.01	70.48	75.42	71.58	70.66	66.09	68.23	61.85	53.61	67.77
2004	51.88	56.27	51.45	49.62	48.38	50.30	49.79	55.35	57.06	56.81	52.85	55.88	52.97
2005	52.38	54.91	58.49	56.46	56.69	59.55	60.94	57.77	56.35	53.69	56.64	55.96	56.65
2006	57.45	54.78	53.67	54.82	58.74	58.46	56.64	57.69	55.71	53.43	59.40	65.84	57.22
2007	62.82	66.25	69.26	69.18	68.97	73.32	74.25	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/
Color 31, leaf 3, staple 34 cotton, landed Group 201 Mill Points (Group B) 3/													
2002	48.25	46.60	47.80	54.61	55.96	57.44	58.75	62.39	61.46	57.09	58.84	62.27	55.96
2003	59.74	66.13	76.40	77.82	71.37	77.28	73.43	72.57	68.16	70.40	63.73	55.77	69.40
2004	54.15	58.09	52.87	51.49	50.15	51.85	51.46	57.28	59.38	58.98	54.71	57.80	54.85
2005	54.61	56.91	60.67	58.41	59.78	62.90	64.40	60.86	59.47	56.94	59.16	58.37	59.37
2006	60.36	57.64	55.94	56.95	61.45	60.98	59.35	60.50	58.70	56.18	61.52	68.41	59.83
2007	68.41	67.99	71.30	71.49	71.93	76.49	76.82	4/	4/	4/	4/	4/	4/
2008	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/	4/

1/ Marketing year average is monthly prices weighted by monthly marketings during the period August through the following July, with no allowance for unredeemed loans, as reported by the National Agricultural Statistics Service, USDA. 2/ Mid-month price. 3/ Monthly average quotations of cotton for Southeastern Memphis, TX-OK and California (San Joaquin) growths. Average landed quotations for color 31, leaf 3, staple 34 excludes TX-OK growths. 4/ Landed Mill quotations were not published.

Table 18. United States spot cotton differences, WEIGHTED monthly average.

August 2008 - July 2009

Weighted averages based on the 2008-crop year's production by spot market

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-185	-110	-60	-158	-1	200	319	388	400
	3	-235	-135	-80	-171	-3	175	269	321	334
	4	-290	-215	-135	-191	-88	115	208	277	282
	5	-400	-325	-225	-311	-200	-34	146	199	204
	6	-615	-515	-415	-459	-377	-293	-242	-228	-224
	7	-690	-590	-490	-599	-527	-442	-403	-388	-385
31	1 & 2	-235	-160	-110	-171	-7	160	252	330	334
	3	-285	-205	-135	-181	-16	141	237	288	293
	4	-355	-285	-180	-222	-124	74	164	231	234
	5	-450	-375	-250	-338	-214	-86	117	164	168
	6	-660	-560	-460	-478	-380	-306	-277	-257	-253
	7	-735	-655	-535	-617	-531	-447	-429	-408	-404
41	1 & 2	-390	-340	-260	-275	-130	66	143	168	168
	3	-415	-365	-285	-286	-140	43	116	142	142
	4	-490	-415	-310	-308	-199	47.84	75	109	109
	5	-520	-450	-330	-417	-286	-178	-86	-27	-26
	6	-715	-620	-540	-542	-464	-383	-351	-333	-333
	7	-790	-740	-665	-699	-632	-546	-518	-504	-503
51	1 & 2	-520	-470	-440	-429	-256	-156	-96	-82	-81
	3	-520	-470	-440	-461	-272	-196	-129	-108	-108
	4	-570	-520	-490	-486	-306	-243	-180	-166	-166
	5	-595	-570	-495	-548	-447	-334	-278	-253	-253
	6	-810	-735	-710	-665	-582	-513	-483	-461	-461
	7	-885	-835	-810	-784	-740	-662	-630	-615	-615
61	1 & 2	-550	-500	-470	-521	-364	-280	-265	-265	-265
	3	-550	-500	-470	-539	-389	-318	-303	-296	-296
	4	-600	-545	-515	-571	-437	-368	-345	-338	-338
	5	-625	-595	-525	-613	-537	-467	-436	-436	-436
	6	-835	-760	-735	-768	-698	-657	-639	-623	-623
	7	-910	-860	-835	-887	-802	-742	-724	-716	-716
71	1 & 2	-665	-590	-515	-764	-651	-566	-551	-551	-551
	3	-665	-590	-515	-764	-651	-566	-551	-551	-551
	4	-690	-615	-590	-810	-697	-612	-597	-597	-597
	5	-715	-640	-615	-842	-786	-687	-672	-672	-672
	6	-890	-815	-790	-965	-900	-794	-779	-779	-779
	7	-965	-915	-865	-1001	-946	-840	-825	-825	-825
12 & 22	1 & 2	-305	-255	-160	-209	-55	79	173	248	252
	3	-355	-300	-185	-230	-67	60	147	215	219
	4	-400	-330	-230	-274	-154	-18	84	161	165
	5	-495	-445	-395	-415	-345	-201	-138	-103	-99
	6	-695	-620	-545	-531	-476	-400	-372	-369	-365
	7	-775	-700	-625	-676	-632	-560	-532	-522	-518
32	1 & 2	-350	-300	-275	-284	-133	-12	30	85	85
	3	-400	-345	-300	-308	-149	-39	0	73	74
	4	-485	-395	-385	-362	-220	-132	-54	4	5
	5	-545	-515	-465	-502	-391	-282	-235	-207	-207
	6	-740	-690	-590	-595	-541	-458	-434	-418	-418
	7	-870	-795	-695	-744	-681	-614	-588	-579	-579
42	1 & 2	-445	-385	-340	-328	-238	-138	-67	-8	-8
	3	-465	-410	-390	-370	-264	-160	-88	-22	-22
	4	-535	-460	-460	-425	-282	-194	-129	-73	-73
	5	-595	-570	-520	-554	-425	-346	-287	-272	-272
	6	-845	-795	-670	-673	-595	-498	-471	-457	-457
	7	-925	-875	-775	-829	-744	-665	-631	-624	-624
52	1 & 2	-610	-535	-510	-505	-363	-303	-276	-274	-274
	3	-610	-535	-510	-512	-377	-329	-296	-294	-294
	4	-660	-610	-560	-529	-416	-374	-340	-338	-338
	5	-735	-685	-660	-610	-534	-474	-441	-441	-441
	6	-960	-910	-860	-788	-742	-651	-627	-627	-627
	7	-1035	-985	-960	-891	-848	-760	-738	-737	-737
62	1 & 2	-660	-585	-560	-608	-507	-423	-408	-408	-408
	3	-660	-585	-560	-626	-532	-467	-444	-437	-437
	4	-710	-660	-585	-658	-564	-505	-483	-477	-477
	5	-810	-735	-710	-752	-701	-617	-601	-601	-601
	6	-985	-935	-885	-968	-914	-818	-802	-802	-802

Table 18. United States spot cotton differences, WEIGHTED monthly average.  
 Weighted averages based on the 2008-crop year's production by spot market

August 2008 - July 2009

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-465	-365	-315	-240	-185	-130	-100	-90	-90
	3	-465	-410	-340	-265	-210	-155	-125	-115	-115
	4	-540	-440	-415	-340	-280	-205	-175	-165	-165
	5	-665	-565	-540	-440	-405	-330	-300	-290	-290
	6	-765	-690	-590	-535	-495	-420	-380	-370	-370
33	1 & 2	-560	-485	-435	-315	-260	-201	-192	-182	-182
	3	-560	-485	-435	-315	-260	-201	-192	-182	-182
	4	-610	-560	-485	-390	-330	-254	-245	-236	-236
	5	-710	-710	-610	-510	-450	-403	-375	-365	-365
	6	-835	-785	-685	-605	-590	-491	-491	-482	-482
43	1 & 2	-610	-535	-485	-563	-453	-364	-342	-329	-329
	3	-610	-535	-485	-563	-453	-364	-342	-329	-329
	4	-660	-610	-535	-608	-498	-399	-361	-349	-349
	5	-735	-735	-635	-670	-599	-537	-510	-505	-505
	6	-885	-835	-710	-785	-734	-672	-663	-659	-659
53	1 & 2	-770	-670	-645	-661	-599	-506	-484	-482	-482
	3	-770	-670	-645	-671	-601	-516	-494	-492	-492
	4	-820	-720	-695	-732	-650	-553	-531	-529	-529
	5	-895	-820	-770	-779	-737	-642	-620	-618	-618
	6	-995	-940	-895	-936	-864	-771	-759	-757	-757
63	1 & 2	-1070	-1015	-990	-1003	-974	-866	-857	-855	-855
	3	-890	-790	-765	-852	-769	-659	-631	-629	-629
	4	-890	-790	-765	-852	-769	-659	-639	-637	-637
	5	-940	-840	-815	-894	-805	-712	-684	-682	-682
	6	-1040	-940	-915	-965	-901	-802	-774	-772	-772
34	1 & 2	-1090	-1015	-1015	-1089	-1010	-905	-889	-887	-887
	3	-680	-580	-530	-460	-410	-335	-335	-335	-335
	4	-680	-580	-530	-460	-410	-335	-335	-335	-335
	5	-805	-705	-655	-585	-510	-435	-435	-435	-435
	6	-905	-805	-755	-685	-635	-560	-560	-560	-560
44	1 & 2	-1030	-955	-905	-835	-785	-710	-710	-710	-710
	3	-775	-675	-625	-530	-480	-405	-405	-405	-405
	4	-800	-700	-650	-580	-530	-455	-455	-455	-455
	5	-870	-775	-720	-680	-580	-505	-505	-505	-505
	6	-970	-870	-825	-755	-680	-605	-605	-605	-605
54	1 & 2	-1095	-1020	-970	-900	-850	-775	-775	-775	-775
	3	-850	-750	-700	-630	-555	-480	-480	-480	-480
	4	-850	-750	-700	-630	-555	-480	-480	-480	-480
	5	-900	-800	-775	-705	-655	-580	-580	-580	-580
	6	-995	-895	-850	-780	-705	-630	-630	-630	-630

Mike	
Range	Diff.
24 & Below	-931
25-26	-901
27-29	-598
30-32	-323
33-34	-164
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-211
53 & Above	-330

Strength	
(Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-279
21.5-22.4	-228
22.5-23.4	-183
23.5-24.4	-157
24.5-25.4	-137
25.5-26.4	-38
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	42
32.5 & Above	42

Uniformity	
Unit	Points
77.4 & below	-99
77.5-78.4	-86
78.5-79.4	-74
79.5-80.4	-7
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	17
83.5-84.4	26
84.5-85.4	36
85.5 & above	46

Extraneous Matter	
Level	Diff.
Prep	
1	-102
2	-646
Other (ET-OK and WT Bark not included)	
1	-373
2	-686
Bark - (ET-OK and WT only)	
1	-243
2	-456