



Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-225	-100	75	150	200	43	1 & 2	-550	-450	-400	-375	-350	
	3	-225	-100	75	150	200		3	-550	-450	-400	-375	-350	
	4	-225	-125	25	75	150		4	-575	-500	-450	-400	-375	
	5	-375	-225	-150	25	100		5	-600	-550	-500	-500	-500	
	6	-500	-350	-325	-250	-225		6	-775	-750	-700	-700	-700	
	7	-800	-650	-650	-600	-575		7	-925	-850	-800	-800	-800	
	31	1 & 2	-225	-100	50	150		175	53	1 & 2	-600	-500	-400	-400
3		-225	-100	50	150	150	3	-600		-500	-400	-400	-400	
4		-225	-150	25	75	125	4	-650		-550	-450	-450	-450	
5		-375	-225	-150	25	50	5	-675		-625	-525	-525	-525	
6		-500	-350	-325	-300	-275	6	-875		-825	-725	-725	-725	
7		-800	-650	-650	-650	-625	7	-975		-925	-825	-825	-825	
41		1 & 2	-275	-125	25	100	100	63		1 & 2	-925	-825	-725	-725
	3	-275	-125	25	75	75	3		-925	-825	-725	-725	-725	
	4	-275	-150	65.80	50	75	4		-975	-875	-775	-775	-775	
	5	-450	-350	-225	-175	-150	5		-1025	-975	-875	-875	-875	
	6	-575	-475	-450	-425	-400	6		-1250	-1200	-1100	-1100	-1100	
	7	-850	-750	-750	-750	-725								
	51	1 & 2	-400	-175	-75	-75	-75		<b>Mike</b>					
3		-475	-200	-150	-125	-100	<b>Range</b>		<b>Diff.</b>					
4		-500	-200	-175	-175	-175	25-26			-825				
5		-600	-425	-350	-300	-275	27-29			-425				
6		-675	-500	-475	-475	-450	30-32			-275				
7		-925	-800	-800	-800	-775	33-34			-150				
61		1 & 2	-575	-400	-350	-325	-325	Base 35-36			0			
	3	-625	-475	-450	-425	-400	37-42			0				
	4	-675	-525	-500	-475	-450	Base 43-49			0				
	5	-725	-625	-550	-550	-550	50-52			-200				
	6	-900	-825	-775	-775	-775	53 & Above			-300				
	7	-1025	-900	-850	-850	-850	<b>Strength</b>							
	71	1 & 2	-875	-750	-700	-700	-700	(Grams per Tex)						
3		-875	-750	-700	-700	-700	<b>Range</b>		<b>Diff.</b>					
4		-875	-750	-700	-700	-700	20.5-21.4			-425				
5		-925	-875	-850	-850	-850	21.5-22.4			-350				
6		-1050	-975	-925	-925	-925	22.5-23.4			-300				
7		-1050	-975	-925	-925	-925	23.5-24.4			-250				
12 & 22		1 & 2	-275	-125	50	100	125	24.5-25.4			-200			
	3	-275	-125	50	75	100	25.5-26.4			-25				
	4	-275	-125	0	50	75	Base 26.5-28.4			0				
	5	-425	-325	-200	-150	-125	28.5-29.4			0				
	6	-550	-425	-425	-425	-425	29.5-30.4			25				
	7	-825	-725	-725	-725	-700	30.5-32.4			50				
	32	1 & 2	-325	-175	-25	-25	25	32.5 & Above			50			
3		-350	-200	-50	-25	0	<b>Extraneous Matter</b>							
4		-450	-200	-150	-125	-75	<b>Level</b>		<b>Diff.</b>					
5		-525	-350	-300	-300	-275	Prep							
6		-600	-450	-450	-450	-425	1			-100				
7		-875	-750	-750	-750	-725	2			-800				
42		1 & 2	-350	-175	-75	-75	-50	<b>Other</b>		<b>Diff.</b>				
	3	-425	-200	-100	-75	-50	1			-375				
	4	-500	-200	-150	-150	-125	2			-800				
	5	-600	-375	-350	-325	-300	<b>Uniformity</b>							
	6	-675	-525	-500	-500	-475	<b>Unit</b>		<b>Points</b>					
	7	-925	-800	-800	-800	-775	77.4 & below			-125				
	52	1 & 2	-450	-250	-175	-175	-175	77.5-78.4			-110			
3		-475	-250	-200	-175	-175	78.5-79.4			-100				
4		-500	-300	-275	-250	-250	79.5-80.4			-25				
5		-600	-500	-425	-425	-425	Base 80.5-81.4			0				
6		-775	-750	-700	-700	-700	81.5-82.4			0				
7		-925	-850	-800	-800	-800	82.5-83.4			20				
62		1 & 2	-575	-400	-350	-350	-350	83.5-84.4			30			
	3	-625	-475	-450	-425	-400	84.5-85.4			40				
	4	-675	-525	-500	-475	-450	85.5 & Above			50				
	5	-775	-700	-650	-650	-650								
	6	-1125	-1050	-1000	-1000	-1000								

Color	Leaf	Staple					Color	Leaf	Staple																																																																																												
		32	33	34	35	36 & 37			32	33	34	35	36 & 37																																																																																								
11 & 21	1 & 2	-250	-175	75	200	275	43	1 & 2	-775	-575	-400	-375	-375																																																																																								
	3	-250	-175	50	150	175		3	-775	-575	-400	-375	-375																																																																																								
	4	-275	-200	50	100	175		4	-800	-600	-425	-400	-400																																																																																								
	5	-450	-325	0	75	100		5	-850	-750	-675	-650	-650																																																																																								
	6	-500	-475	-350	-325	-325		6	-950	-850	-775	-750	-750																																																																																								
	7	-600	-575	-450	-425	-425		7	-1100	-1000	-925	-900	-900																																																																																								
	31	1 & 2	-250	-175	50	150		225	53	1 & 2	-875	-775	-700	-675	-675																																																																																						
3		-250	-175	50	125	175	3	-875		-775	-700	-675	-675																																																																																								
4		-275	-250	25	75	150	4	-900		-800	-725	-700	-700																																																																																								
5		-450	-325	-50	75	100	5	-950		-900	-825	-800	-800																																																																																								
6		-500	-475	-350	-325	-325	6	-1150		-1000	-925	-900	-900																																																																																								
7		-600	-575	-450	-425	-425	7	-1175		-1125	-1025	-1000	-1000																																																																																								
41		1 & 2	-350	-250	50	75	100	63		1 & 2	-1050	-950	-875	-850	-850																																																																																						
	3	-350	-250	25	50	75	3		-1050	-950	-875	-850	-850																																																																																								
	4	-375	-275	64.55	25	25	4		-1075	-975	-900	-875	-875																																																																																								
	5	-525	-400	-225	-200	-175	5		-1125	-1075	-1000	-975	-975																																																																																								
	6	-575	-500	-375	-350	-350	6		-1175	-1125	-1000	-975	-975																																																																																								
	7	-700	-675	-550	-525	-525																																																																																															
	51	1 & 2	-575	-325	-250	-150	-150		<table border="1"> <thead> <tr> <th colspan="2">Mike</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> </thead> <tbody> <tr> <td>25-26</td> <td>-1000</td> </tr> <tr> <td>27-29</td> <td>-650</td> </tr> <tr> <td>30-32</td> <td>-325</td> </tr> <tr> <td>33-34</td> <td>-125</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> </tr> <tr> <td>50-52</td> <td>-150</td> </tr> <tr> <td>53 &amp; Above</td> <td>-275</td> </tr> <tr> <th colspan="2">Strength</th> </tr> <tr> <th colspan="2">(Grams per Tex)</th> </tr> <tr> <th>Range</th> <th>Diff.</th> </tr> <tr> <td>20.5-21.4</td> <td>-300</td> </tr> <tr> <td>21.5-22.4</td> <td>-250</td> </tr> <tr> <td>22.5-23.4</td> <td>-200</td> </tr> <tr> <td>23.5-24.4</td> <td>-175</td> </tr> <tr> <td>24.5-25.4</td> <td>-150</td> </tr> <tr> <td>25.5-26.4</td> <td>-25</td> </tr> <tr> <td>Base 26.5-28.4</td> <td>0</td> </tr> <tr> <td>28.5-29.4</td> <td>0</td> </tr> <tr> <td>29.5-30.4</td> <td>25</td> </tr> <tr> <td>30.5-32.4</td> <td>50</td> </tr> <tr> <td>32.5 &amp; Above</td> <td>50</td> </tr> <tr> <th colspan="2">Extraneous Matter</th> </tr> <tr> <th>Level</th> <th>Diff.</th> </tr> <tr> <td>Prep</td> <td></td> </tr> <tr> <td>1</td> <td>-50</td> </tr> <tr> <td>2</td> <td>-800</td> </tr> <tr> <td>Other</td> <td></td> </tr> <tr> <td>1</td> <td>-375</td> </tr> <tr> <td>2</td> <td>-785</td> </tr> <tr> <th colspan="2">Uniformity</th> </tr> <tr> <th>Unit</th> <th>Points</th> </tr> <tr> <td>77.4 &amp; below</td> <td>-90</td> </tr> <tr> <td>77.5-78.4</td> <td>-80</td> </tr> <tr> <td>78.5-79.4</td> <td>-70</td> </tr> <tr> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>85.5 &amp; Above</td> <td>60</td> </tr> </tbody> </table>					Mike		Range	Diff.	25-26	-1000	27-29	-650	30-32	-325	33-34	-125	Base 35-36	0	37-42	25	Base 43-49	0	50-52	-150	53 & Above	-275	Strength		(Grams per Tex)		Range	Diff.	20.5-21.4	-300	21.5-22.4	-250	22.5-23.4	-200	23.5-24.4	-175	24.5-25.4	-150	25.5-26.4	-25	Base 26.5-28.4	0	28.5-29.4	0	29.5-30.4	25	30.5-32.4	50	32.5 & Above	50	Extraneous Matter		Level	Diff.	Prep		1	-50	2	-800	Other		1	-375	2	-785	Uniformity		Unit	Points	77.4 & below	-90	77.5-78.4	-80	78.5-79.4	-70	79.5-80.4	0	Base 80.5-81.4	0	81.5-82.4	0	82.5-83.4	30	83.5-84.4	40	84.5-85.4	50
Mike																																																																																																					
Range		Diff.																																																																																																			
25-26		-1000																																																																																																			
27-29		-650																																																																																																			
30-32		-325																																																																																																			
33-34		-125																																																																																																			
Base 35-36	0																																																																																																				
37-42	25																																																																																																				
Base 43-49	0																																																																																																				
50-52	-150																																																																																																				
53 & Above	-275																																																																																																				
Strength																																																																																																					
(Grams per Tex)																																																																																																					
Range	Diff.																																																																																																				
20.5-21.4	-300																																																																																																				
21.5-22.4	-250																																																																																																				
22.5-23.4	-200																																																																																																				
23.5-24.4	-175																																																																																																				
24.5-25.4	-150																																																																																																				
25.5-26.4	-25																																																																																																				
Base 26.5-28.4	0																																																																																																				
28.5-29.4	0																																																																																																				
29.5-30.4	25																																																																																																				
30.5-32.4	50																																																																																																				
32.5 & Above	50																																																																																																				
Extraneous Matter																																																																																																					
Level	Diff.																																																																																																				
Prep																																																																																																					
1	-50																																																																																																				
2	-800																																																																																																				
Other																																																																																																					
1	-375																																																																																																				
2	-785																																																																																																				
Uniformity																																																																																																					
Unit	Points																																																																																																				
77.4 & below	-90																																																																																																				
77.5-78.4	-80																																																																																																				
78.5-79.4	-70																																																																																																				
79.5-80.4	0																																																																																																				
Base 80.5-81.4	0																																																																																																				
81.5-82.4	0																																																																																																				
82.5-83.4	30																																																																																																				
83.5-84.4	40																																																																																																				
84.5-85.4	50																																																																																																				
85.5 & Above	60																																																																																																				
3	-600	-350	-325	-225	-225																																																																																																
4	-625	-375	-350	-275	-275																																																																																																
5	-700	-600	-425	-375	-375																																																																																																
6	-800	-725	-575	-550	-550																																																																																																
7	-850	-850	-675	-625	-625																																																																																																
61	1 & 2	-675	-450	-350	-325	-325																																																																																															
	3	-675	-450	-375	-350	-350																																																																																															
	4	-700	-475	-400	-375	-375																																																																																															
	5	-750	-675	-650	-575	-575																																																																																															
	6	-875	-775	-775	-750	-750																																																																																															
	7	-1025	-925	-875	-850	-850																																																																																															
	71	1 & 2	-1100	-1000	-850	-800	-800																																																																																														
3		-1100	-1000	-850	-800	-800																																																																																															
4		-1150	-1050	-900	-850	-850																																																																																															
5		-1175	-1125	-975	-925	-925																																																																																															
6		-1225	-1175	-1025	-975	-975																																																																																															
7		-1275	-1225	-1075	-1025	-1025																																																																																															
12 & 22		1 & 2	-275	-125	50	100	150																																																																																														
	3	-275	-125	25	100	125																																																																																															
	4	-300	-200	-25	25	75																																																																																															
	5	-500	-375	-125	-150	-125																																																																																															
	6	-575	-500	-375	-375	-375																																																																																															
	7	-675	-650	-525	-500	-500																																																																																															
	32	1 & 2	-375	-250	-100	-25	0																																																																																														
3		-375	-250	-100	-50	0																																																																																															
4		-400	-275	-200	-100	-75																																																																																															
5		-525	-375	-250	-225	-200																																																																																															
6		-625	-600	-475	-450	-425																																																																																															
7		-725	-700	-575	-550	-550																																																																																															
42		1 & 2	-375	-300	-225	-125	-100																																																																																														
	3	-400	-325	-275	-150	-125																																																																																															
	4	-425	-350	-300	-200	-175																																																																																															
	5	-550	-425	-350	-300	-275																																																																																															
	6	-750	-650	-500	-475	-450																																																																																															
	7	-875	-775	-625	-600	-600																																																																																															
	52	1 & 2	-625	-400	-325	-300	-300																																																																																														
3		-625	-450	-400	-375	-375																																																																																															
4		-650	-475	-425	-400	-400																																																																																															
5		-675	-575	-550	-500	-500																																																																																															
6		-825	-775	-700	-675	-675																																																																																															
7		-900	-875	-800	-775	-775																																																																																															
62		1 & 2	-750	-650	-550	-525	-525																																																																																														
	3	-750	-650	-600	-575	-575																																																																																															
	4	-775	-675	-625	-600	-600																																																																																															
	5	-875	-825	-750	-725	-725																																																																																															
	6	-1025	-975	-850	-825	-825																																																																																															

Color	Leaf	Staple					Color	Leaf	Staple					
		32	33	34	35	36 & 37			32	33	34	35	36 & 37	
11 & 21	1 & 2	-250	-150	75	200	275	43	1 & 2	-800	-500	-375	-350	-350	
	3	-250	-150	50	150	175		3	-800	-500	-375	-350	-350	
	4	-300	-200	50	75	175		4	-825	-525	-400	-375	-375	
	5	-375	-300	25	75	100		5	-850	-675	-625	-600	-600	
	6	-475	-475	-350	-325	-325		6	-900	-775	-725	-700	-700	
	7	-575	-575	-450	-425	-425		7	-1050	-925	-875	-850	-850	
	31	1 & 2	-250	-150	50	150		225	53	1 & 2	-875	-700	-650	-625
3		-250	-150	50	125	175	3	-875		-700	-650	-625	-625	
4		-300	-250	25	75	150	4	-900		-725	-675	-650	-650	
5		-375	-325	-25	75	100	5	-975		-875	-775	-750	-750	
6		-475	-475	-350	-325	-325	6	-1150		-975	-900	-875	-875	
7		-575	-575	-450	-425	-425	7	-1175		-1050	-975	-950	-950	
41		1 & 2	-325	-250	25	75	100	63		1 & 2	-1000	-875	-825	-800
	3	-325	-250	25	50	75	3		-1000	-875	-825	-800	-800	
	4	-350	-275	64.55	0	50	4		-1025	-900	-850	-825	-825	
	5	-525	-400	-200	-150	-150	5		-1075	-1000	-950	-925	-925	
	6	-550	-500	-375	-350	-350	6		-1175	-1050	-950	-925	-925	
	7	-675	-625	-500	-475	-475								
	51	1 & 2	-575	-325	-250	-150	-150				<b>Mike</b>			
3		-625	-375	-300	-200	-200			<b>Range</b>	<b>Diff.</b>				
4		-650	-400	-325	-250	-250			25-26	-1100				
5		-725	-625	-450	-400	-400			27-29	-750				
6		-825	-725	-575	-550	-550			30-32	-325				
7		-900	-875	-725	-675	-675			33-34	-125				
61		1 & 2	-675	-450	-350	-325	-325			Base 35-36	0			
	3	-725	-500	-400	-375	-375			37-42	25				
	4	-750	-525	-425	-400	-400			Base 43-49	0				
	5	-800	-675	-650	-575	-575			50-52	-150				
	6	-925	-825	-750	-725	-725			53 & Above	-275				
	7	-1025	-925	-875	-850	-850								
	71	1 & 2	-1100	-1000	-900	-850	-850			<b>Strength</b>				
3		-1100	-1000	-900	-850	-850			<b>(Grams per Tex)</b>					
4		-1150	-1050	-950	-900	-900			<b>Range</b>	<b>Diff.</b>				
5		-1175	-1125	-1025	-975	-975			20.5-21.4	-275				
6		-1225	-1175	-1075	-1025	-1025			21.5-22.4	-225				
7		-1275	-1225	-1125	-1075	-1075			22.5-23.4	-175				
12 & 22		1 & 2	-275	-125	50	125	150			23.5-24.4	-125			
	3	-275	-125	25	100	125			24.5-25.4	-100				
	4	-300	-250	-75	50	100			25.5-26.4	-25				
	5	-500	-350	-175	-125	-125			Base 26.5-28.4	0				
	6	-575	-500	-375	-350	-350			28.5-29.4	0				
	7	-625	-575	-475	-450	-450			29.5-30.4	25				
	32	1 & 2	-400	-250	-75	0	25			30.5-32.4	50			
3		-400	-250	-75	-25	25			32.5 & Above	50				
4		-425	-275	-175	-75	-50			<b>Extraneous Matter</b>					
5		-600	-425	-200	-175	-125			<b>Level</b>	<b>Diff.</b>				
6		-700	-650	-475	-450	-425			Prep					
7		-800	-750	-575	-550	-550			1	-50				
42		1 & 2	-425	-300	-225	-125	-125			2	-800			
	3	-475	-350	-275	-175	-175			Other					
	4	-500	-375	-300	-225	-225			1	-375				
	5	-650	-500	-375	-350	-325			2	-785				
	6	-850	-750	-525	-450	-425			<b>Uniformity</b>					
	7	-900	-800	-625	-600	-600			<b>Unit</b>	<b>Points</b>				
	52	1 & 2	-625	-400	-325	-300	-300			77.4 & below	-90			
3		-625	-450	-375	-350	-350			77.5-78.4	-80				
4		-650	-475	-400	-375	-375			78.5-79.4	-70				
5		-725	-625	-550	-500	-500			79.5-80.4	0				
6		-875	-775	-650	-625	-625			Base 80.5-81.4	0				
7		-900	-875	-750	-725	-725			81.5-82.4	0				
62		1 & 2	-750	-625	-525	-500	-500			82.5-83.4	30			
	3	-800	-675	-575	-550	-550			83.5-84.4	40				
	4	-825	-700	-600	-575	-575			84.5-85.4	50				
	5	-925	-825	-700	-675	-675			85.5 & Above	60				
	6	-1075	-925	-800	-775	-775								

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-225	-150	-100	-25	175	325	475	600	600
	3	-275	-175	-100	-75	150	300	350	450	450
	4	-350	-275	-175	-100	100	200	300	400	400
	5	-400	-325	-225	-200	-100	-25	125	200	200
	6	-575	-475	-375	-325	-275	-275	-275	-200	-200
	7	-650	-550	-450	-425	-375	-350	-350	-275	-275
31	1 & 2	-275	-200	-150	-75	150	300	375	500	500
	3	-325	-225	-175	-100	125	275	325	400	400
	4	-375	-325	-200	-175	50	150	275	300	300
	5	-450	-375	-250	-225	-125	-75	50	100	100
	6	-600	-500	-400	-350	-300	-300	-300	-250	-250
	7	-675	-575	-475	-450	-400	-375	-375	-325	-325
41	1 & 2	-350	-300	-200	-125	100	100	225	325	325
	3	-375	-325	-225	-150	75	100	175	200	200
	4	-450	-375	-250	-225	-75	60.50	125	175	175
	5	-500	-450	-350	-275	-175	-125	-50	50	50
	6	-675	-600	-500	-400	-375	-325	-325	-275	-275
	7	-750	-700	-625	-500	-475	-425	-400	-400	-400
51	1 & 2	-500	-450	-400	-300	-200	-100	-100	-50	-50
	3	-500	-450	-400	-325	-200	-100	-100	-50	-50
	4	-550	-500	-450	-350	-225	-175	-150	-100	-100
	5	-575	-550	-475	-375	-250	-200	-200	-200	-200
	6	-750	-675	-650	-450	-450	-400	-400	-400	-400
	7	-825	-775	-750	-550	-550	-500	-500	-500	-500
61	1 & 2	-550	-500	-450	-350	-275	-200	-200	-200	-200
	3	-550	-500	-450	-350	-275	-200	-200	-200	-200
	4	-600	-525	-475	-375	-300	-250	-250	-250	-250
	5	-625	-575	-525	-425	-375	-275	-275	-275	-275
	6	-775	-700	-675	-550	-525	-450	-425	-425	-425
	7	-850	-800	-775	-650	-625	-550	-525	-525	-525
71	1 & 2	-625	-550	-475	-400	-325	-275	-275	-275	-275
	3	-625	-550	-475	-400	-325	-275	-275	-275	-275
	4	-650	-575	-550	-475	-400	-350	-350	-350	-350
	5	-675	-600	-575	-500	-475	-375	-375	-375	-375
	6	-850	-775	-750	-675	-625	-525	-525	-525	-525
	7	-925	-875	-825	-725	-700	-600	-600	-600	-600
12 & 22	1 & 2	-325	-275	-200	-75	100	175	225	325	325
	3	-375	-300	-225	-125	50	150	175	250	250
	4	-400	-350	-250	-150	25	100	125	250	250
	5	-475	-425	-375	-325	-275	-200	-75	100	100
	6	-675	-600	-525	-425	-425	-350	-325	-300	-300
	7	-775	-700	-625	-525	-500	-425	-400	-375	-375
32	1 & 2	-350	-300	-275	-225	-50	100	150	250	250
	3	-400	-325	-300	-225	-75	50	75	200	200
	4	-425	-375	-325	-250	-150	-25	0	50	50
	5	-525	-475	-425	-375	-350	-225	-150	25	25
	6	-700	-650	-550	-475	-475	-400	-400	-375	-375
	7	-850	-775	-675	-575	-575	-475	-475	-450	-450
42	1 & 2	-425	-325	-300	-250	-175	-25	50	125	125
	3	-425	-350	-350	-275	-200	-25	0	75	75
	4	-475	-400	-400	-300	-225	-50	-25	25	25
	5	-575	-550	-500	-425	-375	-275	-225	-225	-225
	6	-825	-775	-650	-525	-500	-425	-425	-425	-425
	7	-925	-875	-775	-625	-600	-525	-500	-500	-500
52	1 & 2	-550	-475	-450	-375	-300	-275	-275	-275	-275
	3	-550	-475	-450	-375	-300	-275	-275	-275	-275
	4	-600	-550	-500	-400	-325	-300	-300	-300	-300
	5	-675	-625	-600	-500	-400	-350	-350	-350	-350
	6	-900	-850	-800	-700	-625	-500	-500	-500	-500
	7	-975	-925	-900	-800	-725	-600	-600	-600	-600
62	1 & 2	-600	-525	-500	-425	-400	-325	-325	-325	-325
	3	-600	-525	-500	-425	-400	-325	-325	-325	-325
	4	-650	-600	-525	-450	-425	-350	-350	-350	-350
	5	-750	-675	-650	-575	-550	-425	-425	-425	-425
	6	-925	-875	-825	-750	-725	-600	-600	-600	-600

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-525	-425	-375	-300	-225	-150	-100	-50	-50
	3	-525	-450	-400	-325	-250	-175	-125	-75	-75
	4	-600	-500	-475	-400	-300	-225	-175	-125	-125
	5	-725	-625	-600	-500	-425	-350	-300	-250	-250
	6	-825	-750	-650	-575	-475	-400	-400	-350	-350
	7	-900	-825	-725	-650	-575	-500	-500	-450	-450
33	1 & 2	-600	-525	-475	-375	-300	-200	-150	-100	-100
	3	-600	-525	-475	-375	-300	-200	-150	-100	-100
	4	-650	-600	-525	-450	-350	-250	-200	-150	-150
	5	-750	-750	-650	-550	-450	-375	-325	-275	-275
	6	-875	-825	-725	-625	-550	-450	-450	-400	-400
	7	-1000	-900	-825	-725	-625	-550	-550	-500	-500
43	1 & 2	-650	-575	-525	-450	-350	-250	-200	-150	-150
	3	-650	-575	-525	-450	-350	-250	-200	-150	-150
	4	-700	-650	-575	-525	-400	-275	-225	-175	-175
	5	-775	-775	-675	-625	-500	-400	-350	-300	-300
	6	-925	-875	-750	-700	-600	-500	-500	-450	-450
	7	-1025	-950	-850	-775	-675	-575	-575	-525	-525
53	1 & 2	-750	-650	-625	-525	-500	-375	-350	-325	-325
	3	-750	-650	-625	-550	-525	-400	-375	-350	-350
	4	-800	-700	-675	-625	-525	-450	-425	-400	-400
	5	-875	-800	-750	-700	-625	-525	-500	-475	-475
	6	-975	-900	-875	-800	-725	-625	-625	-600	-600
	7	-1050	-975	-950	-875	-825	-700	-700	-675	-675
63	1 & 2	-850	-750	-725	-625	-550	-425	-375	-350	-350
	3	-850	-750	-725	-625	-550	-425	-375	-350	-350
	4	-900	-800	-775	-675	-625	-500	-450	-425	-425
	5	-1000	-900	-875	-775	-675	-575	-525	-500	-500
	6	-1050	-975	-975	-875	-750	-650	-650	-625	-625
	34	1 & 2	-700	-600	-550	-500	-450	-375	-375	-375
3		-700	-600	-550	-500	-450	-375	-375	-375	-375
4		-825	-725	-675	-625	-550	-475	-475	-475	-475
5		-925	-825	-775	-725	-675	-600	-600	-600	-600
6		-1050	-975	-925	-875	-825	-750	-750	-750	-750
44		1 & 2	-775	-675	-625	-550	-500	-425	-425	-425
	3	-800	-700	-650	-600	-550	-475	-475	-475	-475
	4	-850	-775	-700	-700	-600	-525	-525	-525	-525
	5	-950	-850	-825	-775	-700	-625	-625	-625	-625
	6	-1075	-1000	-950	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-650	-575	-500	-500	-500
3		-850	-750	-700	-650	-575	-500	-500	-500	-500
4		-900	-800	-775	-725	-675	-600	-600	-600	-600
5		-975	-875	-850	-800	-725	-650	-650	-650	-650

Mike	
Range	Diff.
24 & Below	-875
25-26	-825
27-29	-575
30-32	-300
33-34	-150
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	10
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-225
2	-450
Other	
1	-375
2	-525

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-175	-100	-50	-50	200	350	600	650	675
	3	-225	-125	-75	-75	200	325	500	575	600
	4	-275	-200	-125	-100	25	225	375	425	425
	5	-400	-325	-225	-175	-75	50	325	375	375
	6	-625	-525	-425	-425	-325	-200	-175	-175	-175
	7	-700	-600	-500	-475	-400	-275	-250	-250	-250
31	1 & 2	-225	-150	-100	-75	200	300	400	550	550
	3	-275	-200	-125	-100	175	275	400	525	525
	4	-350	-275	-175	-175	0	175	275	400	400
	5	-450	-375	-250	-250	-100	-50	275	350	350
	6	-675	-575	-475	-475	-325	-225	-225	-200	-200
	7	-750	-675	-550	-525	-400	-275	-275	-250	-250
41	1 & 2	-400	-350	-275	-250	-50	125	175	200	200
	3	-425	-375	-300	-275	-75	75	150	200	200
	4	-500	-425	-325	-300	-175	60.25	100	150	150
	5	-525	-450	-325	-325	-200	-75	25	150	150
	6	-725	-625	-550	-525	-425	-275	-250	-225	-225
	7	-800	-750	-675	-625	-525	-375	-325	-300	-300
51	1 & 2	-525	-475	-450	-350	-250	-100	-50	-25	-25
	3	-525	-475	-450	-350	-250	-100	-50	-25	-25
	4	-575	-525	-500	-375	-325	-175	-100	-75	-75
	5	-600	-575	-500	-400	-350	-200	-150	-100	-100
	6	-825	-750	-725	-575	-525	-425	-375	-325	-325
	7	-900	-850	-825	-650	-600	-500	-450	-425	-425
61	1 & 2	-550	-500	-475	-375	-275	-175	-175	-175	-175
	3	-550	-500	-475	-375	-275	-175	-175	-175	-175
	4	-600	-550	-525	-400	-350	-250	-225	-225	-225
	5	-625	-600	-525	-425	-375	-275	-250	-250	-250
	6	-850	-775	-750	-600	-550	-500	-475	-425	-425
	7	-925	-875	-850	-700	-650	-575	-550	-525	-525
71	1 & 2	-675	-600	-525	-450	-325	-250	-250	-250	-250
	3	-675	-600	-525	-450	-325	-250	-250	-250	-250
	4	-700	-625	-600	-525	-400	-325	-325	-325	-325
	5	-725	-650	-625	-550	-475	-350	-350	-350	-350
	6	-900	-825	-800	-725	-650	-525	-525	-525	-525
	7	-975	-925	-875	-775	-725	-600	-600	-600	-600
12 & 22	1 & 2	-300	-250	-150	-125	75	100	225	350	350
	3	-350	-300	-175	-175	50	75	175	300	300
	4	-400	-325	-225	-225	-125	-25	125	250	250
	5	-500	-450	-400	-350	-350	-225	-100	-100	-100
	6	-700	-625	-550	-500	-500	-400	-350	-350	-350
	7	-775	-700	-625	-600	-575	-475	-425	-425	-425
32	1 & 2	-350	-300	-275	-175	25	50	50	125	125
	3	-400	-350	-300	-225	0	0	0	125	125
	4	-500	-400	-400	-275	-175	-75	0	100	100
	5	-550	-525	-475	-475	-425	-275	-200	-200	-200
	6	-750	-700	-600	-575	-550	-425	-400	-400	-400
	7	-875	-800	-700	-675	-600	-525	-475	-475	-475
42	1 & 2	-450	-400	-350	-275	-225	-100	-25	100	100
	3	-475	-425	-400	-300	-250	-100	-50	100	100
	4	-550	-475	-475	-375	-275	-125	-50	75	75
	5	-600	-575	-525	-525	-450	-300	-225	-225	-225
	6	-850	-800	-675	-600	-575	-450	-425	-425	-425
	7	-925	-875	-775	-750	-675	-575	-500	-500	-500
52	1 & 2	-625	-550	-525	-475	-425	-350	-300	-300	-300
	3	-625	-550	-525	-475	-425	-350	-300	-300	-300
	4	-675	-625	-575	-475	-450	-375	-325	-325	-325
	5	-750	-700	-675	-575	-525	-425	-375	-375	-375
	6	-975	-925	-875	-775	-725	-575	-525	-525	-525
	7	-1050	-1000	-975	-875	-825	-675	-625	-625	-625
62	1 & 2	-675	-600	-575	-550	-500	-400	-375	-375	-375
	3	-675	-600	-575	-550	-500	-400	-375	-375	-375
	4	-725	-675	-600	-575	-525	-450	-425	-425	-425
	5	-825	-750	-725	-650	-625	-525	-500	-500	-500
	6	-1000	-950	-900	-825	-800	-700	-675	-675	-675

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-450	-350	-300	-225	-175	-125	-100	-100	-100
	3	-450	-400	-325	-250	-200	-150	-125	-125	-125
	4	-525	-425	-400	-325	-275	-200	-175	-175	-175
	5	-650	-550	-525	-425	-400	-325	-300	-300	-300
	6	-750	-675	-575	-525	-500	-425	-375	-375	-375
	7	-825	-750	-650	-625	-575	-475	-475	-475	-475
33	1 & 2	-550	-475	-425	-300	-250	-175	-175	-175	-175
	3	-550	-475	-425	-300	-250	-175	-175	-175	-175
	4	-600	-550	-475	-375	-325	-225	-225	-225	-225
	5	-700	-700	-600	-500	-450	-375	-350	-350	-350
	6	-825	-775	-675	-600	-600	-450	-450	-450	-450
	7	-950	-850	-775	-700	-650	-575	-550	-550	-550
43	1 & 2	-600	-525	-475	-400	-350	-250	-250	-250	-250
	3	-600	-525	-475	-400	-350	-250	-250	-250	-250
	4	-650	-600	-525	-475	-400	-275	-250	-250	-250
	5	-725	-725	-625	-575	-500	-400	-375	-375	-375
	6	-875	-825	-700	-675	-625	-525	-525	-525	-525
	7	-975	-900	-800	-775	-700	-600	-600	-600	-600
53	1 & 2	-775	-675	-650	-550	-525	-425	-400	-400	-400
	3	-775	-675	-650	-575	-525	-450	-425	-425	-425
	4	-825	-725	-700	-675	-600	-475	-450	-450	-450
	5	-900	-825	-775	-725	-675	-575	-550	-550	-550
	6	-1000	-950	-900	-825	-775	-675	-675	-675	-675
	7	-1075	-1025	-1000	-900	-875	-750	-750	-750	-750
63	1 & 2	-900	-800	-775	-675	-625	-475	-425	-425	-425
	3	-900	-800	-775	-675	-625	-475	-450	-450	-450
	4	-950	-850	-825	-725	-650	-550	-500	-500	-500
	5	-1050	-950	-925	-825	-750	-625	-575	-575	-575
	6	-1100	-1025	-1025	-925	-825	-725	-700	-700	-700
	34	1 & 2	-675	-575	-525	-450	-400	-325	-325	-325
3	-675	-575	-525	-450	-400	-325	-325	-325	-325	
4	-800	-700	-650	-575	-500	-425	-425	-425	-425	
5	-900	-800	-750	-675	-625	-550	-550	-550	-550	
6	-1025	-950	-900	-825	-775	-700	-700	-700	-700	
44	1 & 2	-775	-675	-625	-525	-475	-400	-400	-400	-400
	3	-800	-700	-650	-575	-525	-450	-450	-450	-450
	4	-875	-775	-725	-675	-575	-500	-500	-500	-500
	5	-975	-875	-825	-750	-675	-600	-600	-600	-600
	6	-1100	-1025	-975	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-625	-550	-475	-475	-475
3		-850	-750	-700	-625	-550	-475	-475	-475	-475
4		-900	-800	-775	-700	-650	-575	-575	-575	-575
5		-1000	-900	-850	-775	-700	-625	-625	-625	-625

Mike	
Range	Diff.
24 & Below	-950
25-26	-900
27-29	-625
30-32	-350
33-34	-200
Base 35-36	0
37-42	15
Base 43-49	0
50-52	-240
53 & Above	-375

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-150
21.5-22.4	-125
22.5-23.4	-100
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	50
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & below	-90
77.5-78.4	-75
78.5-79.4	-60
79.5-80.4	0
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	0
83.5-84.4	10
84.5-85.4	20
85.5 & Above	30

Extraneous Matter	
Level	Diff.
Prep	
1	-150
2	-400
Bark	
1	-275
2	-475
Other	
1	-375
2	-500

Color	Leaf	Staple					Color	Leaf	Staple																																																			
		33	34	35	36	37			33	34	35	36	37																																															
11 & 21	1 & 2	-50	225	850	910	945	43	1 & 2	-725	-650	-550	-475	-475																																															
	3	-50	200	775	885	920		3	-725	-650	-550	-475	-475																																															
	4	-275	75	400	435	470		4	-825	-750	-600	-550	-550																																															
	5	-350	-150	75	150	235		5	-925	-825	-625	-600	-600																																															
	6	-450	-350	-100	-85	-30		6	-1025	-925	-875	-875	-875																																															
	7	-650	-375	-175	-140	-100	7	-1100	-1050	-1000	-1000	-1000																																																
31	1 & 2	-125	175	800	885	920	53	1 & 2	-875	-775	-675	-675	-675																																															
	3	-125	150	750	835	870		3	-875	-775	-675	-675	-675																																															
	4	-325	50	375	410	445		4	-975	-875	-775	-775	-775																																															
	5	-375	-175	25	50	120		5	-1025	-925	-825	-825	-825																																															
	6	-475	-375	-110	-95	-40		6	-1125	-1025	-925	-925	-925																																															
	7	-675	-400	-200	-170	-115	7	-1375	-1275	-1250	-1250	-1250																																																
41	1 & 2	-350	25	225	310	320	<table border="1"> <thead> <tr> <th colspan="2">Mike</th> <th colspan="2">Uniformity</th> </tr> <tr> <th>Range</th> <th>Diff.</th> <th>Unit</th> <th>Points</th> </tr> </thead> <tbody> <tr> <td>24 &amp; Below</td> <td>-1200</td> <td>77.4 &amp; below</td> <td>-100</td> </tr> <tr> <td>25-26</td> <td>-1000</td> <td>77.5-78.4</td> <td>-90</td> </tr> <tr> <td>27-29</td> <td>-900</td> <td>78.5-79.4</td> <td>-80</td> </tr> <tr> <td>30-32</td> <td>-425</td> <td>79.5-80.4</td> <td>0</td> </tr> <tr> <td>33-34</td> <td>-275</td> <td>Base 80.5-81.4</td> <td>0</td> </tr> <tr> <td>Base 35-36</td> <td>0</td> <td>81.5-82.4</td> <td>0</td> </tr> <tr> <td>37-42</td> <td>25</td> <td>82.5-83.4</td> <td>30</td> </tr> <tr> <td>Base 43-49</td> <td>0</td> <td>83.5-84.4</td> <td>40</td> </tr> <tr> <td>50-52</td> <td>-275</td> <td>84.5-85.4</td> <td>50</td> </tr> <tr> <td>53 &amp; Above</td> <td>-475</td> <td>85.5 &amp; Above</td> <td>60</td> </tr> </tbody> </table>						Mike		Uniformity		Range	Diff.	Unit	Points	24 & Below	-1200	77.4 & below	-100	25-26	-1000	77.5-78.4	-90	27-29	-900	78.5-79.4	-80	30-32	-425	79.5-80.4	0	33-34	-275	Base 80.5-81.4	0	Base 35-36	0	81.5-82.4	0	37-42	25	82.5-83.4	30	Base 43-49	0	83.5-84.4	40	50-52	-275	84.5-85.4	50	53 & Above	-475	85.5 & Above	60
	Mike		Uniformity																																																									
	Range	Diff.	Unit	Points																																																								
	24 & Below	-1200	77.4 & below	-100																																																								
	25-26	-1000	77.5-78.4	-90																																																								
27-29	-900	78.5-79.4	-80																																																									
30-32	-425	79.5-80.4	0																																																									
33-34	-275	Base 80.5-81.4	0																																																									
Base 35-36	0	81.5-82.4	0																																																									
37-42	25	82.5-83.4	30																																																									
Base 43-49	0	83.5-84.4	40																																																									
50-52	-275	84.5-85.4	50																																																									
53 & Above	-475	85.5 & Above	60																																																									
3	-350	25	225	310	320																																																							
4	-400	62.05	175	260	270																																																							
5	-425	-300	-225	-215	-205																																																							
6	-600	-475	-350	-340	-340																																																							
7	-750	-625	-600	-595	-585																																																							
51	1 & 2	-450	-275	-175	-140	-130																																																						
	3	-450	-275	-175	-140	-130																																																						
	4	-475	-350	-250	-200	-190																																																						
	5	-575	-525	-450	-425	-425																																																						
	6	-750	-650	-550	-550	-550																																																						
	7	-950	-850	-825	-825	-825																																																						
12 & 22	1 & 2	-275	50	300	360	420																																																						
	3	-275	50	275	335	395																																																						
	4	-375	25	250	310	370																																																						
	5	-400	-225	-100	-100	-50																																																						
	6	-550	-425	-300	-300	-250																																																						
	7	-725	-600	-550	-550	-500																																																						
32	1 & 2	-375	-100	125	210	220																																																						
	3	-375	-100	125	210	220																																																						
	4	-425	-225	0	85	95																																																						
	5	-475	-475	-375	-375	-375																																																						
	6	-675	-600	-500	-500	-500																																																						
	7	-825	-775	-750	-750	-750																																																						
42	1 & 2	-425	-250	-150	-100	-100																																																						
	3	-425	-250	-150	-100	-100																																																						
	4	-450	-325	-225	-175	-175																																																						
	5	-525	-500	-400	-400	-400																																																						
	6	-700	-625	-525	-525	-525																																																						
	7	-900	-800	-775	-775	-775																																																						
52	1 & 2	-475	-400	-325	-275	-275																																																						
	3	-475	-400	-325	-275	-275																																																						
	4	-650	-525	-450	-400	-400																																																						
	5	-700	-600	-550	-550	-550																																																						
	6	-800	-700	-650	-650	-650																																																						
	7	-1050	-950	-950	-925	-925																																																						

Strength	
(Grams per Tex)	
Range	Diff.
20.5-21.4	-450
21.5-22.4	-300
22.5-23.4	-150
23.5-24.4	-100
24.5-25.4	-100
25.5-26.4	-50
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	25
30.5-32.4	50
32.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-50
2	-800
Other	
1	-350
2	-800

Color	Leaf	Staple				Color	Leaf	Staple			
		34	35	36	37			34	35	36	37
11 & 21	1 & 2	750	1150	1440	1515	33	1 & 2	-500	-500	-500	-500
	3	685	1085	1240	1350		3	-500	-500	-500	-500
	4	125	475	505	625		4	-600	-600	-600	-600
	5	-125	75	130	190		5	-800	-800	-800	-800
	6	-400	-200	-150	-100		6	-1075	-1075	-1075	-1075
31	7	-625	-525	-475	-425	7	-1225	-1225	-1225	-1225	
	1 & 2	700	1125	1180	1290	43	1 & 2	-875	-875	-875	-875
	3	675	1075	1080	1190		3	-875	-875	-875	-875
	4	100	450	480	560		4	-925	-925	-925	-925
	5	-200	0	55	115		5	-1075	-1075	-1075	-1075
6	-500	-325	-275	-225	6		-1225	-1225	-1225	-1225	
41	7	-675	-575	-525	-475	7	-1425	-1425	-1425	-1425	
	1 & 2	200	650	730	740	<b>Mike</b>					
	3	150	550	630	640	Range		Diff.			
	4	64.30	350	430	440	27-29		-1250			
	5	-425	-200	-195	-185	30-32		-550			
51	6	-625	-450	-450	-450	33-34		-350			
	7	-825	-725	-725	-725	Base 35-36		0			
	1 & 2	-575	-125	-75	-75	37-42		25			
	3	-600	-150	-100	-100	Base 43-49		0			
	4	-650	-200	-175	-175	50-52		-450			
12 & 22	5	-750	-375	-325	-325	<b>Strength</b>					
	6	-900	-800	-800	-800	(Grams per Tex)					
	7	-1050	-1000	-1000	-1000	Range		Diff.			
	1 & 2	225	675	930	990	23.5-24.4		-100			
	3	150	600	880	940	24.5-25.4		-100			
32	4	25	425	475	540	25.5-26.4		-50			
	5	-250	-50	0	50	Base 26.5-28.4		0			
	6	-525	-400	-350	-300	28.5-29.4		0			
	7	-775	-700	-650	-600	29.5-30.4		25			
	1 & 2	100	350	375	375	30.5-32.4		50			
42	3	50	300	325	325	32.5 & Above		50			
	4	-100	200	200	200	<b>Uniformity</b>					
	5	-525	-275	-275	-275	Unit		Points			
	6	-675	-475	-475	-475	77.4 & below		-60			
	7	-850	-750	-750	-750	77.5-78.4		-50			
52	1 & 2	-725	-675	-675	-675	78.5-79.4		-40			
	3	-725	-675	-675	-675	79.5-80.4		0			
	4	-825	-775	-775	-775	Base 80.5-81.4		0			
	5	-875	-825	-825	-825	81.5-82.4		0			
	6	-1025	-1025	-1025	-1025	82.5-83.4		30			
	7	-1225	-1225	-1225	-1225	83.5-84.4		40			
	1 & 2	-725	-675	-675	-675	84.5-85.4		50			
	3	-725	-675	-675	-675	85.5 & Above		60			
	4	-825	-775	-775	-775	<b>Extraneous Matter</b>					
	5	-875	-825	-825	-825	Level		Diff.			
	6	-1025	-1025	-1025	-1025	Prep					
	7	-1225	-1225	-1225	-1225	1		-50			
						2		-800			
						Other					
						1		-350			
					2		-925				

American Pima quotations are for cotton equal to the Official Standards, net weight, in mixed lots, UD Free, FOB warehouse.

1/

**AMERICAN PIMA SPOT QUOTATIONS**

Color	Leaf	Staple		
		44	46	48
1	1	93.00	98.00	98.25
	2	92.75	97.75	98.25
	3	88.75	93.75	94.00
	4			
	5			
	6			
2	1	92.50	97.50	98.25
	2	92.00	97.00	97.75
	3	87.50	92.50	92.75
	4	79.25	84.25	85.00
	5			
	6			
3	1	89.00	94.00	94.75
	2	87.00	92.00	93.25
	3	79.00	84.00	86.00
	4	70.25	75.25	76.25
	5	68.75	69.75	71.00
	6			
4	1	68.00	73.00	74.00
	2	67.75	72.75	73.25
	3	67.50	72.50	72.50
	4	62.00	67.50	67.50
	5	62.00	66.25	66.25
	6			
5	1			
	2	56.00	63.25	63.25
	3	56.00	62.75	63.25
	4	56.00	57.25	57.25
	5	55.75	57.00	57.00
	6			
6	1			
	2	48.25	48.50	48.50
	3	48.25	48.50	48.50
	4	48.25	48.50	48.50
	5	48.00	48.25	48.25
	6	47.50	47.75	47.75

Mike	
Range	Diff.
26 & Below	-1350
27-29	-945
30-32	-550
33-34	-395
35 & Above	0

Strength	
(Grams per Tex)	
Range	Diff.
35.4 & Below	-1050
35.5-36.4	-800
36.5-37.4	-550
37.5 & Above	0

Extraneous Matter	
Level	Diff.
Prep	
1	-610
2	-895
Other	
1	-515
2	-835

1/ Pima spot quotations for color-leaf-staple combinations not quoted will be included as sales of those qualities which are reported.

2/ The current Pima spot quotations represent prices from export sales and offerings last reported on September 16, 2009.

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
11 & 21	1 & 2	-200	-125	-75	-160	-17	268	518	621	641
	3	-250	-150	-88	-175	-21	241	451	529	553
	4	-313	-238	-150	-200	-113	107	257	324	346
	5	-400	-325	-225	-315	-229	-54	111	165	186
	6	-600	-500	-400	-445	-392	-321	-236	-212	-197
	7	-675	-575	-475	-575	-538	-454	-393	-366	-354
31	1 & 2	-250	-175	-125	-175	-33	232	450	534	555
	3	-300	-213	-150	-185	-42	218	421	477	498
	4	-363	-300	-188	-230	-154	79	229	288	304
	5	-450	-375	-250	-335	-246	-104	75	115	134
	6	-638	-538	-438	-460	-400	-346	-273	-249	-234
	7	-713	-625	-513	-590	-546	-468	-418	-392	-377
41	1 & 2	-375	-325	-238	-265	-154	79	218	266	269
	3	-400	-350	-263	-275	-163	61	182	224	226
	4	-475	-400	-288	-305	-225	63.14	118	166	169
	5	-513	-450	-338	-420	-325	-225	-139	-98	-95
	6	-700	-613	-525	-525	-479	-414	-357	-341	-341
	7	-775	-725	-650	-670	-633	-579	-543	-535	-534
51	1 & 2	-513	-463	-425	-440	-288	-232	-118	-95	-94
	3	-513	-463	-425	-475	-304	-264	-146	-120	-119
	4	-563	-513	-475	-500	-333	-314	-200	-179	-177
	5	-588	-563	-488	-560	-471	-414	-321	-300	-300
	6	-788	-713	-688	-665	-613	-571	-529	-518	-518
	7	-863	-813	-788	-775	-771	-729	-696	-689	-689
61	1 & 2	-550	-500	-463	-530	-370	-285	-270	-270	-270
	3	-550	-500	-463	-550	-395	-320	-305	-300	-300
	4	-600	-538	-500	-580	-435	-365	-345	-340	-340
	5	-625	-588	-525	-625	-545	-480	-445	-445	-445
	6	-813	-738	-713	-770	-700	-650	-630	-620	-620
	7	-888	-838	-813	-885	-805	-745	-725	-720	-720
71	1 & 2	-650	-575	-500	-785	-680	-595	-575	-575	-575
	3	-650	-575	-500	-785	-680	-595	-575	-575	-575
	4	-675	-600	-575	-835	-730	-645	-625	-625	-625
	5	-700	-625	-600	-865	-815	-715	-695	-695	-695
	6	-875	-800	-775	-980	-920	-815	-795	-795	-795
	7	-950	-900	-850	-1020	-970	-865	-845	-845	-845
12 & 22	1 & 2	-313	-263	-175	-205	-79	100	250	341	359
	3	-363	-300	-200	-225	-92	75	214	302	319
	4	-400	-338	-238	-250	-175	4	150	219	237
	5	-488	-438	-388	-420	-346	-200	-107	-68	-54
	6	-688	-613	-538	-525	-483	-411	-361	-350	-336
	7	-775	-700	-625	-650	-625	-571	-536	-521	-507
32	1 & 2	-350	-300	-275	-300	-179	-7	89	144	146
	3	-400	-338	-300	-315	-192	-32	57	126	128
	4	-463	-388	-363	-360	-250	-136	-14	34	35
	5	-538	-500	-450	-500	-400	-321	-243	-204	-204
	6	-725	-675	-575	-595	-567	-500	-446	-432	-432
	7	-863	-788	-688	-730	-700	-646	-614	-607	-607
42	1 & 2	-438	-363	-325	-335	-267	-186	-71	-25	-25
	3	-450	-388	-375	-375	-292	-211	-100	-50	-50
	4	-513	-438	-438	-420	-313	-250	-150	-107	-107
	5	-588	-563	-513	-550	-442	-404	-311	-293	-293
	6	-838	-788	-663	-680	-617	-546	-511	-500	-500
	7	-925	-875	-775	-815	-758	-707	-675	-671	-671
52	1 & 2	-588	-513	-488	-510	-375	-368	-336	-329	-329
	3	-588	-513	-488	-515	-392	-389	-354	-346	-346
	4	-638	-588	-538	-535	-446	-446	-411	-404	-404
	5	-713	-663	-638	-615	-554	-539	-504	-504	-504
	6	-938	-888	-838	-790	-742	-693	-671	-671	-671
	7	-1013	-963	-938	-880	-867	-829	-814	-811	-811
62	1 & 2	-638	-563	-538	-610	-515	-430	-415	-415	-415
	3	-638	-563	-538	-630	-540	-470	-450	-445	-445
	4	-688	-638	-563	-660	-570	-505	-485	-480	-480
	5	-788	-713	-688	-760	-705	-610	-595	-595	-595
	6	-963	-913	-863	-960	-895	-790	-775	-775	-775

Color	Leaf	Staple								
		26-29	30	31	32	33	34	35	36	37
13 & 23	1 & 2	-488	-388	-338	-263	-200	-138	-100	-75	-75
	3	-488	-425	-363	-288	-225	-163	-125	-100	-100
	4	-563	-463	-438	-363	-288	-213	-175	-150	-150
	5	-688	-588	-563	-463	-413	-338	-300	-275	-275
	6	-788	-713	-613	-550	-488	-413	-388	-363	-363
	7	-863	-788	-688	-638	-575	-488	-488	-463	-463
33	1 & 2	-575	-500	-450	-338	-275	-292	-275	-258	-258
	3	-575	-500	-450	-338	-275	-292	-275	-258	-258
	4	-625	-575	-500	-413	-338	-358	-342	-325	-325
	5	-725	-725	-625	-525	-450	-517	-492	-475	-475
	6	-850	-800	-700	-613	-575	-658	-658	-642	-642
	7	-975	-875	-800	-713	-638	-783	-775	-758	-758
43	1 & 2	-625	-550	-500	-595	-492	-457	-425	-404	-404
	3	-625	-550	-500	-595	-492	-457	-425	-404	-404
	4	-675	-625	-550	-640	-542	-500	-454	-436	-436
	5	-750	-750	-650	-700	-650	-643	-596	-586	-586
	6	-900	-850	-725	-800	-771	-768	-754	-746	-746
	7	-1000	-925	-825	-925	-875	-893	-879	-871	-871
53	1 & 2	-763	-663	-638	-685	-646	-554	-521	-517	-517
	3	-763	-663	-638	-695	-650	-563	-529	-525	-525
	4	-813	-713	-688	-750	-696	-608	-575	-571	-571
	5	-888	-813	-763	-805	-788	-692	-658	-654	-654
	6	-988	-925	-888	-960	-904	-813	-788	-783	-783
	7	-1063	-1000	-975	-1020	-1029	-925	-913	-908	-908
63	1 & 2	-875	-775	-750	-855	-765	-665	-635	-630	-630
	3	-875	-775	-750	-855	-765	-665	-640	-635	-635
	4	-925	-825	-800	-895	-805	-715	-685	-680	-680
	5	-1025	-925	-900	-965	-895	-805	-775	-770	-770
	6	-1075	-1000	-1000	-1080	-990	-885	-870	-865	-865
	34	1 & 2	-688	-588	-538	-475	-425	-350	-350	-350
3		-688	-588	-538	-475	-425	-350	-350	-350	-350
4		-813	-713	-663	-600	-525	-450	-450	-450	-450
5		-913	-813	-763	-700	-650	-575	-575	-575	-575
6		-1038	-963	-913	-850	-800	-725	-725	-725	-725
44		1 & 2	-775	-675	-625	-538	-488	-413	-413	-413
	3	-800	-700	-650	-588	-538	-463	-463	-463	-463
	4	-863	-775	-713	-688	-588	-513	-513	-513	-513
	5	-963	-863	-825	-763	-688	-613	-613	-613	-613
	6	-1088	-1013	-963	-900	-850	-775	-775	-775	-775
	54	1 & 2	-850	-750	-700	-638	-563	-488	-488	-488
3		-850	-750	-700	-638	-563	-488	-488	-488	-488
4		-900	-800	-775	-713	-663	-588	-588	-588	-588
5		-988	-888	-850	-788	-713	-638	-638	-638	-638

Mike	
Range	Diff.
24 & Below	-1008
25-26	-942
27-29	-739
30-32	-364
33-34	-196
Base 35-36	0
37-42	19
Base 43-49	0
50-52	-244
53 & Above	-346

Strength (Grams per Tex)	
Range	Diff.
18.5-19.4	-175
19.5-20.4	-175
20.5-21.4	-292
21.5-22.4	-229
22.5-23.4	-171
23.5-24.4	-136
24.5-25.4	-121
25.5-26.4	-39
Base 26.5-28.4	0
28.5-29.4	0
29.5-30.4	29
30.5-32.4	50
32.5 & Above	50

Uniformity	
Unit	Points
77.4 & below	-92
77.5-78.4	-80
78.5-79.4	-69
79.5-80.4	-4
Base 80.5-81.4	0
81.5-82.4	0
82.5-83.4	21
83.5-84.4	30
84.5-85.4	40
85.5 & Above	50

Extraneous Matter	
Level	Diff.
Prep	
1	-86
2	-686
Other (ET-OK and WT not included)	
1	-368
2	-731
Bark - (ET-OK and WT only)	
1	-250
2	-463