

mp\_cn810



U. S. DEPARTMENT OF AGRICULTURE  
 AGRICULTURAL MARKETING SERVICE  
 COTTON PROGRAM, MARKET NEWS BRANCH  
 3275 APPLING ROAD, MEMPHIS, TENNESSEE 38133  
 Telephone 901-384-3016



## QUALITY OF COTTON CLASSSED

Volume 51, No. 11

16-Oct-09

NUMBER SAMPLES CLASSSED FOR PRODUCERS, BY CLASSING OFFICE  
 October 15, 2009

<i>Classing Office</i>	<i>Week</i>	<i>Season</i>
<b>UPLAND</b>		
Abilene	7,864	38,891
Birmingham	912	1,214
Corpus Christi	2,763	167,678
Dumas	3,760	5,643
Florence	29,659	45,059
Lamesa	20,660	33,900
Lubbock	11,417	18,645
Macon	16,100	21,069
Memphis	10,667	12,606
Phoenix #	0	0
Rayville	23,748	53,348
Visalia	13,171	34,423
<b>United States</b>	<b>140,721</b>	<b>432,476</b>
Percent tenderable	66.7	55.0
<b>AMERICAN PIMA</b>		
Phoenix #	0	0
Visalia	3,567	3,567
<b>United States</b>	<b>3,567</b>	<b>3,567</b>
<b>United States all cotton</b>	<b>144,288</b>	<b>436,043</b>

\* Data withheld to avoid disclosure of individual gin.

MP\_CN100

# Phoenix, AZ Classing Office closed as of October 1, 2009. Territory now covered by Visalia, CA Classing Office

THIS REPORT CAN BE OBTAINED VIA THE WORLD WIDE WEB: <http://www.ams.usda.gov/cnmnreports>

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color 11 & 21		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	1-2	6.5	14.7	-	-	3.4	17.1	-	-	0.2	0.5	
	3	9.5	13.6	-	-	2.4	14.4	-	0.6	0.4	1.0	
	4	0.5	1.7	-	-	0.1	2.0	-	-	*	0.2	
	5	0.1	0.1	-	-	-	0.1	-	-	-	-	
	6	-	-	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>16.6</b>	<b>30.1</b>	-	-	<b>5.9</b>	<b>33.6</b>	-	0.6	<b>0.6</b>	<b>1.7</b>
31	1-2	2.3	1.5	0.1	0.1	-	6.5	*	*	3.0	3.3	
	3	9.7	5.4	32.9	31.9	2.2	14.7	1.3	2.3	27.1	27.5	
	4	6.6	4.4	9.2	7.1	1.3	6.4	0.8	1.0	12.9	15.4	
	5	1.6	1.3	0.1	0.1	0.4	0.5	-	*	0.9	0.8	
	6	0.1	0.1	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	<b>20.3</b>	<b>12.7</b>	<b>42.3</b>	<b>39.1</b>	<b>3.9</b>	<b>28.1</b>	2.1	3.3	<b>43.9</b>	<b>46.9</b>
	41	1-2	0.1	*	0.1	0.1	-	1.3	0.1	0.1	0.3	0.5
3		1.7	0.8	23.9	30.4	1.7	7.0	16.4	13.5	14.1	14.0	
4		3.6	2.0	14.6	12.6	1.7	5.4	17.7	22.2	29.5	27.3	
5		1.8	1.7	0.2	0.2	0.4	1.0	10.7	10.8	4.7	4.1	
6		0.5	0.4	-	-	-	0.1	-	-	*	0.1	
7		*	*	-	-	-	*	-	-	-	-	
<b>Total</b>		----	<b>7.7</b>	<b>4.9</b>	<b>38.8</b>	<b>43.2</b>	<b>3.8</b>	<b>14.8</b>	44.9	46.7	<b>48.7</b>	<b>45.9</b>
51		1-2	1.3	0.3	-	-	0.1	0.1	2.6	3.7	*	*
	3	8.6	3.4	0.8	2.1	21.2	1.2	6.5	4.9	0.1	0.1	
	4	5.7	3.5	5.4	4.7	18.6	2.2	4.0	4.6	0.6	0.4	
	5	0.9	2.1	1.3	1.0	3.3	1.2	3.0	2.5	0.4	0.3	
	6	0.3	0.4	-	-	0.2	0.2	-	-	-	*	
	7	0.1	0.2	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	<b>16.9</b>	<b>9.9</b>	<b>7.5</b>	<b>7.8</b>	<b>43.3</b>	<b>5.0</b>	15.9	15.7	<b>1.1</b>	<b>0.8</b>
	61	1-2	*	*	-	-	-	*	-	-	-	-
3		0.5	0.3	-	-	1.1	*	-	-	-	-	
4		*	0.2	-	-	7.8	0.3	-	-	-	-	
5		-	0.1	-	-	5.0	0.3	-	-	-	-	
6		*	*	-	-	5.7	0.1	-	-	-	-	
7		-	*	-	-	1.0	*	-	-	-	-	
<b>Total</b>		----	<b>0.6</b>	<b>0.6</b>	-	-	<b>20.6</b>	<b>0.7</b>	-	-	-	-
71		1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	
	4	-	-	-	-	-	-	-	-	-	-	
	5	-	-	-	-	-	-	-	-	-	-	
	6	-	-	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	-	-	-	-	-	<b>0.1</b>	-	-	-	-
	12 & 22	1-2	0.4	7.4	-	-	-	0.5	-	-	*	*
3		0.3	6.1	-	-	0.4	1.8	-	-	*	*	
4		0.2	1.2	-	-	*	1.1	-	*	-	-	
5		*	0.3	-	-	-	0.4	-	-	-	-	
6		0.1	*	-	-	-	0.1	-	-	-	-	
7		-	-	-	-	-	*	-	-	-	-	
<b>Total</b>		----	<b>1.0</b>	<b>14.9</b>	-	-	<b>0.5</b>	<b>3.9</b>	-	*	*	*
32		1-2	*	0.2	-	-	-	0.5	-	-	0.3	0.2
	3	0.8	1.2	0.3	0.2	0.1	2.2	0.2	0.3	0.8	0.7	
	4	0.6	1.0	-	-	0.4	2.1	-	0.1	0.3	0.3	
	5	0.6	1.0	-	-	0.2	0.5	-	*	*	*	
	6	0.5	0.3	-	-	-	0.2	-	-	-	-	
	7	-	*	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	<b>2.6</b>	<b>3.8</b>	<b>0.3</b>	<b>0.2</b>	<b>0.7</b>	<b>5.5</b>	0.2	0.4	<b>1.4</b>	<b>1.2</b>
	42	1-2	0.1	0.1	-	-	-	0.2	0.1	0.1	0.1	0.1
3		0.6	0.5	1.3	2.1	0.3	1.6	21.6	17.0	1.3	1.1	
4		1.3	1.0	3.4	2.6	0.8	2.5	3.5	3.9	2.0	1.6	
5		0.6	0.6	0.7	0.5	4.8	0.9	2.4	3.1	0.7	0.5	
6		0.6	0.4	-	-	0.7	0.1	-	-	*	*	
7		0.2	0.2	-	-	-	*	-	-	-	-	
<b>Total</b>		----	<b>3.3</b>	<b>2.6</b>	<b>5.4</b>	<b>5.3</b>	<b>6.6</b>	<b>5.3</b>	27.5	24.1	<b>4.1</b>	<b>3.2</b>
52		1-2	1.8	0.6	-	-	-	*	0.4	0.5	*	*
	3	11.7	5.7	0.7	0.5	3.3	0.5	0.5	1.9	*	*	
	4	7.0	5.7	3.1	2.3	4.5	0.9	3.3	3.1	0.1	*	
	5	0.7	1.6	2.0	1.5	4.3	0.8	5.0	3.6	*	*	
	6	1.1	0.6	-	-	0.2	0.2	-	-	-	*	
	7	0.7	0.3	-	-	0.1	*	-	-	-	-	
	<b>Total</b>	----	<b>23.0</b>	<b>14.5</b>	<b>5.7</b>	<b>4.3</b>	<b>12.4</b>	<b>2.4</b>	9.2	9.1	<b>0.1</b>	<b>0.1</b>

\* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE		
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season	
Color		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
	62	1-2	0.1	*	-	-	-	-	-	-	-	
		3	1.7	0.5	-	-	-	0.1	-	-	-	
		4	0.8	0.6	-	-	0.7	*	-	-	-	
		5	*	0.1	-	-	1.0	0.1	-	-	-	
		6	*	*	-	-	0.6	*	-	-	-	
		7	-	*	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>2.6</b>	<b>1.3</b>	-	-	<b>2.2</b>	<b>0.2</b>	-	-	-	-
13 & 23	1-2	0.1	0.9	-	-	-	-	-	-	-	-	
	3	*	0.6	-	-	-	*	-	-	-	-	
	4	-	0.4	-	-	-	*	-	-	-	-	
	5	-	*	-	-	-	*	-	-	-	-	
	6	-	*	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	-	-	-	-	-	
	<b>Total</b>	----	<b>0.1</b>	<b>2.0</b>	-	-	-	<b>0.1</b>	-	-	-	-
	33	1-2	*	*	-	-	-	*	-	-	-	-
3		*	0.2	-	-	-	*	-	-	-	-	
4		*	0.1	-	-	-	*	-	-	-	-	
5		0.1	*	-	-	-	*	-	-	-	-	
6		*	0.1	-	-	-	*	-	-	-	-	
7		-	-	-	-	-	*	-	-	-	-	
<b>Total</b>		----	<b>0.2</b>	<b>0.4</b>	-	-	-	<b>0.2</b>	-	-	-	-
43		1-2	-	*	-	-	-	*	-	-	-	-
	3	0.2	0.2	-	-	-	*	-	-	-	-	
	4	0.4	0.2	-	-	-	0.1	-	-	*	*	
	5	0.1	0.1	-	-	-	*	-	-	-	-	
	6	*	*	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	<b>0.7</b>	<b>0.5</b>	-	-	-	<b>0.1</b>	*	*	*	*
	53	1-2	0.1	*	-	-	-	-	-	-	-	-
3		1.5	0.4	-	-	*	*	-	-	*	*	
4		0.9	0.4	-	-	-	*	-	*	-	-	
5		0.6	0.3	-	-	*	*	-	-	-	-	
6		0.2	0.1	-	-	-	*	-	-	-	-	
7		*	*	-	-	-	*	-	-	-	-	
<b>Total</b>		----	<b>3.3</b>	<b>1.2</b>	-	-	<b>0.1</b>	<b>0.1</b>	-	*	*	*
63		1-2	-	*	-	-	-	*	-	-	-	-
	3	0.7	0.2	-	-	-	*	-	-	-	-	
	4	0.3	0.1	-	-	-	*	-	-	-	-	
	5	*	*	-	-	-	*	-	-	-	-	
	6	*	*	-	-	-	*	-	-	-	-	
	7	-	-	-	-	-	*	-	-	-	-	
	<b>Total</b>	----	<b>1.1</b>	<b>0.3</b>	-	-	-	*	-	-	-	
	24 - 54	1-7	-	0.2	-	-	-	*	-	-	*	*
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-	
81 - 85 1/	1-7	-	*	-	-	-	*	-	-	-	-	
All Colors	8 2/	*	*	-	-	-	*	-	-	-	-	
EXTRANEOUS MATTER												
Bark - Level 1		13.7	4.8	-	1.1	8.7	1.7	0.2	1.0	*	0.1	
Bark - Level 2		-	*	-	-	-	-	-	-	-	-	
Grass - Level 1		0.5	1.3	-	-	3.2	2.4	*	0.1	0.4	0.5	
Grass - Level 2		-	0.2	-	-	-	*	-	-	-	-	
Prep - Level 1		-	-	-	-	-	*	1.1	2.1	*	*	
Prep - Level 2		-	-	-	-	-	-	-	-	-	-	
Other - Level 1		-	0.9	-	-	-	0.2	-	-	-	-	
Other - Level 2		-	-	-	-	-	*	-	-	-	-	
STAPLE												
28 & shorter		-	0.7	-	-	-	*	-	-	-	-	
29		0.1	2.3	-	-	-	0.2	-	-	-	-	
30		0.5	6.5	-	-	-	2.7	-	-	-	-	
31		6.8	12.0	-	-	-	9.0	-	-	*	*	
32		6.9	15.9	-	-	0.1	15.1	0.1	0.1	0.5	0.5	
33		10.5	15.6	10.0	7.9	3.9	17.4	3.0	2.4	7.2	7.4	
34		12.3	12.8	34.9	36.1	7.3	16.1	16.0	15.9	27.6	29.1	
35		21.6	11.6	33.4	38.7	22.1	15.6	44.3	44.3	41.4	41.2	
36		20.2	11.8	20.3	16.2	32.3	13.2	28.1	27.0	18.5	17.5	
37		17.1	8.7	1.3	1.0	30.0	9.5	8.6	10.0	4.7	4.2	
38 & longer		4.0	2.1	0.1	0.1	4.3	1.1	-	0.3	0.2	0.1	
<b>Average staple</b>		<b>34.8</b>	<b>33.5</b>	<b>34.7</b>	<b>34.7</b>	<b>35.9</b>	<b>33.9</b>	<b>35.2</b>	<b>35.3</b>	<b>34.9</b>	<b>34.8</b>	

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 11 & 21	1-2	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
	3	34.4	42.3	17.8	26.7	0.3	0.3	0.1	0.1	-	-
	4	39.6	38.5	37.1	36.1	0.1	0.2	0.6	0.8	-	-
	5	6.0	4.8	5.4	4.0	*	*	0.1	0.2	-	-
	6	0.3	0.2	0.3	0.2	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>80.3</b>	<b>85.9</b>	<b>60.6</b>	<b>67.1</b>	<b>0.4</b>	<b>0.5</b>	<b>0.8</b>	<b>1.1</b>	-
31	1-2	1.0	0.7	0.3	0.9	7.1	6.8	0.5	0.4	-	-
	3	8.5	6.0	15.7	13.8	39.4	43.1	15.4	20.9	-	-
	4	5.9	4.1	16.4	11.6	8.6	9.5	7.1	8.3	-	-
	5	1.7	1.1	3.0	1.9	0.1	0.1	0.2	0.2	-	-
	6	0.2	0.2	*	*	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>17.4</b>	<b>12.2</b>	<b>35.4</b>	<b>28.1</b>	<b>55.3</b>	<b>59.5</b>	<b>23.2</b>	<b>29.7</b>	-
41	1-2	-	-	-	*	0.9	0.8	0.2	0.2	-	-
	3	*	*	0.3	0.2	25.0	22.0	16.5	14.8	-	-
	4	0.2	0.1	0.7	0.6	14.3	13.4	22.0	19.8	-	-
	5	0.5	0.3	1.3	0.8	1.2	0.9	0.5	0.5	-	-
	6	0.1	0.1	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.8</b>	<b>0.5</b>	<b>2.3</b>	<b>1.6</b>	<b>41.4</b>	<b>37.2</b>	<b>39.3</b>	<b>35.3</b>	-
51	1-2	-	-	-	*	-	*	0.1	0.1	-	-
	3	-	-	-	*	*	*	5.6	6.4	-	-
	4	-	-	-	-	0.1	0.1	8.4	7.7	-	-
	5	-	-	*	*	-	-	0.8	0.7	-	-
	6	-	-	*	*	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	<b>*</b>	<b>*</b>	<b>0.1</b>	<b>0.1</b>	<b>14.9</b>	<b>14.9</b>	-
61	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	-	-	-	-	-
12 & 22	1-2	*	0.2	0.1	0.1	-	*	-	-	-	-
	3	0.3	0.3	0.4	1.5	-	-	-	-	-	-
	4	0.3	0.2	0.2	0.4	-	-	*	*	-	-
	5	0.1	*	-	*	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.7</b>	<b>0.8</b>	<b>0.7</b>	<b>2.0</b>	-	<b>*</b>	<b>*</b>	<b>*</b>	-
32	1-2	*	*	*	*	-	-	0.3	0.2	-	-
	3	0.1	0.1	0.4	0.6	0.3	0.4	0.4	0.4	-	-
	4	0.1	0.1	0.4	0.3	0.1	0.1	0.1	0.1	-	-
	5	0.1	0.1	0.1	0.1	*	*	*	0.1	-	-
	6	0.1	*	-	-	-	-	-	-	-	-
	7	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.4</b>	<b>0.4</b>	<b>0.9</b>	<b>1.0</b>	<b>0.5</b>	<b>0.5</b>	<b>0.8</b>	<b>0.8</b>	-
42	1-2	-	-	-	-	*	*	0.2	0.2	-	-
	3	-	-	-	*	0.7	0.7	3.9	3.3	-	-
	4	*	*	-	*	1.1	1.2	5.5	4.7	-	-
	5	*	*	*	*	0.2	0.1	0.3	0.3	-	-
	6	0.1	*	-	-	-	-	-	*	-	-
	7	0.1	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	<b>0.2</b>	<b>0.2</b>	<b>*</b>	<b>*</b>	<b>2.0</b>	<b>2.0</b>	<b>9.9</b>	<b>8.5</b>	-
52	1-2	-	-	-	-	-	-	*	*	-	-
	3	-	-	-	-	-	*	2.2	2.1	-	-
	4	-	-	-	-	0.3	0.2	7.0	5.9	-	-
	5	-	-	-	-	0.1	*	0.6	0.5	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	-----	-	-	-	-	<b>0.3</b>	<b>0.3</b>	<b>9.8</b>	<b>8.7</b>	-

\* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
		Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
Color 62	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	-	-
	5	-	-	-	-	-	-	*	*	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	-	-	-	-	*	*	<b>0.1</b>	*	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	*	-	-	-	-	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	*	*	*	*	-	-	-	-	-
33	1-2	-	-	-	-	-	-	0.1	0.1	-	-
	3	-	-	*	*	-	-	0.1	0.1	-	-
	4	-	-	*	*	-	-	-	-	-	-
	5	*	*	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	*	*	*	*	-	-	<b>0.2</b>	<b>0.1</b>	-
43	1-2	-	-	-	-	-	-	0.1	0.1	-	-
	3	-	-	-	-	-	*	0.1	0.1	-	-
	4	*	*	-	-	-	*	0.1	0.1	-	-
	5	*	*	-	-	-	-	-	-	-	-
	6	*	*	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	<b>0.1</b>	<b>0.1</b>	-	-	-	*	<b>0.3</b>	<b>0.2</b>	-
53	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	0.1	0.1	-	-
	4	-	-	-	-	-	-	0.4	0.3	-	-
	5	-	-	-	-	-	-	0.1	0.1	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	-	-	-	-	-	-	<b>0.7</b>	<b>0.6</b>	-
63	1-2	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	<b>Total</b>	----	-	-	-	-	-	-	-	-	-
24 - 54	1-7	-	*	-	-	-	*	-	-	-	-
25 - 35	1-7	-	-	-	-	-	-	-	-	-	-
81 - 85 1/	1-7	*	*	*	*	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-
EXTRANEOUS MATTER											
Bark - Level 1		15.9	14.3	24.3	17.0	2.5	3.2	0.1	*	-	-
Bark - Level 2		-	-	-	-	-	-	-	-	-	-
Grass - Level 1		-	0.1	*	*	0.2	0.3	*	*	-	-
Grass - Level 2		-	-	-	-	-	-	-	-	-	-
Prep - Level 1		*	*	0.1	0.1	0.5	0.3	0.5	0.5	-	-
Prep - Level 2		-	-	-	-	-	-	-	-	-	-
Other - Level 1		*	0.1	-	-	*	*	-	-	-	-
Other - Level 2		-	-	-	-	-	-	-	-	-	-
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	*	-	-	-	-	-	-	-	-
31		*	0.1	0.2	0.2	*	*	-	-	-	-
32		0.5	0.8	0.9	1.3	0.1	0.1	0.1	*	-	-
33		2.8	3.2	3.7	5.4	5.4	6.1	1.1	0.9	-	-
34		7.7	7.0	9.6	11.9	34.1	35.7	19.7	17.3	-	-
35		16.0	15.6	14.1	16.0	39.6	37.8	45.5	45.1	-	-
36		23.5	26.0	24.2	22.1	15.6	15.9	28.9	31.9	-	-
37		37.6	38.5	29.6	27.9	3.9	3.4	4.8	4.8	-	-
38 & longer		12.0	8.8	17.7	15.3	1.3	1.0	-	-	-	-
<b>Average staple</b>		<b>36.2</b>	<b>36.1</b>	<b>36.2</b>	<b>36.0</b>	<b>34.8</b>	<b>34.8</b>	<b>35.2</b>	<b>35.2</b>		

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	RAYVILLE		VISALIA					
		Week	Season	Week	Season				
Color 11 & 21	1-2	Pct. 0.1	Pct. 0.7	Pct. 41.1	Pct. 37.7				
	3	0.1	3.2	19.3	18.9				
	4	*	0.2	1.0	0.9				
	5	-	*	0.1	0.1				
	6	-	-	-	-				
	7	-	-	-	-				
	<b>Total</b>	-----	<b>0.2</b>	<b>4.0</b>	<b>61.6</b>	<b>57.6</b>			
	31	1-2	0.2	0.6	18.2	12.2			
3		2.8	8.8	12.6	11.2				
4		0.6	5.2	1.4	1.2				
5		0.1	1.2	0.2	0.2				
6		-	*	-	-				
7		-	-	-	-				
<b>Total</b>		-----	<b>3.7</b>	<b>15.8</b>	<b>32.4</b>	<b>24.7</b>			
41		1-2	0.5	0.7	*	0.1			
	3	36.0	33.0	0.1	0.1				
	4	27.3	21.3	*	*				
	5	1.7	2.7	*	*				
	6	*	0.2	-	-				
	7	-	*	-	-				
	<b>Total</b>	-----	<b>65.5</b>	<b>57.9</b>	<b>0.2</b>	<b>0.3</b>			
	51	1-2	-	*	-	-			
3		1.7	1.9	-	-				
4		7.5	6.1	-	-				
5		3.6	2.7	-	-				
6		0.3	0.2	-	-				
7		-	*	-	-				
<b>Total</b>		-----	<b>13.1</b>	<b>10.9</b>	-	-			
61		1-2	-	-	-	-			
	3	-	-	-	-				
	4	-	-	-	-				
	5	-	-	-	-				
	6	-	-	-	-				
	7	-	-	-	-				
	<b>Total</b>	-----	-	-	-	-			
	71	1-2	-	-	-	-			
3		-	-	-	-				
4		-	-	-	-				
5		-	-	-	-				
6		-	-	-	-				
7		-	-	-	-				
<b>Total</b>		-----	-	-	-	-			
12 & 22		1-2	*	*	1.3	5.7			
	3	*	*	1.3	7.0				
	4	-	-	0.4	1.3				
	5	-	-	0.1	0.1				
	6	-	-	-	-				
	7	-	-	-	-				
	<b>Total</b>	-----	<b>*</b>	<b>*</b>	<b>3.2</b>	<b>14.0</b>			
	32	1-2	*	*	0.3	0.2			
3		0.1	0.2	0.9	0.7				
4		0.1	0.2	1.0	0.9				
5		0.1	0.1	0.1	0.2				
6		-	-	-	-				
7		-	-	-	-				
<b>Total</b>		-----	<b>0.4</b>	<b>0.5</b>	<b>2.3</b>	<b>2.0</b>			
42		1-2	-	*	-	-			
	3	3.3	2.4	*	*				
	4	4.6	2.9	0.1	0.1				
	5	1.3	0.8	*	*				
	6	*	0.1	-	-				
	7	-	*	-	-				
	<b>Total</b>	-----	<b>9.2</b>	<b>6.2</b>	<b>0.1</b>	<b>0.1</b>			
	52	1-2	-	-	-	-			
3		1.1	0.7	-	-				
4		2.7	1.8	-	-				
5		2.4	1.3	-	-				
6		0.6	0.3	-	-				
7		-	*	-	-				
<b>Total</b>		-----	<b>6.8</b>	<b>4.1</b>	-	-			

\* Less than 0.05 percent.

QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE

October 15, 2009

Quality Designation	Leaf	RAYVILLE		VISALIA				
		Week	Season	Week	Season			
Color 62	1-2	-	-	-	-			
	3	-	-	-	-			
	4	-	*	-	-			
	5	*	*	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	*	*	-	-		
13 & 23	1-2	-	-	*	0.1			
	3	-	-	*	0.5			
	4	-	-	*	0.2			
	5	-	-	*	0.1			
	6	-	-	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	-	-	<b>0.1</b>	<b>0.8</b>		
33	1-2	-	-	-	-			
	3	-	*	*	*			
	4	*	*	*	0.1			
	5	*	*	*	0.2			
	6	-	-	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	*	*	<b>0.1</b>	<b>0.3</b>		
43	1-2	-	-	-	-			
	3	*	*	*	*			
	4	0.1	0.1	*	*			
	5	0.2	0.1	-	*			
	6	*	*	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	<b>0.3</b>	<b>0.1</b>	*	<b>0.1</b>		
53	1-2	-	-	-	-			
	3	*	*	-	-			
	4	0.2	0.1	-	-			
	5	0.4	0.2	-	-			
	6	0.2	0.1	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	<b>0.7</b>	<b>0.3</b>	-	-		
63	1-2	-	-	-	-			
	3	-	-	-	-			
	4	-	-	-	-			
	5	-	-	-	-			
	6	-	-	-	-			
	7	-	-	-	-			
	<b>Total</b>	-----	-	-	-	-		
24 - 54	1-7	*	*	-	*			
25 - 35	1-7	-	-	-	-			
81 - 85 1/	1-7	-	-	-	-			
All Colors	8 2/	-	-	-	-			
EXTRANEIOUS MATTER								
Bark - Level 1		0.6	0.5	0.7	0.5			
Bark - Level 2		-	-	-	-			
Grass - Level 1		3.2	2.1	*	0.1			
Grass - Level 2		-	-	-	-			
Prep - Level 1		*	*	*	*			
Prep - Level 2		-	-	*	*			
Other - Level 1		-	*	1.6	0.6			
Other - Level 2		-	-	-	-			
STAPLE								
28 & shorter		-	-	-	-			
29		-	-	-	-			
30		-	-	-	-			
31		-	-	-	-			
32		*	0.1	*	*			
33		1.6	2.3	0.5	1.4			
34		17.7	18.9	8.2	13.4			
35		41.5	41.7	27.5	35.9			
36		28.4	28.5	21.3	22.9			
37		10.2	8.4	17.2	15.4			
38 & longer		0.4	0.2	25.3	11.0			
<b>Average staple</b>		<b>35.3</b>	<b>35.2</b>	<b>36.5</b>	<b>35.8</b>			

1/ Below Grade Color. 2/ Below Grade Leaf. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

October 15, 2009

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	*	-	-	-	-	-	-	-	-
19	-	0.1	-	-	-	-	-	-	-	-
20	-	0.1	-	-	-	*	-	-	-	-
21	*	0.7	-	-	-	*	-	-	-	-
22	0.3	1.4	-	-	-	0.2	-	-	-	-
23	1.0	2.7	-	-	-	0.9	-	-	-	-
24	3.1	5.1	-	-	-	3.3	2.0	1.7	-	*
25	8.2	9.1	1.1	0.8	*	6.2	10.6	9.3	0.5	0.5
26	12.2	14.5	9.2	6.9	0.1	10.0	25.5	23.8	2.7	3.1
27	10.3	15.0	34.2	26.5	5.4	13.3	28.3	28.7	11.8	11.9
28	12.3	13.9	40.5	35.7	23.1	16.6	18.5	18.5	23.0	23.3
29	16.6	12.0	4.9	15.1	31.1	17.9	9.9	9.9	28.5	27.9
30	13.2	9.0	6.1	10.6	13.2	13.9	4.2	5.1	20.2	19.8
31	12.4	8.3	3.2	3.7	9.9	10.4	0.7	2.1	9.0	9.4
32	6.8	5.1	0.7	0.6	8.9	5.6	0.1	0.6	3.5	3.3
33	2.7	2.1	0.1	0.1	5.9	1.5	-	0.2	0.8	0.7
34	0.7	0.7	-	-	2.3	0.3	-	0.1	*	*
35	0.1	0.2	-	-	0.1	*	-	-	-	-
36 & above	0.1	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>28.5</b>	<b>27.7</b>	<b>27.7</b>	<b>28.1</b>	<b>29.6</b>	<b>28.4</b>	<b>27.0</b>	<b>27.2</b>	<b>29.0</b>	<b>28.9</b>
MIKE										
24 & below	-	-	-	-	-	-	-	-	-	-
25	-	-	-	-	-	-	-	-	-	-
26	0.1	*	-	-	-	-	-	-	-	-
27	0.8	0.2	-	-	-	-	-	-	-	-
28	0.4	0.1	-	-	-	*	-	-	-	-
29	0.1	*	-	-	-	*	-	-	-	-
30	*	*	-	-	-	*	-	-	*	*
31	0.3	0.1	-	-	-	0.1	-	-	-	-
32	0.3	0.1	-	-	-	0.2	-	-	*	*
33	1.0	0.4	-	-	0.3	0.3	-	-	*	*
34	1.2	0.5	-	-	-	0.3	-	*	0.1	0.1
35	1.2	0.4	-	-	-	0.4	0.1	0.1	0.2	0.2
36	2.6	0.9	1.8	1.3	-	0.7	0.9	0.7	0.2	0.1
37	3.4	1.4	2.0	2.8	*	1.0	2.1	1.6	0.2	0.4
38	2.4	1.3	2.5	4.0	1.4	1.5	1.1	1.3	0.2	0.3
39	1.6	1.6	2.9	3.4	1.6	2.1	1.2	1.7	0.2	0.3
40	2.2	2.1	1.1	0.8	1.1	2.5	3.1	3.6	0.6	0.9
41	3.5	2.7	2.3	1.7	1.8	3.1	5.4	6.4	1.9	2.0
42	4.4	3.7	5.7	4.3	4.2	4.2	7.4	9.3	2.6	2.8
43	4.2	4.4	3.3	2.5	5.2	5.1	7.9	8.8	3.9	4.2
44	6.0	5.3	1.4	1.4	3.0	5.7	4.8	5.8	5.6	6.4
45	10.1	7.2	3.8	4.9	4.1	6.6	6.0	6.0	9.3	10.3
46	7.3	8.2	11.3	11.0	9.7	7.5	6.2	6.7	10.1	11.4
47	8.9	9.5	2.9	3.9	14.8	8.5	7.5	9.6	12.4	13.2
48	8.6	9.9	27.1	21.8	16.9	10.0	6.8	8.2	14.2	13.4
49	9.0	10.8	27.2	26.8	16.6	9.6	12.4	10.0	11.3	10.7
50	9.0	10.7	3.1	7.5	11.7	8.6	14.9	10.8	10.6	9.8
51	5.0	8.3	1.8	1.8	3.9	7.7	8.1	5.7	7.7	6.2
52	3.8	6.0	-	-	3.4	5.7	3.1	2.4	5.0	4.0
53	1.7	2.6	-	-	0.3	4.3	0.7	0.9	2.2	1.9
54	1.0	1.4	-	-	-	2.7	0.3	0.3	0.7	0.7
55	*	0.2	-	-	-	1.0	*	*	0.4	0.4
56	-	*	-	-	-	0.2	-	-	0.1	0.1
57	-	-	-	-	-	0.1	-	-	*	*
58	-	-	-	-	-	*	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>45</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>47</b>	<b>47</b>

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.



**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

**October 15, 2009**

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
18	-	-	-	-	-	-	-	-	-	-
19	-	-	-	-	-	-	-	-	-	-
20	-	-	-	-	-	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-
23	-	-	-	-	-	-	-	-	-	-
24	*	0.2	*	*	-	-	-	-	-	-
25	0.2	0.4	0.5	0.4	0.2	0.2	0.2	0.2	-	-
26	1.5	1.4	1.7	1.6	1.1	1.3	6.3	5.7	-	-
27	5.7	4.8	5.7	5.2	9.3	10.6	24.9	25.5	-	-
28	13.2	11.9	10.6	10.3	24.3	25.3	29.4	29.3	-	-
29	19.4	19.5	13.4	13.3	26.5	26.5	25.1	24.5	-	-
30	23.9	25.5	19.0	17.2	22.0	20.8	9.7	10.1	-	-
31	21.1	22.3	18.5	17.2	11.3	10.5	3.5	3.7	-	-
32	11.0	10.5	15.0	14.7	4.4	4.0	0.7	0.8	-	-
33	3.7	3.3	10.2	12.2	0.7	0.6	0.2	0.2	-	-
34	0.2	0.1	4.0	5.9	0.2	0.2	-	-	-	-
35	-	-	1.1	1.7	*	*	-	-	-	-
36 & above	-	-	0.1	0.2	-	-	-	-	-	-
<b>Average</b>	<b>29.9</b>	<b>29.9</b>	<b>30.4</b>	<b>30.6</b>	<b>29.2</b>	<b>29.1</b>	<b>28.2</b>	<b>28.2</b>		
MIKE										
24 & below	-	0.2	0.3	0.2	-	-	-	-	-	-
25	-	*	0.3	0.2	-	-	-	-	-	-
26	-	0.1	0.3	0.2	-	-	-	-	-	-
27	*	0.1	0.5	0.3	-	-	-	-	-	-
28	0.2	0.3	0.4	0.3	-	-	-	-	-	-
29	0.2	0.7	0.6	0.4	-	-	-	-	-	-
30	0.1	1.0	0.8	0.7	-	-	-	-	-	-
31	0.1	1.3	0.7	1.1	-	-	-	-	-	-
32	0.8	2.0	1.3	1.4	-	-	-	-	-	-
33	1.3	2.4	1.9	1.8	-	-	*	*	-	-
34	1.5	2.5	1.8	2.4	-	-	0.5	0.5	-	-
35	1.9	2.9	2.7	3.2	-	*	2.1	2.2	-	-
36	3.0	4.1	5.1	4.8	-	*	2.1	2.3	-	-
37	5.0	5.3	6.1	6.1	-	*	2.7	3.3	-	-
38	5.6	6.5	7.7	8.6	0.1	0.2	4.6	7.1	-	-
39	8.6	8.5	7.9	9.3	*	0.2	5.4	6.8	-	-
40	10.2	9.6	8.9	9.7	0.5	0.7	7.7	7.8	-	-
41	10.8	10.2	9.8	9.5	0.9	1.1	6.7	7.1	-	-
42	11.0	10.5	11.2	9.9	1.4	1.7	7.5	7.4	-	-
43	10.9	9.0	10.6	8.9	3.4	3.2	9.3	8.6	-	-
44	10.9	8.9	7.3	7.0	6.2	6.5	9.5	9.0	-	-
45	6.7	5.4	5.4	4.4	9.4	10.1	6.5	6.0	-	-
46	4.3	3.6	4.4	3.7	12.3	12.5	8.7	7.9	-	-
47	2.9	2.4	2.4	2.7	17.5	15.4	9.6	8.4	-	-
48	2.1	1.5	0.9	0.9	15.5	14.3	9.0	7.8	-	-
49	1.4	0.9	0.4	0.7	15.6	15.7	5.7	5.0	-	-
50	0.2	0.1	0.2	0.6	9.5	10.9	2.0	1.9	-	-
51	*	*	*	0.5	4.8	5.0	0.2	0.4	-	-
52	*	*	-	0.3	1.9	1.7	0.1	0.3	-	-
53	-	-	-	0.1	0.6	0.4	*	*	-	-
54	-	-	-	*	0.2	0.2	*	*	-	-
55	-	-	-	-	0.1	*	-	-	-	-
56	-	-	-	-	0.1	*	-	-	-	-
57	-	-	-	-	0.1	0.1	-	-	-	-
58	-	-	-	-	-	-	-	-	-	-
59	-	-	-	-	-	-	-	-	-	-
60 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>43</b>	<b>43</b>		

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

October 15, 2009

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
STRENGTH 1/ 17 & below	Pct.	Pct.	Pct.	Pct.			
18	-	-	-	-			
19	-	-	-	-			
20	-	-	-	-			
21	-	-	-	-			
22	-	-	-	-			
23	-	-	-	-			
24	*	*	*	*			
25	0.4	0.3	0.4	0.3			
26	2.9	2.0	2.7	2.8			
27	13.3	11.1	5.8	8.0			
28	26.5	24.1	14.7	17.3			
29	24.9	25.8	19.7	22.1			
30	14.6	18.3	16.8	19.5			
31	11.7	12.2	7.5	11.6			
32	4.5	4.7	4.0	5.4			
33	0.9	1.3	5.5	3.5			
34	0.1	0.2	10.2	4.4			
35	-	-	9.4	3.8			
36 & above	-	-	3.1	1.2			
<b>Average</b>	<b>28.9</b>	<b>29.1</b>	<b>30.6</b>	<b>29.8</b>			
MIKE							
24 & below	-	-	-	-			
25	-	-	-	-			
26	-	-	-	*			
27	-	-	*	*			
28	-	-	0.1	*			
29	-	-	*	*			
30	-	-	-	*			
31	-	-	0.1	*			
32	-	-	0.1	0.1			
33	-	-	0.1	0.1			
34	-	-	0.3	0.2			
35	-	*	0.5	0.3			
36	*	*	0.5	0.4			
37	*	*	0.7	0.8			
38	0.1	0.1	0.9	1.2			
39	0.4	0.3	1.4	1.5			
40	0.6	0.6	1.6	1.7			
41	1.0	0.8	3.8	2.6			
42	1.4	1.0	4.7	3.8			
43	2.3	1.8	8.0	6.4			
44	3.3	2.9	7.8	7.1			
45	4.4	4.3	9.9	8.6			
46	6.1	6.3	7.0	8.6			
47	10.2	9.3	8.4	8.9			
48	12.2	10.7	7.0	8.9			
49	15.3	13.7	9.8	11.4			
50	14.1	14.5	10.3	11.4			
51	11.7	13.7	7.3	8.6			
52	8.7	11.0	4.8	4.8			
53	4.2	5.8	3.9	2.1			
54	2.1	2.3	1.2	0.5			
55	1.2	0.7	*	*			
56	0.6	0.3	-	-			
57	*	*	-	-			
58	*	*	-	-			
59	-	-	-	-			
60 & above	-	-	-	-			
<b>Average</b>	<b>49</b>	<b>49</b>	<b>47</b>	<b>47</b>			

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex).

\* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

October 15, 2009

Quality Designation	ABILENE		BIRMINGHAM		CORPUS CHRISTI		DUMAS		FLORENCE	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	-	-	-	-	-	-	-	-	-
25 - 26	0.1	*	-	-	-	-	-	-	-	-
27 - 29	1.3	0.3	-	-	-	*	-	-	-	-
30 - 32	0.7	0.2	-	-	-	0.4	-	-	*	*
33 - 34	2.2	0.9	-	-	0.3	0.6	-	*	0.2	0.1
35 - 36	3.8	1.4	1.8	1.3	-	1.1	1.1	0.8	0.4	0.3
37 - 42	17.4	12.8	16.4	17.1	10.2	14.5	20.3	23.9	5.8	6.7
43 - 49	54.2	55.2	77.0	72.3	70.3	53.1	51.6	55.1	66.8	69.7
50 - 52	17.8	25.0	4.8	9.3	18.9	22.0	26.1	19.0	23.4	20.1
53 & above	2.7	4.2	-	-	0.3	8.3	1.0	1.2	3.5	3.1
<b>Average</b>	<b>45</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>47</b>	<b>47</b>	<b>46</b>	<b>46</b>	<b>47</b>	<b>47</b>
HVI TRASH 1/										
00	-	*	-	-	-	*	-	-	-	-
01	3.6	14.0	1.0	0.7	0.3	13.7	0.8	1.4	0.8	0.8
02	13.1	24.6	20.1	17.1	4.5	30.0	11.1	10.1	10.0	10.8
03	19.9	17.6	29.6	34.8	11.0	22.0	23.4	20.1	19.7	21.4
04	20.4	14.5	20.8	23.1	18.8	13.8	18.4	17.4	23.0	24.5
05	15.4	11.0	14.8	13.0	20.8	8.4	12.1	13.3	19.8	19.5
06	11.1	7.4	8.1	6.6	16.6	5.1	9.6	11.7	13.3	11.8
07	6.2	4.3	3.3	2.7	9.5	2.9	9.3	10.9	7.2	6.0
08	3.6	2.5	1.5	1.4	5.1	1.6	8.2	8.7	3.7	3.0
09	2.4	1.6	0.5	0.4	3.8	0.9	4.1	4.0	1.6	1.3
10	1.7	1.1	0.1	0.1	3.1	0.6	2.2	1.8	0.6	0.5
11	1.1	0.7	0.1	0.1	2.1	0.4	0.6	0.5	0.3	0.2
12	0.8	0.4	-	-	1.7	0.3	0.1	0.1	0.1	0.1
13	0.4	0.2	-	-	1.4	0.2	0.1	*	*	*
14	0.2	0.1	-	-	0.6	0.1	-	-	-	-
15	0.1	*	-	-	0.3	0.1	-	-	-	-
16	0.1	*	-	-	0.2	*	-	-	-	-
17	*	*	-	-	0.2	*	-	-	-	-
18 & above	*	*	-	-	*	*	-	-	-	-
<b>Average</b>	<b>0.46</b>	<b>0.37</b>	<b>0.38</b>	<b>0.37</b>	<b>0.58</b>	<b>0.33</b>	<b>0.48</b>	<b>0.50</b>	<b>0.46</b>	<b>0.44</b>
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	*	-	-	-	-	-	-	-	-
73.5-74.4	*	0.1	-	-	-	*	-	-	-	-
74.5-75.4	0.1	0.2	-	-	*	*	-	-	-	-
75.5-76.4	0.7	1.0	-	-	*	0.1	-	-	-	-
76.5-77.4	2.1	3.8	-	-	0.1	0.6	-	-	-	*
77.5-78.4	6.9	10.5	0.4	0.7	0.2	4.7	0.6	0.8	0.1	0.2
78.5-79.4	17.5	20.5	30.9	27.6	1.6	11.6	9.7	9.6	1.8	2.2
79.5-80.4	23.1	24.6	35.7	36.5	13.0	21.5	30.8	28.9	11.1	12.8
80.5-81.4	25.7	21.3	20.1	23.6	32.1	29.9	36.6	37.2	32.3	34.0
81.5-82.4	16.8	12.8	12.3	11.2	30.2	23.4	19.1	20.4	36.8	35.2
82.5-83.4	5.9	4.3	0.4	0.3	17.8	7.4	3.2	3.2	15.4	13.7
83.5-84.4	1.1	0.7	0.1	0.1	4.6	0.8	-	*	2.4	1.9
84.5-85.4	0.1	*	-	-	0.3	*	-	-	*	*
85.5-86.4	-	-	-	-	-	-	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.4</b>	<b>80.1</b>	<b>80.2</b>	<b>80.2</b>	<b>81.6</b>	<b>80.8</b>	<b>80.7</b>	<b>80.8</b>	<b>81.6</b>	<b>81.5</b>
Tenderable 3/	44.7	30.7	84.1	80.4	43.4	45.1	48.6	53.6	69.2	73.3
<b>SAMPLES CLASSED</b>										
<b>Week</b>	<b>7,864</b>		<b>912</b>		<b>2,763</b>		<b>3,760</b>		<b>29,659</b>	
<b>Season</b>		<b>38,891</b>		<b>1,214</b>		<b>167,678</b>		<b>5,643</b>		<b>45,059</b>

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

October 15, 2009

Quality Designation	LAMESA		LUBBOCK		MACON		MEMPHIS		PHOENIX	
	Week	Season	Week	Season	Week	Season	Week	Season	Week	Season
MIKE	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
24 & below	-	0.2	0.3	0.2	-	-	-	-	-	-
25 - 26	-	0.1	0.6	0.4	-	-	-	-	-	-
27 - 29	0.4	1.2	1.5	1.0	-	-	-	-	-	-
30 - 32	1.0	4.4	2.8	3.2	-	-	-	-	-	-
33 - 34	2.8	4.9	3.7	4.3	-	-	0.5	0.6	-	-
35 - 36	4.9	7.0	7.8	8.1	-	*	4.2	4.5	-	-
37 - 42	51.4	50.5	51.6	53.0	2.9	3.8	34.7	39.6	-	-
43 - 49	39.1	31.6	31.6	28.3	79.9	77.7	58.3	52.7	-	-
50 - 52	0.3	0.2	0.2	1.5	16.2	17.6	2.2	2.6	-	-
53 & above	-	-	-	0.1	1.0	0.8	*	*	-	-
<b>Average</b>	<b>41</b>	<b>40</b>	<b>40</b>	<b>40</b>	<b>47</b>	<b>47</b>	<b>43</b>	<b>43</b>		
HVI TRASH 1/										
00	-	-	-	*	-	-	-	-	-	-
01	12.0	18.7	7.7	14.3	0.9	1.2	0.5	0.6	-	-
02	29.2	33.0	20.3	26.6	16.0	19.3	10.9	13.0	-	-
03	22.2	20.8	20.6	20.3	32.1	33.2	24.0	26.1	-	-
04	15.7	12.5	17.3	14.3	27.1	25.5	28.1	27.3	-	-
05	9.1	6.7	11.9	9.1	13.8	12.3	19.9	18.2	-	-
06	5.0	3.5	8.3	6.0	5.6	4.8	10.6	9.4	-	-
07	2.5	1.8	5.4	3.8	2.4	2.0	3.9	3.5	-	-
08	1.6	1.1	3.9	2.7	1.2	0.9	1.5	1.4	-	-
09	1.0	0.7	2.1	1.3	0.5	0.4	0.4	0.3	-	-
10	0.7	0.4	1.5	0.9	0.3	0.2	0.1	0.1	-	-
11	0.4	0.3	0.7	0.4	0.1	0.1	*	*	-	-
12	0.3	0.2	0.3	0.2	*	*	-	-	-	-
13	0.2	0.1	*	*	-	-	*	*	-	-
14	0.1	0.1	*	*	-	-	-	-	-	-
15	0.1	*	*	*	-	-	-	-	-	-
16	*	*	-	-	-	-	-	-	-	-
17	-	-	-	-	-	-	-	-	-	-
18 & above	*	*	-	-	-	-	-	-	-	-
<b>Average</b>	<b>0.33</b>	<b>0.29</b>	<b>0.40</b>	<b>0.34</b>	<b>0.38</b>	<b>0.36</b>	<b>0.41</b>	<b>0.40</b>		
UNIFORMITY 2/										
72.4 & below	-	-	-	-	-	-	-	-	-	-
72.5-73.4	-	-	-	-	-	-	-	-	-	-
73.5-74.4	-	-	-	-	-	-	-	-	-	-
74.5-75.4	-	*	-	0.1	-	-	-	-	-	-
75.5-76.4	0.1	0.2	0.1	0.4	-	-	-	-	-	-
76.5-77.4	0.6	0.8	1.2	2.1	-	*	-	-	-	-
77.5-78.4	2.6	3.3	5.5	7.2	0.5	0.5	0.3	0.3	-	-
78.5-79.4	9.4	11.0	12.3	14.6	9.5	9.4	4.4	4.0	-	-
79.5-80.4	22.5	23.2	22.3	21.9	35.6	35.1	19.4	21.3	-	-
80.5-81.4	32.1	32.6	28.7	26.2	30.2	30.3	41.7	40.4	-	-
81.5-82.4	24.7	22.1	19.9	19.0	17.9	18.2	30.2	29.7	-	-
82.5-83.4	7.0	6.0	7.5	6.8	5.7	5.8	3.7	4.1	-	-
83.5-84.4	1.0	0.8	2.4	1.7	0.5	0.5	0.2	0.2	-	-
84.5-85.4	-	-	0.2	0.1	*	*	-	-	-	-
85.5-86.4	-	-	-	-	-	*	-	-	-	-
86.5-87.4	-	-	-	-	-	-	-	-	-	-
87.5-88.4	-	-	-	-	-	-	-	-	-	-
88.5-89.4	-	-	-	-	-	-	-	-	-	-
89.5 & above	-	-	-	-	-	-	-	-	-	-
<b>Average</b>	<b>80.9</b>	<b>80.8</b>	<b>80.7</b>	<b>80.5</b>	<b>80.8</b>	<b>80.8</b>	<b>81.1</b>	<b>81.1</b>		
Tenderable 3/	79.3	74.5	68.3	72.6	79.1	77.3	77.5	79.5		
<b>SAMPLES CLASSED</b>										
<b>Week</b>	<b>20,660</b>		<b>11,417</b>		<b>16,100</b>		<b>10,667</b>			
<b>Season</b>		<b>33,900</b>		<b>18,645</b>		<b>21,069</b>		<b>12,606</b>		

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**

**October 15, 2009**

Quality Designation	RAYVILLE		VISALIA				
	Week	Season	Week	Season			
MIKE	Pct.	Pct.	Pct.	Pct.			
24 & below	-	-	-	-			
25 - 26	-	-	-	*			
27 - 29	-	-	0.1	0.1			
30 - 32	-	-	0.1	0.1			
33 - 34	-	-	0.4	0.3			
35 - 36	*	*	1.0	0.8			
37 - 42	3.6	2.8	13.0	11.5			
43 - 49	53.7	48.9	57.8	59.8			
50 - 52	34.5	39.2	22.5	24.8			
53 & above	8.1	9.1	5.1	2.6			
<b>Average</b>	<b>49</b>	<b>49</b>	<b>47</b>	<b>47</b>			
HVI TRASH 1/							
00	-	-	-	-			
01	0.1	0.8	38.9	33.2			
02	3.8	8.9	44.6	45.9			
03	16.1	21.1	10.7	13.6			
04	25.5	24.5	3.1	4.1			
05	22.9	19.4	1.4	1.5			
06	13.9	11.5	0.6	0.8			
07	7.4	6.2	0.3	0.5			
08	4.3	3.4	0.1	0.2			
09	2.0	1.7	0.1	0.1			
10	1.5	1.1	*	*			
11	1.1	0.7	*	*			
12	0.8	0.4	-	*			
13	0.3	0.1	-	-			
14	0.3	0.1	-	-			
15	0.1	0.1	-	-			
16	*	*	-	-			
17	-	-	-	-			
18 & above	-	-	-	-			
<b>Average</b>	<b>0.51</b>	<b>0.46</b>	<b>0.19</b>	<b>0.20</b>			
UNIFORMITY 2/							
72.4 & below	-	-	-	-			
72.5-73.4	-	-	-	-			
73.5-74.4	-	-	-	-			
74.5-75.4	-	-	-	-			
75.5-76.4	-	-	-	-			
76.5-77.4	0.1	0.1	*	*			
77.5-78.4	1.5	1.5	0.9	0.8			
78.5-79.4	9.8	10.2	4.7	4.9			
79.5-80.4	24.6	23.8	22.5	21.4			
80.5-81.4	27.5	28.2	33.1	37.1			
81.5-82.4	23.6	23.4	14.3	21.6			
82.5-83.4	10.3	10.3	14.9	10.2			
83.5-84.4	2.3	2.3	9.4	4.0			
84.5-85.4	0.3	0.2	0.1	*			
85.5-86.4	-	-	*	*			
86.5-87.4	-	-	-	-			
87.5-88.4	-	-	-	-			
88.5-89.4	-	-	-	-			
89.5 & above	-	-	-	-			
<b>Average</b>	<b>81.0</b>	<b>81.0</b>	<b>81.4</b>	<b>81.2</b>			
Tenderable 3/	48.9	46.1	69.9	68.4			
<b>SAMPLES CLASSED</b>							
<b>Week</b>	<b>23,748</b>		<b>13,171</b>				
<b>Season</b>		<b>53,348</b>		<b>34,423</b>			

1/ Measure of the percent of the sample surface covered by the trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. 2/ Measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 3/ Tenderable for delivery on New York No. 2 futures contracts. \* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**October 15, 2009**

Color Grade	Leaf	PHOENIX		VISALIA	
		Week	Season	Week	Season
01	1	-	-	3.1	3.1
	2	-	-	30.9	30.9
	3	-	-	0.3	0.3
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	<b>34.3</b>	<b>34.3</b>
02	1	-	-	1.7	1.7
	2	-	-	61.5	61.5
	3	-	-	2.4	2.4
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	<b>65.5</b>	<b>65.5</b>
03	1	-	-	-	-
	2	-	-	0.1	0.1
	3	-	-	0.1	0.1
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	<b>0.3</b>	<b>0.3</b>
04	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	-	-
05	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	-	-
06	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	-	-
07	1	-	-	-	-
	2	-	-	-	-
	3	-	-	-	-
	4	-	-	-	-
	5	-	-	-	-
	6	-	-	-	-
	7	-	-	-	-
<b>Total</b>	-----	-	-	-	-
<b>STAPLE</b>					
40 & shorter		-	-	-	-
42		-	-	-	-
44		-	-	1.1	1.1
46		-	-	33.2	33.2
48 & longer		-	-	65.7	65.7
<b>Average</b>				<b>47.4</b>	<b>47.4</b>
<b>UNIFORMITY</b>					
72.4 & below		-	-	-	-
72.5-73.4		-	-	-	-
73.5-74.4		-	-	-	-
74.5-75.4		-	-	-	-
75.5-76.4		-	-	-	-
76.5-77.4		-	-	-	-
77.5-78.4		-	-	-	-
78.5-79.4		-	-	-	-
79.5-80.4		-	-	-	-
80.5-81.4		-	-	-	-
81.5-82.4		-	-	*	*
82.5-83.4		-	-	0.1	0.1
83.5-84.4		-	-	1.7	1.7
84.5-85.4		-	-	13.8	13.8
85.5-86.4		-	-	42.1	42.1
86.5-87.4		-	-	35.2	35.2
87.5-88.4		-	-	6.9	6.9
88.5-89.4		-	-	0.1	0.1
89.5 & above		-	-	-	-
<b>Average</b>				<b>86.3</b>	<b>86.3</b>
<b>SAMPLES CLASSED</b>					
Week				<b>3,567</b>	
Season					<b>3,567</b>

\* Less than 0.05 percent.

**QUALITY OF AMERICAN PIMA COTTON CLASSED FOR PRODUCERS BY CLASSING OFFICE**  
**October 15, 2009**

Quality Designation	PHOENIX		VISALIA	
	Week	Season	Week	Season
<b>MIKE</b>				
24 & below	-	-	-	-
25 - 26	-	-	-	-
27 - 29	-	-	-	-
30 - 32	-	-	-	-
33 - 34	-	-	-	-
35 - 36	-	-	0.1	0.1
37 - 42	-	-	79.7	79.7
43 - 49	-	-	20.2	20.2
50 - 52	-	-	-	-
53 & above	-	-	-	-
<b>Average</b>			<b>41</b>	<b>41</b>
<b>ALL RANGE MIKE</b>				
24 & below	-	-	-	-
25	-	-	-	-
26	-	-	-	-
27	-	-	-	-
28	-	-	-	-
29	-	-	-	-
30	-	-	-	-
31	-	-	-	-
32	-	-	-	-
33	-	-	-	-
34	-	-	-	-
35	-	-	-	-
36	-	-	0.1	0.1
37	-	-	1.2	1.2
38	-	-	5.4	5.4
39	-	-	13.7	13.7
40	-	-	17.3	17.3
41	-	-	21.3	21.3
42	-	-	20.8	20.8
43	-	-	13.7	13.7
44	-	-	5.4	5.4
45	-	-	1.1	1.1
46	-	-	0.1	0.1
47	-	-	-	-
48	-	-	-	-
49	-	-	-	-
50	-	-	-	-
51	-	-	-	-
52	-	-	-	-
53	-	-	-	-
54	-	-	-	-
55	-	-	-	-
56	-	-	-	-
57	-	-	-	-
58	-	-	-	-
59	-	-	-	-
60 & above	-	-	-	-
<b>Average</b>			<b>41</b>	<b>41</b>
<b>Strength</b>				
17 & below	-	-	-	-
18	-	-	-	-
19	-	-	-	-
20	-	-	-	-
21	-	-	-	-
22	-	-	-	-
23	-	-	-	-
24	-	-	-	-
25	-	-	-	-
26	-	-	-	-
27	-	-	-	-
28	-	-	-	-
29	-	-	-	-
30	-	-	-	-
31	-	-	-	-
32	-	-	-	-
33	-	-	-	-
34	-	-	-	-
35	-	-	-	-
36	-	-	-	-
37	-	-	-	-
38	-	-	0.1	0.1
39	-	-	0.4	0.4
40	-	-	1.4	1.4
41	-	-	5.4	5.4
42	-	-	10.0	10.0
43	-	-	19.0	19.0
44	-	-	22.2	22.2
45 & above	-	-	41.5	41.5
<b>Average</b>			<b>43.8</b>	<b>43.8</b>
<b>EXTRANEIOUS MATTER</b>				
Bark	-	-	-	-
Grass	-	-	-	-
Spindle Twist Preparation	-	-	-	-

\* Less than 0.05 percent.